

Table 1. Health Home Enrollment by Intervention Quarter

Quarter	Dates	Enrolled at Any Point in the Quarter
Quarter 1	10/1/13 – 12/31/13	2,156
Quarter 2	1/1/14 – 3/31/14	3,018
Quarter 3	4/1/14 – 6/30/14	3,598
Quarter 4	7/1/14 – 9/30/14	3,884
Quarter 5	10/1/14 – 12/31/14	4,035
Quarter 6	1/1/15- 3/31/15	4,210
Total Ever Enrolled		5,131

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 2. Health Home Participation by Length of Enrollment

Enrollment Length	Health Home Participants
At Least 3 Months	4,636
At Least 6 Months	4,249
At Least 9 Months	3,756
At Least 12 Months	3,096
At Least 15 Months	2184
At least 18 Months	125

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 3. Percentage of Health Home Participants Newly Enrolled, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)	Quarter 2 (January 2014 - March 2014)	Quarter 3 (April 2014 - June 2014)	Quarter 4 (July 2014 - September 2014)	Quarter 5 (October 2014 - December 2014)	Quarter 6 (January 2015 - March 2015)
	New Enrollees	New Enrollees	New Enrollees	New Enrollees	New Enrollees	New Enrollees
P01		100.0%	0.0%	0.0%	0.0%	0.0%
P02			100.0%	26.0%	17.0%	6.4%
P03	100.0%	8.9%	6.0%	6.9%	4.2%	1.0%
P04	100.0%	48.3%	16.0%	8.1%	11.8%	5.8%
P05	100.0%	70.4%	35.0%	21.9%	1.9%	10.5%
P06			100.0%	45.1%	28.1%	7.9%
P07		100.0%	81.8%	32.9%	9.2%	9.5%
P08			100.0%	27.8%	6.7%	0.0%
P09			100.0%	18.9%	6.3%	19.4%
P10	100.0%	4.5%	8.8%	7.4%	6.0%	5.3%
P11	100.0%	53.2%	13.0%	16.1%	10.4%	15.6%
P12	100.0%	5.4%	6.1%	6.6%	1.0%	2.0%
P13			100.0%	8.0%	0.0%	17.9%
P14	100.0%	69.2%	16.7%	36.4%	26.2%	34.9%
P15	100.0%	16.7%	2.1%	19.0%	0.0%	1.8%
P16				100.0%	51.8%	29.6%
P17	100.0%	35.5%	13.8%	5.3%	12.4%	8.0%
P18	100.0%	48.6%	21.9%	10.3%	6.5%	10.3%
P19					100.0%	60.4%
P20	100.0%	7.1%	0.0%	1.5%	1.6%	0.0%
P21	100.0%	74.2%	17.0%	21.5%	8.0%	4.9%
P22		100.0%	54.0%	25.3%	20.4%	9.9%
P23	100.0%	10.5%	0.0%	0.0%	8.3%	1.6%
P24	100.0%	43.5%	10.4%	11.9%	9.9%	10.6%
P25	100.0%	20.0%	37.9%	15.9%	10.7%	7.2%
P26	100.0%	42.0%	0.0%	0.0%	0.0%	0.0%
P27		100.0%	27.0%	3.9%	10.4%	11.4%
P28	100.0%	6.7%	3.3%	15.0%	7.1%	8.3%
P29	100.0%	7.2%	12.6%	6.5%	7.8%	3.2%
P30	100.0%	2.5%	2.5%	0.0%	3.3%	1.7%
P31	100.0%	14.6%	3.1%	5.3%	15.9%	3.7%
P32						100.0%
P33						100.0%
Total	100.0%	29.6%	19.1%	13.1%	9.8%	11.7%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 4. Percentage of Health Home Participants Enrolled by Program Type, Provider, and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)			Quarter 2 (January 2014 - March 2014)			Quarter 3 (April 2014 - June 2014)			Quarter 4 (July 2014 - September 2014)			Quarter 5 (October 2014 - December 2014)			Quarter 6 (January 2015 - March 2015)		
	PRP	MTS	OTP	PRP	MTS	OTP	PRP	MTS	OTP	PRP	MTS	OTP	PRP	MTS	OTP	PRP	MTS	OTP
P01				0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P02							0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%
P03	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P04	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P05	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P06							100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P07				100.0%	0.0%	0.0%	94.5%	5.5%	0.0%	92.1%	7.9%	0.0%	90.2%	9.8%	0.0%	90.0%	10.0%	0.0%
P08							0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%
P09							100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P10	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P11	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P12	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P13							100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P14	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P15	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P16										100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P17	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P18	88.1%	11.9%	0.0%	92.4%	7.6%	0.0%	92.1%	7.9%	0.0%	93.7%	6.3%	0.0%	91.2%	8.8%	0.0%	90.2%	9.8%	0.0%
P19													100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P20	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P21	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P22				100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P23	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P24	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P25	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P26	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P27				100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P28	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%
P29	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P30	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P31	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P32																0.0%	0.0%	100.0%
P33																100.0%	0.0%	0.0%
Total	82.9%	6.6%	10.5%	82.3%	5.2%	12.5%	82.0%	6.2%	11.8%	81.7%	6.6%	11.7%	81.9%	6.5%	11.6%	79.5%	6.1%	14.4%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 5. Percentage of Health Home Participants with a Counselor, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)	Quarter 2 (January 2014 - March 2014)	Quarter 3 (April 2014 - June 2014)	Quarter 4 (July 2014 - September 2014)	Quarter 5 (October 2014 - December 2014)	Quarter 6 (January 2015 - March 2015)
	With a Counselor	With a Counselor	With a Counselor	With a Counselor	With a Counselor	With a Counselor
P01		0.0%	0.0%	0.0%	0.0%	0.0%
P02			100.0%	100.0%	100.0%	100.0%
P03	71.4%	72.8%	74.4%	76.2%	74.9%	97.0%
P04	84.8%	85.4%	86.8%	89.2%	90.8%	90.1%
P05	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
P06			100.0%	98.6%	97.9%	97.0%
P07		40.0%	35.5%	28.0%	27.2%	24.7%
P08			100.0%	100.0%	100.0%	100.0%
P09			100.0%	100.0%	100.0%	96.8%
P10	0.0%	0.0%	0.0%	0.0%	0.4%	0.4%
P11	93.9%	94.2%	94.2%	94.6%	95.4%	95.8%
P12	98.9%	96.8%	96.0%	93.4%	92.3%	93.0%
P13			100.0%	100.0%	100.0%	100.0%
P14	100.0%	65.4%	53.3%	63.6%	73.8%	82.5%
P15	95.0%	91.7%	91.7%	89.7%	89.3%	87.5%
P16				88.1%	92.9%	94.8%
P17	99.3%	96.9%	96.9%	97.1%	97.2%	97.6%
P18	37.1%	29.2%	28.4%	26.3%	24.9%	23.2%
P19					100.0%	100.0%
P20	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P21	100.0%	48.3%	49.1%	48.9%	46.4%	46.9%
P22		100.0%	100.0%	100.0%	98.9%	99.0%
P23	90.6%	93.0%	92.7%	92.7%	85.0%	83.6%
P24	98.2%	98.0%	98.1%	96.2%	95.4%	94.7%
P25	91.8%	93.3%	94.8%	95.5%	95.7%	97.8%
P26	0.0%	24.1%	25.3%	25.3%	25.3%	25.3%
P27		74.1%	77.0%	77.9%	79.2%	81.0%
P28	98.4%	95.5%	91.9%	78.2%	77.2%	76.9%
P29	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P30	2.5%	2.5%	3.3%	3.4%	6.6%	8.4%
P31	65.9%	58.3%	55.7%	56.4%	51.4%	53.3%
P32						95.1%
P33						100.0%
Total	49.5%	54.6%	57.6%	58.1%	59.0%	61.2%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 6. Percentage of Health Home Participants with a Primary Care Physician, by Provider, and by Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)	Quarter 2 (January 2014 - March 2014)	Quarter 3 (April 2014 - June 2014)	Quarter 4 (July 2014 - September 2014)	Quarter 5 (October 2014 - December 2014)	Quarter 6 (January 2015 - March 2015)
	With a PCP	With a PCP	With a PCP	With a PCP	With a PCP	With a PCP
P01		0.0%	0.0%	0.0%	0.0%	0.0%
P02			75.7%	80.0%	83.0%	80.9%
P03	93.0%	91.1%	91.6%	91.6%	89.5%	88.0%
P04	52.2%	55.1%	62.3%	65.8%	69.7%	71.1%
P05	100.0%	100.0%	99.2%	98.7%	98.7%	98.8%
P06			100.0%	100.0%	100.0%	100.0%
P07		95.0%	90.9%	90.2%	91.3%	91.6%
P08			100.0%	100.0%	100.0%	100.0%
P09			87.1%	89.2%	87.5%	90.3%
P10	52.7%	53.4%	49.7%	47.3%	45.8%	44.6%
P11	57.6%	54.7%	60.4%	59.5%	61.3%	64.1%
P12	100.0%	96.8%	94.9%	91.5%	91.3%	93.0%
P13			82.6%	84.0%	83.3%	85.7%
P14	50.0%	73.1%	60.0%	69.7%	78.6%	82.5%
P15	77.5%	66.7%	64.6%	51.7%	50.0%	50.0%
P16				81.0%	84.7%	87.0%
P17	100.0%	96.9%	96.9%	97.1%	97.2%	96.8%
P18	54.3%	49.0%	50.6%	51.1%	49.6%	46.0%
P19					19.0%	49.1%
P20	0.0%	0.0%	0.0%	1.5%	3.2%	3.8%
P21	91.3%	93.3%	93.4%	91.1%	89.1%	88.1%
P22		93.1%	93.7%	91.1%	88.2%	85.1%
P23	83.0%	75.4%	76.4%	76.4%	70.0%	68.9%
P24	98.8%	92.5%	92.2%	92.0%	91.0%	90.7%
P25	90.2%	89.3%	88.8%	90.9%	91.4%	91.3%
P26	25.3%	29.0%	29.2%	29.2%	29.2%	29.2%
P27		70.4%	64.9%	64.9%	64.9%	59.5%
P28	0.8%	2.2%	2.4%	2.3%	7.9%	11.6%
P29	93.3%	93.7%	94.5%	95.1%	95.3%	95.2%
P30	24.6%	26.4%	27.0%	24.6%	27.0%	28.6%
P31	51.8%	45.8%	45.4%	45.7%	43.0%	43.9%
P32						95.9%
P33						100.0%
Total	62.9%	64.4%	67.7%	68.3%	68.6%	69.2%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 7. Percentage of Health Home Participants by Age, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)						Quarter 2 (January 2014 - March 2014)						Quarter 3 (April 2014 - June 2014)					
	Age 3 to 9	Age 10 to 14	Age 15 to 20	Age 21 to 39	Age 40 to 64	Age 65 and older	Age 3 to 9	Age 10 to 14	Age 15 to 20	Age 21 to 39	Age 40 to 64	Age 65 and older	Age 3 to 9	Age 10 to 14	Age 15 to 20	Age 21 to 39	Age 40 to 64	Age 65 and older
P01							0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
P02													0.0%	0.0%	0.0%	40.5%	56.8%	2.7%
P03	0.0%	0.0%	0.5%	26.5%	70.8%	2.2%	0.0%	0.0%	0.5%	27.2%	70.3%	2.0%	0.0%	0.0%	0.5%	28.4%	69.3%	1.9%
P04	0.0%	0.0%	0.0%	19.6%	67.4%	13.0%	0.0%	0.0%	0.0%	18.0%	71.9%	10.1%	0.0%	0.0%	0.9%	21.7%	68.9%	8.5%
P05	0.0%	0.0%	0.0%	12.5%	70.8%	16.7%	0.0%	0.0%	0.0%	23.5%	66.7%	9.9%	0.0%	0.0%	0.0%	23.6%	65.9%	10.6%
P06													0.0%	0.0%	2.5%	20.0%	67.5%	10.0%
P07							0.0%	0.0%	0.0%	45.0%	50.0%	5.0%	0.0%	0.0%	0.9%	33.6%	64.5%	0.9%
P08													0.0%	0.0%	0.0%	3.6%	85.7%	10.7%
P09													22.6%	51.6%	25.8%	0.0%	0.0%	0.0%
P10	0.0%	0.0%	0.8%	34.4%	58.6%	6.2%	0.0%	0.0%	1.0%	34.2%	58.7%	6.1%	0.0%	0.0%	1.1%	35.8%	57.0%	6.1%
P11	0.0%	0.0%	0.0%	18.2%	81.8%	0.0%	0.0%	0.0%	0.0%	16.5%	82.7%	0.7%	0.0%	0.0%	0.0%	16.2%	83.1%	0.6%
P12	0.0%	0.0%	0.0%	17.0%	71.6%	11.4%	0.0%	0.0%	0.0%	17.2%	71.0%	11.8%	0.0%	0.0%	0.0%	18.2%	70.7%	11.1%
P13													0.0%	0.0%	0.0%	4.3%	91.3%	4.3%
P14	0.0%	0.0%	0.0%	25.0%	62.5%	12.5%	3.8%	26.9%	3.8%	23.1%	38.5%	3.8%	6.7%	26.7%	10.0%	23.3%	33.3%	0.0%
P15	0.0%	0.0%	0.0%	30.0%	55.0%	15.0%	0.0%	0.0%	0.0%	29.2%	54.2%	16.7%	0.0%	0.0%	0.0%	31.3%	54.2%	14.6%
P16																		
P17	7.4%	23.5%	7.4%	12.8%	44.3%	4.7%	10.1%	25.0%	9.2%	12.3%	40.4%	3.1%	9.6%	25.8%	10.0%	13.8%	38.1%	2.7%
P18	0.0%	0.0%	0.0%	15.9%	74.2%	9.9%	0.0%	0.0%	0.7%	21.5%	68.8%	9.0%	0.0%	0.0%	0.8%	21.3%	69.7%	8.1%
P19																		
P20	0.0%	0.0%	0.0%	40.9%	56.1%	3.0%	0.0%	0.0%	0.0%	45.7%	52.9%	1.4%	0.0%	0.0%	0.0%	46.3%	52.2%	1.5%
P21	0.0%	0.0%	4.3%	17.4%	73.9%	4.3%	0.0%	0.0%	3.4%	30.3%	64.0%	2.2%	0.0%	0.0%	2.8%	30.2%	63.2%	3.8%
P22							0.0%	0.0%	0.0%	24.1%	58.6%	17.2%	0.0%	0.0%	1.6%	27.0%	61.9%	9.5%
P23	0.0%	0.0%	0.0%	30.2%	62.3%	7.5%	0.0%	0.0%	0.0%	29.8%	64.9%	5.3%	0.0%	0.0%	0.0%	29.1%	65.5%	5.5%
P24	0.0%	0.0%	0.0%	17.3%	73.2%	9.5%	0.0%	0.0%	0.0%	21.8%	68.0%	10.2%	0.0%	0.0%	0.3%	22.4%	68.2%	9.1%
P25	0.0%	0.0%	0.0%	9.8%	86.9%	3.3%	0.0%	0.0%	0.0%	9.3%	88.0%	2.7%	0.0%	0.0%	0.0%	15.5%	81.9%	2.6%
P26	0.0%	0.0%	0.0%	40.4%	59.6%	0.0%	0.0%	0.0%	0.0%	41.4%	58.6%	0.0%	0.0%	0.0%	0.0%	40.9%	59.1%	0.0%
P27							5.6%	31.5%	20.4%	27.8%	13.0%	1.9%	13.5%	29.7%	20.3%	21.6%	13.5%	1.4%
P28	13.6%	45.6%	18.4%	12.8%	8.8%	0.8%	12.7%	44.8%	17.9%	14.2%	9.7%	0.7%	11.4%	44.7%	17.9%	13.8%	11.4%	0.8%
P29	0.0%	0.0%	0.0%	24.0%	64.4%	11.5%	0.0%	0.0%	0.0%	24.3%	64.0%	11.7%	0.0%	0.0%	0.0%	22.8%	66.1%	11.0%
P30	0.0%	0.0%	0.0%	24.6%	70.3%	5.1%	0.0%	0.0%	0.0%	24.8%	70.2%	5.0%	0.0%	0.0%	0.0%	24.6%	70.5%	4.9%
P31	0.0%	0.0%	0.0%	28.2%	67.1%	4.7%	0.0%	0.0%	0.0%	29.2%	65.6%	5.2%	0.0%	0.0%	0.0%	29.9%	64.9%	5.2%
P32																		
P33																		
Total	1.3%	4.3%	1.9%	24.7%	61.8%	6.1%	1.5%	4.7%	2.3%	25.3%	60.5%	5.8%	1.6%	4.7%	2.6%	25.2%	60.5%	5.4%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 7. Percentage of Health Home Participants by Age, by Provider and Quarter

Provider ID	Quarter 4 (July 2014 - September 2014)						Quarter 5 (October 2014 - December 2014)						Quarter 6 (January 2015 - March 2015)					
	Age 3 to 9	Age 10 to 14	Age 15 to 20	Age 21 to 39	Age 40 to 64	Age 65 and older	Age 3 to 9	Age 10 to 14	Age 15 to 20	Age 21 to 39	Age 40 to 64	Age 65 and older	Age 3 to 9	Age 10 to 14	Age 15 to 20	Age 21 to 39	Age 40 to 64	Age 65 and older
P01	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
P02	0.0%	0.0%	0.0%	40.0%	58.0%	2.0%	0.0%	0.0%	1.9%	35.8%	58.5%	3.8%	0.0%	0.0%	2.1%	36.2%	57.4%	4.3%
P03	0.0%	0.0%	0.5%	27.7%	69.8%	2.0%	0.0%	0.0%	4.7%	30.4%	67.0%	2.1%	0.0%	0.0%	0.0%	31.0%	67.0%	2.0%
P04	0.0%	0.0%	1.8%	21.6%	68.5%	8.1%	0.0%	0.0%	1.7%	22.7%	67.2%	8.4%	0.0%	0.0%	1.7%	23.1%	67.8%	7.4%
P05	0.0%	0.0%	0.0%	23.9%	65.8%	10.3%	0.0%	0.0%	0.0%	22.4%	67.3%	10.3%	0.0%	0.0%	0.0%	22.1%	67.4%	10.5%
P06	0.0%	0.0%	2.8%	25.4%	63.4%	8.5%	0.0%	0.0%	2.1%	24.0%	67.7%	6.3%	0.0%	0.0%	2.0%	23.8%	68.3%	5.9%
P07	0.0%	0.0%	1.8%	30.5%	66.5%	1.2%	0.0%	0.0%	1.7%	30.6%	65.9%	1.7%	0.0%	0.0%	2.1%	30.0%	66.3%	1.6%
P08	0.0%	0.0%	2.8%	16.7%	72.2%	8.3%	0.0%	0.0%	0.0%	13.3%	80.0%	6.7%	0.0%	0.0%	0.0%	14.3%	78.6%	7.1%
P09	21.6%	51.4%	27.0%	0.0%	0.0%	0.0%	18.8%	53.1%	6.3%	0.0%	0.0%	0.0%	16.1%	58.1%	25.8%	0.0%	0.0%	0.0%
P10	0.0%	0.0%	1.0%	36.5%	56.3%	6.3%	0.0%	0.0%	1.2%	36.1%	56.1%	6.6%	0.0%	0.0%	1.2%	36.7%	55.4%	6.7%
P11	0.0%	0.0%	0.0%	16.7%	82.7%	0.6%	0.0%	0.0%	0.0%	15.6%	83.8%	0.6%	0.0%	0.0%	0.0%	15.1%	84.4%	0.5%
P12	0.0%	0.0%	0.0%	35.8%	67.9%	11.3%	0.0%	0.0%	0.0%	19.2%	69.2%	11.5%	0.0%	0.0%	1.0%	18.0%	69.0%	12.0%
P13	0.0%	0.0%	0.0%	4.0%	92.0%	4.0%	0.0%	0.0%	0.0%	4.2%	91.7%	4.2%	0.0%	0.0%	0.0%	7.1%	89.3%	3.6%
P14	9.1%	27.3%	9.1%	57.6%	27.3%	0.0%	7.1%	21.4%	7.1%	28.6%	35.7%	0.0%	11.1%	19.0%	7.9%	28.6%	33.3%	0.0%
P15	0.0%	0.0%	0.0%	87.9%	55.2%	12.1%	0.0%	0.0%	0.0%	32.1%	57.1%	10.7%	0.0%	0.0%	0.0%	30.4%	58.9%	10.7%
P16	0.0%	0.0%	2.4%	33.3%	64.3%	0.0%	0.0%	0.0%	3.5%	31.8%	63.5%	1.2%	0.0%	0.0%	2.6%	29.6%	65.2%	2.6%
P17	9.9%	24.3%	8.2%	14.8%	39.9%	2.9%	10.4%	23.2%	8.0%	13.6%	42.0%	2.8%	11.2%	24.0%	6.8%	14.4%	40.8%	2.8%
P18	0.0%	0.0%	0.5%	21.6%	69.7%	8.2%	0.0%	0.0%	0.5%	21.6%	69.9%	8.1%	0.0%	0.0%	2.0%	22.7%	68.2%	7.1%
P19							61.9%	33.3%	4.8%	0.0%	0.0%	0.0%	54.7%	39.6%	5.7%	0.0%	0.0%	0.0%
P20	0.0%	0.0%	0.0%	47.0%	51.5%	1.5%	0.0%	0.0%	0.0%	43.5%	54.8%	1.6%	0.0%	0.0%	0.0%	32.7%	65.4%	1.9%
P21	0.0%	0.0%	3.0%	30.4%	60.7%	5.9%	0.0%	0.0%	5.1%	28.3%	60.9%	5.8%	0.0%	0.0%	4.2%	30.8%	59.4%	5.6%
P22	0.0%	0.0%	2.5%	26.6%	63.3%	7.6%	0.0%	2.2%	3.2%	28.0%	60.2%	6.5%	1.0%	3.0%	4.0%	30.7%	55.4%	5.9%
P23	0.0%	0.0%	0.0%	29.1%	65.5%	5.5%	0.0%	0.0%	0.0%	30.0%	65.0%	5.0%	0.0%	0.0%	0.0%	29.5%	65.6%	4.9%
P24	0.0%	0.0%	0.3%	22.4%	69.9%	7.4%	0.0%	0.0%	1.2%	21.7%	70.0%	7.1%	0.0%	0.0%	1.2%	23.0%	69.3%	6.5%
P25	0.0%	0.0%	0.0%	15.9%	81.1%	3.0%	0.0%	0.0%	0.0%	15.7%	82.1%	2.1%	0.0%	0.0%	0.0%	16.7%	81.2%	2.2%
P26	0.0%	0.0%	0.0%	40.9%	59.1%	0.0%	0.0%	0.0%	0.0%	40.9%	59.1%	0.0%	0.0%	0.0%	0.0%	40.9%	59.1%	0.0%
P27	14.3%	29.9%	19.5%	22.1%	13.0%	1.3%	16.9%	28.6%	19.5%	20.8%	13.0%	1.3%	16.5%	31.6%	20.3%	19.0%	11.4%	1.3%
P28	12.8%	42.1%	15.8%	15.0%	13.5%	0.8%	13.4%	43.3%	15.0%	15.0%	12.6%	0.8%	13.2%	41.3%	14.9%	15.7%	14.0%	0.8%
P29	0.0%	0.0%	0.0%	22.0%	67.5%	10.6%	0.0%	0.0%	0.8%	25.0%	64.8%	10.2%	0.0%	0.0%	0.0%	26.4%	63.2%	10.4%
P30	0.0%	0.0%	0.0%	7.6%	70.3%	5.1%	0.0%	0.0%	0.8%	24.6%	69.7%	4.9%	0.0%	0.0%	0.8%	24.4%	70.6%	4.2%
P31	0.0%	0.0%	0.0%	30.9%	63.8%	5.3%	0.0%	0.0%	0.0%	39.3%	56.1%	4.7%	0.0%	0.0%	0.0%	40.2%	55.1%	4.7%
P32													0.0%	0.0%	0.0%	11.5%	88.5%	0.0%
P33													100.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	1.6%	4.3%	2.4%	26.7%	60.8%	5.3%	1.9%	4.2%	2.6%	25.5%	60.7%	5.1%	2.4%	4.5%	2.6%	25.1%	60.7%	4.8%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 8. Percentage of Health Home Participants by Race, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)						Quarter 2 (January 2014 - March 2014)						Quarter 3 (April 2014 - June 2014)					
	American Indian/Alaskan Native	Asian	Black	Native Hawaiian/Other Pacific Islander	White	Other/Unknown	American Indian/Alaskan Native	Asian	Black	Native Hawaiian/Other Pacific Islander	White	Other/Unknown	American Indian/Alaskan Native	Asian	Black	Native Hawaiian/Other Pacific Islander	White	Other/Unknown
P01							0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02													0.0%	0.0%	56.8%	0.0%	40.5%	2.7%
P03	0.5%	0.0%	65.9%	0.0%	30.8%	2.7%	0.5%	0.0%	65.8%	0.0%	30.7%	3.0%	0.5%	0.0%	66.0%	0.0%	30.2%	3.3%
P04	0.0%	0.0%	43.5%	0.0%	56.5%	0.0%	1.1%	0.0%	37.1%	0.0%	60.7%	1.1%	0.9%	0.0%	36.8%	0.0%	61.3%	0.9%
P05	0.0%	4.2%	25.0%	0.0%	66.7%	4.2%	0.0%	6.2%	34.6%	0.0%	55.6%	3.7%	0.0%	8.9%	31.7%	0.0%	55.3%	4.1%
P06													0.0%	0.0%	82.5%	0.0%	15.0%	2.5%
P07							0.0%	5.0%	35.0%	0.0%	55.0%	5.0%	0.0%	2.7%	37.3%	0.0%	52.7%	7.3%
P08													0.0%	0.0%	67.9%	0.0%	28.6%	3.6%
P09													0.0%	0.0%	45.2%	0.0%	41.9%	12.9%
P10	0.4%	2.0%	21.3%	0.2%	71.8%	4.4%	0.4%	2.0%	20.9%	0.0%	72.4%	4.3%	0.4%	1.7%	22.3%	0.2%	70.9%	4.6%
P11	69.7%	0.0%	77.3%	0.0%	22.7%	0.0%	0.0%	0.0%	78.4%	0.0%	21.6%	0.0%	0.0%	0.0%	76.6%	0.0%	23.4%	0.0%
P12	0.0%	0.0%	33.0%	0.0%	65.9%	1.1%	0.0%	0.0%	32.3%	0.0%	66.7%	1.1%	0.0%	0.0%	32.3%	0.0%	66.7%	1.0%
P13													0.0%	0.0%	87.0%	0.0%	13.0%	0.0%
P14	0.0%	12.5%	87.5%	0.0%	0.0%	0.0%	0.0%	3.8%	88.5%	0.0%	7.7%	0.0%	0.0%	3.3%	83.3%	0.0%	10.0%	3.3%
P15	0.0%	2.5%	72.5%	0.0%	20.0%	5.0%	0.0%	2.1%	70.8%	0.0%	20.8%	6.3%	0.0%	2.1%	70.8%	0.0%	20.8%	6.3%
P16													0.0%	0.0%	20.8%	0.4%	74.6%	4.2%
P17	0.0%	0.0%	16.1%	0.0%	80.5%	2.7%	0.0%	0.0%	19.3%	0.4%	76.3%	3.9%	0.0%	0.0%	20.8%	0.4%	74.6%	4.2%
P18	1.3%	0.0%	43.0%	0.7%	51.7%	3.3%	1.7%	0.3%	40.6%	0.3%	53.8%	3.1%	1.4%	0.6%	41.0%	0.3%	53.4%	3.4%
P19																		
P20	1.5%	1.5%	65.2%	0.0%	28.8%	3.0%	1.4%	1.4%	64.3%	0.0%	28.6%	4.3%	1.5%	1.5%	67.2%	0.0%	25.4%	4.5%
P21	47.8%	4.3%	39.1%	0.0%	52.2%	4.3%	0.0%	3.4%	30.3%	0.0%	58.4%	7.9%	0.0%	3.8%	32.1%	0.0%	55.7%	8.5%
P22							0.0%	0.0%	48.3%	0.0%	41.4%	10.3%	0.0%	0.0%	44.4%	0.0%	50.8%	4.8%
P23	0.0%	0.0%	26.4%	0.0%	71.7%	1.9%	0.0%	0.0%	29.8%	0.0%	68.4%	1.8%	0.0%	0.0%	30.9%	0.0%	67.3%	1.8%
P24	0.0%	0.6%	54.8%	0.6%	40.5%	3.6%	0.0%	0.3%	55.1%	0.3%	41.2%	3.1%	0.0%	0.3%	55.5%	0.3%	41.2%	2.6%
P25	65.6%	0.0%	67.2%	0.0%	27.9%	3.3%	1.3%	0.0%	68.0%	0.0%	28.0%	2.7%	0.9%	0.0%	63.8%	0.0%	33.6%	1.7%
P26	2.0%	0.0%	20.2%	0.0%	72.7%	5.1%	2.5%	0.0%	16.0%	0.6%	77.2%	3.7%	2.6%	0.0%	16.2%	0.6%	76.6%	3.9%
P27							0.0%	0.0%	98.1%	0.0%	1.9%	0.0%	0.0%	0.0%	98.6%	0.0%	1.4%	0.0%
P28	0.8%	0.8%	81.6%	0.0%	15.2%	1.6%	0.7%	0.7%	79.9%	0.0%	17.2%	1.5%	0.8%	0.8%	79.7%	0.0%	17.1%	1.6%
P29	0.0%	1.0%	39.4%	0.0%	55.8%	3.8%	0.0%	0.9%	40.5%	0.0%	54.1%	4.5%	0.0%	0.8%	38.6%	0.0%	55.9%	4.7%
P30	0.0%	1.7%	77.1%	0.0%	18.6%	2.5%	0.0%	1.7%	77.7%	0.0%	18.2%	2.5%	0.0%	1.6%	76.2%	0.0%	19.7%	2.5%
P31	0.0%	11.8%	29.4%	0.0%	43.5%	15.3%	0.0%	9.4%	31.3%	0.0%	43.8%	15.6%	0.0%	9.3%	33.0%	0.0%	43.3%	14.4%
P32																		
P33																		
Total	4.9%	1.4%	43.5%	0.1%	50.9%	3.7%	0.5%	1.2%	44.3%	0.1%	50.2%	3.7%	0.4%	1.3%	45.4%	0.1%	48.9%	3.8%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 8. Percentage of Health Home Participants by Race, by Provider and Quarter

Provider ID	Quarter 4 (July 2014 - September 2014)						Quarter 5 (October 2014 - December 2014)						Quarter 6 (January 2015 - March 2015)					
	American Indian/Alaskan Native	Asian	Black	Native Hawaiian/Other Pacific Islander	White	Other/Unknown	American Indian/Alaskan Native	Asian	Black	Native Hawaiian/Other Pacific Islander	White	Other/Unknown	American Indian/Alaskan Native	Asian	Black	Native Hawaiian/Other Pacific Islander	White	Other/Unknown
P01	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
P02	0.0%	0.0%	58.0%	0.0%	40.0%	2.0%	0.0%	0.0%	54.7%	0.0%	41.5%	3.8%	0.0%	0.0%	51.1%	0.0%	44.7%	4.3%
P03	0.5%	0.0%	65.8%	0.0%	30.7%	3.0%	0.5%	0.0%	63.4%	0.0%	33.0%	3.1%	1.0%	0.0%	68.0%	0.0%	29.0%	2.0%
P04	0.9%	0.0%	38.7%	0.0%	59.5%	0.9%	0.8%	0.8%	40.3%	0.0%	57.1%	0.8%	0.0%	0.8%	39.7%	0.0%	57.0%	2.5%
P05	0.0%	7.7%	31.6%	0.0%	55.5%	5.2%	0.0%	7.7%	32.1%	0.0%	55.1%	5.1%	0.0%	7.0%	33.1%	0.0%	55.2%	4.7%
P06	0.0%	0.0%	87.3%	0.0%	9.9%	2.8%	0.0%	0.0%	87.5%	0.0%	9.4%	3.1%	0.0%	0.0%	87.1%	0.0%	9.9%	3.0%
P07	0.0%	1.8%	40.2%	0.0%	51.2%	6.7%	0.0%	1.7%	38.7%	0.0%	53.2%	6.4%	0.0%	1.6%	40.5%	0.0%	52.1%	5.8%
P08	0.0%	0.0%	75.0%	0.0%	22.2%	2.8%	0.0%	0.0%	73.3%	0.0%	23.3%	3.3%	0.0%	0.0%	71.4%	0.0%	25.0%	3.6%
P09	0.0%	0.0%	45.9%	0.0%	45.9%	8.1%	0.0%	0.0%	50.0%	0.0%	46.9%	3.1%	0.0%	0.0%	58.1%	0.0%	38.7%	3.2%
P10	0.2%	1.9%	23.1%	0.2%	69.3%	5.3%	0.2%	1.9%	23.0%	0.0%	69.8%	5.1%	0.2%	2.0%	22.7%	0.0%	68.8%	6.3%
P11	0.0%	0.0%	76.2%	0.0%	23.8%	0.0%	0.0%	0.0%	77.5%	0.0%	22.5%	0.0%	0.0%	0.0%	76.0%	0.0%	22.4%	1.6%
P12	0.0%	0.9%	31.1%	0.0%	67.0%	0.9%	0.0%	1.0%	31.7%	0.0%	66.3%	1.0%	0.0%	1.0%	29.0%	0.0%	69.0%	1.0%
P13	0.0%	4.0%	84.0%	0.0%	12.0%	0.0%	0.0%	4.2%	83.3%	0.0%	12.5%	0.0%	0.0%	3.6%	78.6%	0.0%	17.9%	0.0%
P14	0.0%	0.0%	87.9%	0.0%	9.1%	3.0%	0.0%	0.0%	85.7%	0.0%	11.9%	2.4%	0.0%	0.0%	88.9%	0.0%	9.5%	1.6%
P15	0.0%	1.7%	75.9%	0.0%	17.2%	5.2%	0.0%	1.8%	75.0%	0.0%	17.9%	5.4%	0.0%	1.8%	75.0%	0.0%	17.9%	5.4%
P16	0.0%	0.0%	64.3%	0.0%	31.0%	4.8%	0.0%	0.0%	56.5%	0.0%	41.2%	2.4%	0.0%	0.0%	59.1%	0.0%	35.7%	5.2%
P17	0.4%	0.0%	20.6%	0.4%	75.7%	2.9%	0.8%	0.0%	17.2%	0.4%	78.8%	2.8%	0.8%	0.0%	16.4%	0.4%	79.6%	2.8%
P18	1.3%	1.1%	40.8%	0.3%	54.2%	2.4%	0.8%	1.0%	40.8%	0.3%	54.0%	3.1%	0.7%	1.5%	42.1%	0.2%	52.1%	3.4%
P19							0.0%	0.0%	38.1%	0.0%	47.6%	14.3%	0.0%	0.0%	41.5%	0.0%	52.8%	5.7%
P20	1.5%	1.5%	68.2%	0.0%	24.2%	4.5%	1.6%	1.6%	67.7%	0.0%	24.2%	4.8%	1.9%	0.0%	75.0%	0.0%	17.3%	5.8%
P21	0.0%	3.7%	33.3%	0.0%	54.1%	8.9%	0.0%	3.6%	31.9%	0.0%	55.8%	8.7%	0.0%	3.5%	33.6%	0.0%	55.2%	7.7%
P22	0.0%	0.0%	43.0%	0.0%	53.2%	3.8%	1.1%	0.0%	40.9%	0.0%	54.8%	3.2%	1.0%	0.0%	39.6%	0.0%	56.4%	3.0%
P23	0.0%	0.0%	30.9%	0.0%	67.3%	1.8%	0.0%	0.0%	30.0%	0.0%	68.3%	1.7%	0.0%	0.0%	29.5%	0.0%	68.9%	1.6%
P24	0.0%	0.3%	54.5%	0.3%	41.7%	3.2%	0.0%	0.3%	54.2%	0.3%	41.8%	3.4%	0.0%	0.3%	54.7%	0.3%	40.7%	4.0%
P25	0.8%	0.0%	62.9%	0.0%	34.8%	1.5%	0.7%	0.0%	62.1%	0.0%	35.0%	2.1%	0.7%	0.0%	63.8%	0.0%	33.3%	2.2%
P26	2.6%	0.0%	16.2%	0.6%	76.6%	3.9%	2.6%	0.0%	16.2%	0.6%	76.6%	3.9%	2.6%	0.0%	16.2%	0.6%	76.6%	3.9%
P27	0.0%	0.0%	98.7%	0.0%	1.3%	0.0%	0.0%	0.0%	98.7%	0.0%	1.3%	0.0%	0.0%	0.0%	98.7%	0.0%	1.3%	0.0%
P28	0.8%	0.0%	79.7%	0.0%	16.5%	3.0%	0.8%	0.0%	77.2%	0.0%	17.3%	4.7%	0.8%	0.0%	80.2%	0.0%	14.9%	4.1%
P29	0.0%	0.8%	39.0%	0.0%	55.3%	4.9%	0.0%	1.6%	38.3%	0.0%	53.9%	6.3%	0.0%	1.6%	37.6%	0.0%	54.4%	6.4%
P30	0.0%	1.7%	75.4%	0.0%	20.3%	2.5%	0.0%	1.6%	75.4%	0.0%	20.5%	2.5%	0.0%	1.7%	77.3%	0.0%	19.3%	1.7%
P31	0.0%	9.6%	33.0%	0.0%	45.7%	11.7%	0.0%	10.3%	35.5%	0.0%	43.0%	11.2%	0.0%	11.2%	36.4%	0.0%	41.1%	11.2%
P32													0.0%	0.0%	79.5%	0.0%	17.2%	3.3%
P33													0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
Total	0.4%	1.3%	46.4%	0.1%	48.0%	3.7%	0.4%	1.4%	46.0%	0.1%	48.2%	3.9%	0.4%	1.4%	47.4%	0.1%	46.7%	4.1%

Measures are based on eMedicaid data collected by Health Home providers
Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 9. Percentage of Health Home Participants by Gender, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)			Quarter 2 (January 2014 - March 2014)			Quarter 3 (April 2014 - June 2014)			Quarter 4 (July 2014 - September 2014)			Quarter 5 (October 2014 - December 2014)			Quarter 6 (January 2015 - March 2015)		
	Female	Male	Transgender	Female	Male	Transgender	Female	Male	Transgender	Female	Male	Transgender	Female	Male	Transgender	Female	Male	Transgender
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
P01				0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%
P02							35.1%	64.9%	0.0%	40.0%	60.0%	0.0%	41.5%	58.5%	0.0%	46.8%	53.2%	0.0%
P03	62.2%	37.8%	0.0%	61.4%	38.6%	0.0%	61.4%	38.6%	0.0%	58.9%	41.1%	0.0%	59.7%	40.3%	0.0%	55.0%	45.0%	0.0%
P04	47.8%	52.2%	0.0%	52.8%	47.2%	0.0%	48.1%	51.9%	0.0%	48.6%	51.4%	0.0%	50.4%	49.6%	0.0%	52.1%	47.9%	0.0%
P05	45.8%	54.2%	0.0%	30.9%	69.1%	0.0%	30.9%	69.1%	0.0%	30.3%	69.7%	0.0%	31.4%	68.6%	0.0%	33.1%	66.9%	0.0%
P06							22.5%	77.5%	0.0%	26.8%	73.2%	0.0%	33.3%	66.6%	0.0%	33.7%	66.3%	0.0%
P07				55.0%	45.0%	0.0%	49.1%	50.9%	0.0%	50.6%	49.4%	0.0%	49.1%	50.9%	0.0%	50.5%	49.5%	0.0%
P08							60.7%	39.3%	0.0%	52.8%	47.2%	0.0%	50.0%	50.0%	0.0%	50.0%	50.0%	0.0%
P09							48.4%	51.6%	0.0%	51.4%	48.6%	0.0%	50.0%	50.0%	0.0%	54.8%	45.2%	0.0%
P10	41.0%	59.0%	0.0%	40.9%	59.1%	0.0%	42.1%	57.9%	0.0%	42.9%	57.1%	0.0%	43.1%	56.9%	0.0%	44.0%	56.0%	0.0%
P11	69.7%	28.8%	1.5%	61.2%	38.1%	0.7%	57.8%	41.6%	0.6%	57.7%	41.7%	0.6%	56.6%	42.8%	0.6%	52.6%	46.9%	0.5%
P12	37.5%	62.5%	0.0%	35.5%	64.5%	0.0%	35.4%	64.6%	0.0%	34.0%	66.0%	0.0%	33.7%	66.3%	0.0%	33.0%	67.0%	0.0%
P13							43.5%	56.5%	0.0%	48.0%	52.0%	0.0%	50.0%	50.0%	0.0%	42.9%	57.1%	0.0%
P14	62.5%	37.5%	0.0%	57.7%	42.3%	0.0%	56.7%	43.3%	0.0%	54.5%	45.5%	0.0%	59.5%	40.5%	0.0%	61.9%	38.1%	0.0%
P15	27.5%	72.5%	0.0%	31.3%	68.8%	0.0%	31.3%	68.8%	0.0%	32.8%	67.2%	0.0%	33.9%	66.1%	0.0%	35.7%	64.3%	0.0%
P16										52.4%	47.6%	0.0%	50.6%	49.4%	0.0%	53.9%	46.1%	0.0%
P17	43.6%	56.4%	0.0%	47.8%	52.2%	0.0%	46.2%	53.5%	0.4%	45.7%	53.9%	0.4%	45.2%	54.4%	0.4%	46.4%	53.6%	0.0%
P18	41.7%	58.3%	0.0%	41.0%	59.0%	0.0%	41.0%	59.0%	0.0%	42.6%	57.4%	0.0%	42.9%	57.1%	0.0%	43.3%	56.7%	0.0%
P19													52.4%	47.6%	0.0%	54.7%	45.3%	0.0%
P20	4.5%	95.5%	0.0%	4.3%	95.7%	0.0%	4.5%	95.5%	0.0%	3.0%	97.0%	0.0%	3.2%	96.8%	0.0%	0.0%	100.0%	0.0%
P21	47.8%	52.2%	0.0%	38.2%	61.8%	0.0%	41.5%	58.5%	0.0%	48.1%	51.9%	0.0%	47.1%	52.9%	0.0%	47.6%	52.4%	0.0%
P22				37.9%	62.1%	0.0%	38.1%	61.9%	0.0%	38.0%	62.0%	0.0%	39.8%	60.2%	0.0%	39.6%	60.4%	0.0%
P23	28.3%	71.7%	0.0%	26.3%	73.7%	0.0%	25.5%	74.5%	0.0%	25.5%	74.5%	0.0%	26.7%	73.3%	0.0%	26.2%	73.8%	0.0%
P24	50.0%	50.0%	0.0%	49.7%	50.3%	0.0%	47.1%	52.9%	0.0%	47.8%	52.2%	0.0%	47.1%	52.9%	0.0%	47.2%	52.8%	0.0%
P25	65.6%	34.4%	0.0%	70.7%	29.3%	0.0%	63.8%	36.2%	0.0%	61.4%	38.6%	0.0%	63.6%	36.4%	0.0%	63.8%	36.2%	0.0%
P26	61.6%	38.4%	0.0%	51.9%	48.1%	0.0%	50.0%	50.0%	0.0%	50.0%	50.0%	0.0%	50.0%	50.0%	0.0%	50.0%	50.0%	0.0%
P27				55.6%	44.4%	0.0%	54.1%	45.9%	0.0%	53.2%	46.8%	0.0%	53.2%	46.8%	0.0%	53.2%	46.8%	0.0%
P28	49.6%	50.4%	0.0%	51.5%	48.5%	0.0%	50.4%	49.6%	0.0%	48.9%	51.1%	0.0%	47.2%	52.8%	0.0%	47.9%	52.1%	0.0%
P29	48.1%	51.9%	0.0%	45.9%	54.1%	0.0%	42.5%	57.5%	0.0%	39.0%	61.0%	0.0%	35.9%	64.1%	0.0%	36.8%	63.2%	0.0%
P30	38.1%	61.9%	0.0%	38.0%	62.0%	0.0%	37.7%	62.3%	0.0%	37.3%	62.7%	0.0%	37.7%	62.3%	0.0%	37.8%	62.2%	0.0%
P31	36.5%	63.5%	0.0%	36.5%	63.5%	0.0%	36.1%	63.9%	0.0%	36.2%	63.8%	0.0%	37.4%	62.6%	0.0%	36.4%	63.6%	0.0%
P32																37.7%	62.3%	0.0%
P33																0.0%	100.0%	0.0%
Total	45.3%	54.6%	0.0%	45.3%	54.6%	0.0%	44.5%	55.5%	0.1%	44.6%	55.4%	0.1%	44.8%	55.2%	0.1%	44.8%	55.1%	0.0%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 10. Percentage of Health Home Participants by Ethnicity, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)	Quarter 2 (January 2014 - March 2014)	Quarter 3 (April 2014 - June 2014)	Quarter 4 (July 2014 - September 2014)	Quarter 5 (October 2014 - December 2014)	Quarter 6 (January 2015 - March 2015)
	Hispanic	Hispanic	Hispanic	Hispanic	Hispanic	Hispanic
P01		0.0%	0.0%	0.0%	0.0%	0.0%
P02			0.0%	0.0%	0.0%	0.0%
P03	1.6%	1.5%	1.4%	1.0%	1.0%	0.0%
P04	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P05	4.2%	4.9%	4.1%	5.2%	5.1%	4.7%
P06			0.0%	0.0%	1.0%	1.0%
P07		5.0%	3.6%	3.7%	2.9%	2.6%
P08			0.0%	0.0%	0.0%	0.0%
P09			3.2%	0.0%	0.0%	0.0%
P10	1.0%	1.0%	1.0%	1.3%	1.4%	1.2%
P11	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P12	3.4%	4.3%	4.0%	3.8%	3.8%	4.0%
P13			0.0%	0.0%	0.0%	0.0%
P14	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P15	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P16				2.4%	1.2%	0.9%
P17	6.0%	5.3%	5.0%	4.5%	4.8%	4.8%
P18	2.6%	1.7%	1.7%	1.6%	1.3%	1.2%
P19					4.8%	3.8%
P20	1.5%	1.4%	1.5%	1.5%	1.6%	1.9%
P21	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P22		0.0%	0.0%	0.0%	0.0%	0.0%
P23	1.9%	1.8%	1.8%	1.8%	1.7%	1.6%
P24	0.6%	0.7%	0.6%	1.0%	0.9%	1.6%
P25	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P26	3.0%	1.2%	1.3%	1.3%	1.3%	1.3%
P27		0.0%	0.0%	0.0%	0.0%	0.0%
P28	0.8%	0.7%	0.8%	0.8%	2.4%	2.5%
P29	1.0%	0.9%	0.8%	1.6%	1.6%	1.6%
P30	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P31	7.1%	6.3%	6.2%	6.4%	5.6%	5.6%
P32						0.0%
P33						0.0%
Total	1.8%	1.6%	1.5%	1.6%	1.6%	1.5%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 11. Percentage of Health Home Participants by Primary Mental Health Condition, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)					Quarter 2 (January 2014 - March 2014)					Quarter 3 (April 2014 - June 2014)				
	Attention Deficit Disorder	Bipolar I or II	Major Depressive Disorder	Schizophrenia	Other	Attention Deficit Disorder	Bipolar I or II	Major Depressive Disorder	Schizophrenia	Other	Attention Deficit Disorder	Bipolar I or II	Major Depressive Disorder	Schizophrenia	Other
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
P01						0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P02											0.0%	24.3%	10.8%	54.1%	8.1%
P03	0.0%	28.1%	42.2%	23.8%	0.5%	0.0%	27.2%	44.6%	22.3%	0.5%	0.0%	27.9%	45.6%	20.9%	0.5%
P04	0.0%	30.4%	13.0%	50.0%	4.3%	0.0%	29.2%	14.6%	47.2%	7.9%	0.0%	30.2%	19.8%	43.4%	6.6%
P05	0.0%	4.2%	8.3%	33.3%	0.0%	0.0%	11.1%	2.5%	16.0%	4.9%	0.0%	15.4%	3.3%	11.4%	3.3%
P06											0.0%	17.5%	10.0%	67.5%	10.0%
P07						0.0%	25.0%	20.0%	30.0%	0.0%	0.0%	26.4%	24.5%	28.2%	3.6%
P08											0.0%	7.1%	0.0%	92.9%	3.6%
P09											83.9%	0.0%	12.9%	0.0%	32.3%
P10	0.0%	14.5%	15.7%	21.3%	5.6%	0.0%	16.0%	15.5%	21.1%	6.1%	0.0%	16.6%	16.8%	23.4%	5.9%
P11	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P12	0.0%	12.5%	17.0%	61.4%	4.5%	0.0%	12.9%	16.1%	61.3%	4.3%	0.0%	12.1%	16.2%	60.6%	4.0%
P13											0.0%	13.0%	4.3%	78.3%	4.3%
P14	0.0%	25.0%	62.5%	12.5%	0.0%	26.9%	19.2%	46.2%	7.7%	3.8%	30.0%	16.7%	43.3%	6.7%	3.3%
P15	0.0%	2.5%	5.0%	42.5%	0.0%	0.0%	4.2%	4.2%	39.6%	0.0%	0.0%	4.2%	4.2%	37.5%	0.0%
P16															
P17	16.8%	14.8%	20.8%	23.5%	11.4%	19.7%	19.3%	17.5%	16.2%	7.9%	19.6%	16.9%	17.3%	14.6%	6.9%
P18	0.0%	19.2%	12.6%	49.0%	10.6%	0.0%	19.1%	11.8%	45.1%	8.7%	0.0%	16.6%	10.1%	46.1%	8.1%
P19						0.0%	0.0%	0.0%							
P20	0.0%	7.6%	0.0%	7.6%	0.0%	0.0%	8.6%	0.0%	10.0%	1.4%	0.0%	6.0%	0.0%	10.4%	1.5%
P21	0.0%	13.0%	13.0%	56.5%	8.7%	0.0%	15.7%	12.4%	33.7%	2.2%	0.0%	15.1%	13.2%	30.2%	1.9%
P22						0.0%	10.3%	10.3%	41.4%	6.9%	0.0%	14.3%	9.5%	41.3%	3.2%
P23	0.0%	24.5%	3.8%	52.8%	0.0%	0.0%	21.1%	5.3%	54.4%	0.0%	0.0%	20.0%	5.5%	54.5%	0.0%
P24	0.0%	27.4%	17.9%	44.0%	10.1%	0.0%	24.8%	26.2%	35.7%	7.5%	0.0%	23.1%	26.0%	35.4%	8.4%
P25	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P26	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P27						37.0%	16.7%	27.8%	9.3%	11.1%	40.5%	13.5%	27.0%	8.1%	13.5%
P28	35.2%	12.0%	12.0%	0.8%	14.4%	34.3%	12.7%	13.4%	0.7%	14.9%	35.0%	12.2%	13.8%	0.8%	15.4%
P29	0.0%	9.6%	21.2%	65.4%	5.8%	0.0%	9.0%	21.6%	64.9%	5.4%	0.0%	11.8%	21.3%	61.4%	5.5%
P30	0.0%	5.9%	1.7%	83.1%	1.7%	0.0%	7.4%	2.5%	81.0%	1.7%	0.0%	8.2%	2.5%	81.1%	1.6%
P31	0.0%	17.6%	10.6%	36.5%	24.7%	0.0%	16.7%	12.5%	36.5%	21.9%	0.0%	16.5%	12.4%	37.1%	21.6%
P32															
P33															
Total	3.2%	14.7%	14.8%	31.5%	6.2%	3.9%	15.4%	15.1%	28.3%	5.7%	4.4%	15.2%	15.1%	29.3%	5.8%

Measures are based on eMedicaid data collected by Health Home providers
Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 11. Percentage of Health Home Participants by Primary Mental Health Condition, by Provider and Quarter

Provider ID	Quarter 4 (July 2014 - September 2014)					Quarter 5 (October 2014 - December 2014)					Quarter 6 (January 2015 - March 2015)				
	Attention Deficit Disorder	Bipolar I or II	Major Depressive Disorder	Schizophrenia	Other	Attention Deficit Disorder	Bipolar I or II	Major Depressive Disorder	Schizophrenia	Other	Attention Deficit Disorder	Bipolar I or II	Major Depressive Disorder	Schizophrenia	Other
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
P01	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P02	0.0%	20.0%	12.0%	50.0%	8.0%	0.0%	20.8%	9.4%	47.2%	9.4%	0.0%	25.5%	10.6%	44.7%	8.5%
P03	0.0%	29.7%	46.5%	17.8%	0.5%	0.0%	29.8%	45.0%	18.8%	1.0%	0.0%	35.0%	52.0%	5.0%	2.0%
P04	0.0%	28.8%	22.5%	41.4%	6.3%	0.0%	31.9%	21.8%	38.7%	5.9%	0.0%	30.6%	22.3%	37.2%	5.8%
P05	0.0%	16.1%	5.2%	9.0%	3.2%	0.0%	15.4%	5.8%	9.0%	3.2%	0.0%	14.5%	7.6%	9.3%	2.9%
P06	0.0%	16.9%	14.1%	64.8%	8.5%	0.0%	16.7%	20.8%	57.3%	7.3%	0.0%	17.8%	20.8%	56.4%	6.9%
P07	0.0%	21.3%	26.8%	29.9%	3.0%	0.0%	19.7%	26.6%	33.5%	2.9%	0.0%	21.6%	25.3%	31.1%	3.2%
P08	0.0%	11.1%	5.6%	83.3%	2.8%	0.0%	10.0%	0.0%	90.0%	3.3%	0.0%	10.7%	0.0%	89.3%	0.0%
P09	81.1%	0.0%	13.5%	0.0%	32.4%	78.1%	0.0%	15.6%	0.0%	37.5%	74.2%	3.2%	12.9%	0.0%	32.3%
P10	0.0%	16.4%	17.0%	26.3%	5.9%	0.0%	16.4%	18.3%	27.3%	5.5%	0.0%	16.4%	17.6%	29.0%	5.1%
P11	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P12	0.0%	11.3%	15.1%	60.4%	5.7%	0.0%	10.6%	14.4%	61.5%	5.8%	0.0%	13.0%	13.0%	63.0%	6.0%
P13	0.0%	12.0%	4.0%	80.0%	4.0%	0.0%	12.5%	4.2%	79.2%	4.2%	0.0%	17.9%	3.6%	75.0%	3.6%
P14	30.3%	15.2%	42.4%	6.1%	6.1%	23.8%	11.9%	50.0%	4.8%	4.8%	25.4%	14.3%	50.8%	6.3%	6.3%
P15	0.0%	5.2%	1.7%	41.4%	0.0%	0.0%	5.4%	1.8%	41.1%	0.0%	0.0%	5.4%	1.8%	42.9%	0.0%
P16	0.0%	19.0%	33.3%	7.1%	0.0%	0.0%	20.0%	28.2%	12.9%	0.0%	0.0%	18.3%	27.0%	12.2%	1.7%
P17	19.3%	17.7%	17.3%	15.6%	5.8%	20.0%	19.6%	17.6%	15.2%	6.8%	21.6%	20.8%	17.2%	14.0%	6.8%
P18	0.0%	16.1%	9.7%	45.0%	8.2%	0.0%	15.8%	9.6%	42.9%	7.3%	0.0%	14.2%	9.0%	38.9%	6.4%
P19						47.6%	0.0%	0.0%	0.0%	28.6%	49.1%	0.0%	5.7%	0.0%	28.3%
P20	0.0%	6.1%	0.0%	12.1%	1.5%	0.0%	4.8%	0.0%	14.5%	1.6%	0.0%	3.8%	0.0%	15.4%	0.0%
P21	0.0%	15.6%	14.8%	25.9%	2.2%	0.0%	15.9%	15.9%	26.8%	2.2%	0.0%	16.8%	16.1%	26.6%	2.8%
P22	0.0%	19.0%	12.7%	34.2%	2.5%	3.2%	20.4%	16.1%	28.0%	2.2%	3.0%	20.8%	16.8%	27.7%	2.0%
P23	0.0%	20.0%	5.5%	54.5%	0.0%	0.0%	20.0%	8.3%	51.7%	1.7%	0.0%	19.7%	9.8%	50.8%	1.6%
P24	0.0%	24.4%	26.0%	34.0%	8.3%	0.0%	23.8%	27.6%	33.4%	8.7%	0.0%	24.5%	27.0%	32.6%	7.8%
P25	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P26	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P27	41.6%	14.3%	26.0%	7.8%	13.0%	42.9%	16.9%	26.0%	7.8%	13.0%	43.0%	16.5%	25.3%	7.6%	15.2%
P28	34.6%	13.5%	16.5%	2.3%	14.3%	33.1%	12.6%	15.7%	2.4%	18.9%	33.9%	11.6%	17.4%	1.7%	18.2%
P29	0.0%	11.4%	19.5%	62.6%	4.9%	0.0%	10.2%	18.8%	64.8%	5.5%	0.0%	9.6%	16.0%	68.8%	4.8%
P30	0.0%	8.5%	2.5%	80.5%	1.7%	0.0%	8.2%	2.5%	79.5%	2.5%	0.0%	8.4%	2.5%	79.0%	2.5%
P31	0.0%	16.0%	12.8%	33.0%	22.3%	0.0%	15.9%	11.2%	33.6%	20.6%	0.0%	15.0%	12.1%	32.7%	20.6%
P32											0.0%	0.0%	0.0%	0.0%	0.0%
P33											50.0%	0.0%	0.0%	0.0%	50.0%
Total	4.2%	15.3%	15.5%	28.9%	5.6%	4.3%	15.3%	16.0%	28.7%	5.8%	4.7%	14.7%	15.0%	26.8%	5.6%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 12. Mean and Median Baseline Body Mass Index (BMI) of Health Home Participants, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)		Quarter 2 (January 2014 - March 2014)		Quarter 3 (April 2014 - June 2014)		Quarter 4 (July 2014 - September 2014)		Quarter 5 (October 2014 - December 2014)		Quarter 6 (January 2015 - March 2015)	
	BMI		BMI		BMI		BMI		BMI		BMI	
	Mean	Median	Mean	Median	Mean	Median	Mean	Median	Mean	Median	Mean	Median
P01			44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3
P02					30.6	27.3	30.9	28.5	30.8	28.2	30.4	27.3
P03	32.0	30.0	32.5	30.1	32.3	29.7	31.6	32.3	33.5	28.7	35.1	28.1
P04	36.0	33.1	33.2	31.3	33.2	31.4	33.4	20.5	33.4	31.6	33.1	31.6
P05	32.1	29.3	31.2	29.2	30.8	29.2	30.7	31.4	30.5	28.8	30.7	29.2
P06					29.3	29.6	29.3	28.9	30.6	29.7	31.0	30.2
P07			33.8	33.2	32.4	30.9	32.0	30.5	28.7	27.9	32.1	30.9
P08					32.5	30.3	32.1	30.1	33.0	30.3	33.6	30.8
P09					21.1	20.5	21.0	28.6	20.5	20.4	20.6	20.9
P10	32.3	30.8	32.3	31.0	32.3	31.0	32.5	31.1	32.7	31.3	32.5	31.0
P11	29.5	28.3	29.2	28.0	29.6	28.5	29.2	28.2	28.9	27.8	28.4	26.9
P12	34.7	32.5	34.6	32.5	34.5	32.5	34.5	32.4	34.4	32.4	34.6	32.3
P13					31.1	31.7	30.8	31.3	30.7	31.0	30.4	31.2
P14	26.0	24.1	25.3	24.3	26.0	24.3	27.2	26.6	28.5	27.8	27.7	25.8
P15	30.6	29.9	30.8	29.8	30.9	29.8	30.5	29.6	30.6	29.6	30.8	29.8
P16							31.4	29.7	32.2	30.7	32.3	30.9
P17	30.3	28.5	28.9	27.4	28.8	27.3	29.0	28.0	29.0	28.2	28.8	27.8
P18	31.6	29.4	31.8	29.9	31.8	30.5	31.7	30.4	31.7	30.3	31.8	30.3
P19									19.2	15.9	20.0	17.4
P20	28.7	27.9	28.8	27.9	28.9	27.9	29.1	27.9	29.1	27.9	29.6	28.2
P21	33.0	31.3	32.2	30.9	32.0	30.9	31.8	30.9	31.5	30.6	31.8	30.9
P22			32.6	30.4	32.3	30.4	32.0	29.0	31.7	29.8	31.0	29.7
P23	30.5	29.7	30.5	29.6	30.7	29.7	30.7	29.7	30.6	29.6	30.8	29.6
P24	33.6	31.5	32.9	31.1	33.4	31.5	33.4	29.6	33.5	31.5	33.2	31.3
P25	29.7	29.1	29.9	29.1	29.4	28.9	29.3	28.6	29.3	28.6	29.1	28.6
P26	27.5	26.6	27.3	26.0	27.2	25.9	27.2	30.3	27.2	25.9	27.2	25.9
P27			36.3	29.0	35.3	29.3	35.0	29.2	35.8	29.3	35.1	28.8
P28	27.0	29.0	27.1	28.6	27.8	29.0	28.0	28.7	28.0	28.8	28.3	28.8
P29	34.2	33.9	34.0	33.5	33.3	32.9	32.8	32.3	32.7	32.3	32.8	32.3
P30	30.9	29.8	30.9	29.8	31.1	30.1	30.9	29.9	31.0	29.9	30.9	30.0
P31	31.0	30.1	30.3	29.6	30.2	29.2	30.6	25.9	29.9	29.1	30.2	29.1
P32											28.2	27.0
P33											22.4	22.4
Total	31.4	29.9	31.3	29.7	31.2	29.7	31.2	29.6	31.2	29.6	31.0	29.4

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 13. Mean and Median Baseline Systolic and Diastolic Blood Pressure (mmHg) of Health Home Participants, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)				Quarter 2 (January 2014 - March 2014)				Quarter 3 (April 2014 - June 2014)			
	Diastolic Pressure		Systolic Pressure		Diastolic Pressure		Systolic Pressure		Diastolic Pressure		Systolic Pressure	
	Mean	Median	Mean	Median	Mean	Median	Mean	Median	Mean	Median	Mean	Median
P01					100.0	100.0	150.0	150.0	100.0	100.0	150.0	150.0
P02									77.9	75.5	130.9	128.0
P03	76.8	79.0	122.9	123.5	74.7	79.0	119.8	122.0	71.6	78.0	114.8	122.0
P04	78.4	80.0	120.2	120.0	77.5	80.0	122.3	120.0	77.6	80.0	122.3	120.0
P05	79.5	78.0	128.6	126.0	78.7	79.0	128.4	130.0	78.5	78.0	127.7	129.0
P06									76.1	80.0	121.2	120.0
P07					80.2	80.0	126.3	129.0	82.3	82.0	130.8	130.0
P08									76.1	80.0	131.5	130.0
P09									63.4	65.0	100.0	100.0
P10	76.9	78.0	120.8	118.0	77.2	78.0	121.1	118.0	77.2	78.0	121.3	119.0
P11	57.7	74.5	92.0	115.0	68.7	78.5	107.9	120.0	71.8	80.0	112.7	120.0
P12	81.1	80.5	128.2	126.0	80.7	80.0	127.9	126.0	80.5	80.0	127.6	125.0
P13									76.8	74.0	122.6	119.0
P14	74.0	75.0	119.0	117.5	73.8	72.5	118.9	117.5	73.3	72.5	118.5	117.5
P15	78.2	76.0	119.2	118.0	77.9	76.0	119.2	118.0	77.6	75.0	118.8	118.0
P16												
P17	75.8	78.0	121.4	122.0	74.7	75.0	118.9	119.0	74.1	74.0	118.2	118.0
P18	76.5	78.0	123.2	120.0	77.1	79.0	122.7	120.0	77.6	80.0	122.4	120.0
P19												
P20	15.3	1.0	23.9	1.0	23.8	1.0	36.4	1.0	23.8	1.0	36.4	1.0
P21	79.1	80.0	131.0	138.0	77.6	80.0	125.5	124.0	77.5	80.0	124.9	123.0
P22					77.1	76.0	127.0	128.0	79.6	80.0	126.3	125.0
P23	75.3	76.0	118.5	120.0	76.8	80.0	117.8	120.0	77.0	80.0	118.2	120.0
P24	78.8	79.0	126.7	127.0	78.1	78.0	127.6	127.0	78.4	78.0	128.4	128.0
P25	85.3	86.0	140.0	139.0	84.6	84.0	139.2	139.0	84.7	84.0	136.5	132.5
P26	86.2	85.0	129.9	127.0	85.4	82.0	128.4	123.0	85.2	82.0	128.5	122.0
P27					76.3	75.0	120.7	112.5	75.9	74.0	119.3	112.0
P28	73.6	75.0	120.1	120.0	73.7	75.0	119.9	120.0	73.9	75.0	119.4	120.0
P29	77.0	80.0	128.0	130.0	77.4	80.0	128.3	130.0	77.6	80.0	128.7	130.0
P30	83.7	84.0	134.5	132.0	83.6	84.0	134.1	132.0	83.5	84.0	133.8	131.0
P31	62.2	72.0	100.3	122.0	61.0	74.5	98.4	122.0	61.5	77.0	99.6	122.0
P32												
P33												
Total	76.5	78.0	121.9	122.0	76.6	79.0	122.0	122.0	76.7	79.0	122.2	122.0

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 13. Mean and Median Baseline Systolic and Diastolic Blood Pressure (mmHg) of Health Home Participants, by Provider and Quarter

Provider ID	Quarter 4 (July 2014 - September 2013)				Quarter 5 (October 2014 - December 2014)				Quarter 6 (January 2015 - March 2015)			
	Diastolic Pressure		Systolic Pressure		Diastolic Pressure		Systolic Pressure		Diastolic Pressure		Systolic Pressure	
	Mean	Median	Mean	Median	Mean	Median	Mean	Median	Mean	Median	Mean	Median
P01	100.0	100.0	150.0	150.0	100.0	100.0	150.0	150.0	100.0	100.0	150.0	150.0
P02	77.8	76.0	131.2	128.0	79.5	78.0	131.1	128.0	78.5	78.0	130.7	128.0
P03	67.9	77.0	109.1	122.0	66.6	76.5	107.0	120.5	59.5	75.0	98.0	120.0
P04	78.0	80.0	122.6	120.0	77.0	80.0	122.0	120.0	76.8	80.0	121.3	120.0
P05	78.3	78.0	126.9	126.0	78.6	78.0	127.0	126.5	78.8	78.0	128.3	129.0
P06	77.8	80.0	124.4	120.0	78.7	80.0	124.7	121.0	78.5	80.0	124.3	122.0
P07	81.9	80.0	129.9	129.0	82.1	81.0	129.8	128.0	81.8	80.0	129.9	130.0
P08	77.5	80.0	131.6	131.0	77.7	80.0	133.7	131.0	78.3	80.0	133.9	131.0
P09	63.3	65.0	97.8	100.0	62.9	63.0	96.3	99.0	62.7	64.0	96.1	99.0
P10	77.0	78.0	121.1	119.5	77.0	78.0	121.2	119.0	76.6	77.0	120.9	119.0
P11	74.2	80.0	115.8	121.5	75.7	80.0	117.6	123.0	76.5	80.0	119.9	125.0
P12	80.9	80.5	128.6	126.5	80.7	80.0	128.5	126.0	80.8	80.0	128.7	126.0
P13	77.3	76.0	122.1	119.0	77.5	77.0	122.5	120.0	78.5	78.5	124.0	121.5
P14	73.8	72.0	120.8	118.0	76.5	73.5	124.2	119.5	74.2	74.0	120.4	118.0
P15	77.3	74.0	117.3	117.5	77.4	75.0	117.2	116.0	77.3	75.0	117.1	116.0
P16	79.9	80.0	128.1	125.5	79.5	80.0	126.2	123.0	79.5	80.0	127.0	126.0
P17	74.4	74.0	118.7	118.0	74.7	75.0	118.7	118.0	74.3	75.0	118.4	118.0
P18	77.8	80.0	122.5	120.0	78.1	80.0	122.8	121.0	78.0	80.0	123.0	121.0
P19					67.0	67.0	106.6	108.0	69.0	68.0	108.4	108.0
P20	26.4	1.0	40.7	1.0	20.8	1.0	31.9	1.0	16.3	1.0	24.5	1.0
P21	77.7	80.0	124.4	122.0	77.7	80.0	124.1	122.0	77.4	80.0	123.6	122.0
P22	81.0	82.0	126.3	125.0	80.9	82.0	126.2	125.0	80.0	80.0	124.8	124.0
P23	77.0	80.0	118.2	120.0	77.0	79.0	117.9	120.0	77.2	80.0	118.1	120.0
P24	78.4	78.0	127.9	128.0	78.8	78.0	128.5	128.0	79.6	79.0	129.2	128.0
P25	84.4	84.0	134.9	131.0	83.9	84.0	133.5	130.0	83.2	83.0	132.1	129.0
P26	85.2	82.0	128.5	122.0	85.2	82.0	128.5	122.0	85.2	82.0	128.5	122.0
P27	76.4	74.0	119.2	112.0	76.1	74.0	119.2	113.0	75.5	73.0	118.7	113.0
P28	74.7	75.5	120.3	120.0	73.5	73.0	120.0	120.0	73.0	72.0	120.4	120.0
P29	77.8	80.0	128.0	129.0	78.2	80.0	128.6	131.0	78.6	80.0	130.0	132.0
P30	83.3	84.0	133.2	130.0	83.2	83.0	132.6	130.0	83.1	84.0	132.5	130.0
P31	63.1	77.0	102.6	122.0	64.7	76.5	106.2	122.5	64.7	77.0	105.9	122.0
P32									81.7	82.0	137.4	136.0
P33									67.0	67.0	101.5	101.5
Total	76.9	79.0	122.3	122.0	77.1	79.0	122.5	122.0	77.2	79.0	123.1	123.0

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 14. Percentage of Health Home Participants Diagnosed with Chronic Conditions, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)									
	Mental Health Condition	Substance use disorder	Asthma	COPD	Diabetes	Heart Disease	Hypertension	Obesity	HIV_AIDS	Hepatitis_C
	%	%	%	%	%	%	%	%	%	%
P01										
P02										
P03	100.0%	59.5%	17.3%	11.9%	15.7%	5.9%	38.4%	73.0%	3.2%	10.8%
P04	100.0%	17.4%	8.7%	13.0%	0.0%	0.0%	6.5%	89.1%	0.0%	0.0%
P05	100.0%	37.5%	20.8%	12.5%	50.0%	66.7%	41.7%	79.2%	0.0%	4.2%
P06										
P07										
P08										
P09										
P10	100.0%	4.4%	0.0%	0.2%	0.0%	0.0%	21.7%	79.9%	0.0%	0.0%
P11	50.0%	100.0%	18.2%	9.1%	18.2%	1.5%	45.5%	72.7%	12.1%	19.7%
P12	100.0%	40.9%	19.3%	37.5%	23.9%	13.6%	20.5%	84.1%	0.0%	1.1%
P13										
P14	100.0%	50.0%	12.5%	0.0%	25.0%	0.0%	37.5%	50.0%	12.5%	0.0%
P15	100.0%	0.0%	5.0%	7.5%	15.0%	0.0%	30.0%	82.5%	0.0%	2.5%
P16										
P17	100.0%	30.2%	21.5%	8.7%	19.5%	7.4%	13.4%	67.1%	0.0%	3.4%
P18	100.0%	53.0%	6.6%	11.9%	2.0%	1.3%	26.5%	76.2%	3.3%	4.6%
P19										
P20	100.0%	10.6%	4.5%	0.0%	15.2%	0.0%	27.3%	71.2%	1.5%	0.0%
P21	100.0%	0.0%	8.7%	4.3%	26.1%	4.3%	26.1%	87.0%	0.0%	0.0%
P22										
P23	100.0%	0.0%	1.9%	3.8%	3.8%	0.0%	26.4%	81.1%	0.0%	0.0%
P24	100.0%	33.3%	14.3%	14.9%	20.2%	4.8%	18.5%	79.2%	0.0%	1.2%
P25	77.0%	100.0%	36.1%	19.7%	19.7%	13.1%	52.5%	80.3%	13.1%	42.6%
P26	0.0%	100.0%	1.0%	0.0%	2.0%	0.0%	6.1%	64.6%	3.0%	11.1%
P27										
P28	100.0%	5.6%	3.2%	1.6%	0.0%	0.0%	0.8%	66.4%	0.0%	1.6%
P29	100.0%	47.1%	23.1%	11.5%	24.0%	25.0%	38.5%	86.5%	1.9%	3.8%
P30	100.0%	5.1%	1.7%	2.5%	9.3%	0.8%	20.3%	77.1%	0.0%	1.7%
P31	100.0%	10.6%	5.9%	1.2%	16.5%	5.9%	25.9%	80.0%	0.0%	1.2%
P32										
P33										
Total	93.2%	31.3%	9.4%	7.6%	10.7%	4.7%	23.6%	76.7%	1.6%	4.5%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 14. Percentage of Health Home Participants Diagnosed with Chronic Conditions, by Provider and Quarter

Provider ID	Quarter 2 (January 2014 - March 2014)									
	Mental Health Condition	Substance use disorder	Asthma	COPD	Diabetes	Heart Disease	Hypertension	Obesity	HIV_AIDS	Hepatitis_C
	%	%	%	%	%	%	%	%	%	%
P01	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02										
P03	100.0%	59.4%	17.3%	11.4%	15.3%	5.9%	37.6%	72.8%	3.0%	9.4%
P04	100.0%	33.7%	7.9%	10.1%	0.0%	0.0%	10.1%	78.7%	0.0%	0.0%
P05	100.0%	45.7%	14.8%	19.8%	39.5%	61.7%	40.7%	80.2%	0.0%	4.9%
P06										
P07	100.0%	60.0%	10.0%	0.0%	0.0%	0.0%	35.0%	95.0%	0.0%	0.0%
P08										
P09										
P10	100.0%	6.3%	0.0%	0.2%	0.0%	0.0%	21.1%	80.0%	0.0%	0.0%
P11	46.0%	100.0%	18.0%	8.6%	13.7%	4.3%	42.4%	73.4%	8.6%	23.7%
P12	100.0%	44.1%	19.4%	36.6%	22.6%	12.9%	19.4%	83.9%	0.0%	1.1%
P13										
P14	100.0%	19.2%	23.1%	0.0%	11.5%	3.8%	23.1%	46.2%	7.7%	3.8%
P15	100.0%	0.0%	6.3%	6.3%	12.5%	0.0%	27.1%	81.3%	0.0%	2.1%
P16										
P17	100.0%	29.4%	21.1%	8.8%	14.5%	5.7%	13.2%	61.4%	0.0%	5.3%
P18	100.0%	50.7%	8.7%	6.9%	1.0%	1.0%	23.6%	77.8%	2.1%	3.5%
P19										
P20	100.0%	10.0%	4.3%	0.0%	14.3%	0.0%	25.7%	70.0%	1.4%	0.0%
P21	100.0%	13.5%	4.5%	2.2%	11.2%	1.1%	19.1%	82.0%	0.0%	0.0%
P22	100.0%	62.1%	10.3%	13.8%	31.0%	51.7%	48.3%	82.8%	0.0%	0.0%
P23	100.0%	0.0%	3.5%	3.5%	3.5%	0.0%	28.1%	78.9%	0.0%	0.0%
P24	100.0%	37.1%	15.0%	11.6%	16.0%	4.1%	16.3%	79.3%	0.0%	3.1%
P25	74.7%	100.0%	33.3%	20.0%	18.7%	12.0%	49.3%	78.7%	13.3%	42.7%
P26	9.3%	100.0%	6.2%	4.9%	2.5%	1.2%	11.1%	61.7%	3.7%	19.8%
P27	100.0%	18.5%	31.5%	5.6%	0.0%	0.0%	18.5%	64.8%	0.0%	1.9%
P28	100.0%	6.7%	5.2%	1.5%	0.0%	0.0%	1.5%	64.2%	0.7%	1.5%
P29	100.0%	46.8%	25.2%	11.7%	23.4%	24.3%	40.5%	86.5%	1.8%	4.5%
P30	100.0%	6.6%	1.7%	2.5%	9.9%	0.8%	19.8%	76.9%	0.0%	2.5%
P31	100.0%	9.4%	5.2%	1.0%	15.6%	5.2%	24.0%	76.0%	0.0%	1.0%
P32										
P33										
Total	92.0%	36.5%	11.0%	7.5%	9.8%	5.6%	23.2%	75.3%	1.5%	5.5%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it,

use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 14. Percentage of Health Home Participants Diagnosed with Chronic Conditions, by Provider and Quarter

Provider ID	Quarter 3 (April 2014 - June 2014)									
	Mental Health Condition	Substance use disorder	Asthma	COPD	Diabetes	Heart Disease	Hypertension	Obesity	HIV_AIDS	Hepatitis_C
	%	%	%	%	%	%	%	%	%	%
P01	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02	100.0%	67.6%	16.2%	5.4%	8.1%	5.4%	18.9%	62.2%	0.0%	2.7%
P03	100.0%	58.6%	17.7%	10.7%	14.4%	5.6%	36.7%	74.4%	3.3%	8.8%
P04	100.0%	37.7%	9.4%	8.5%	0.9%	0.0%	8.5%	79.2%	0.0%	0.9%
P05	100.0%	40.7%	13.8%	17.1%	37.4%	60.2%	39.0%	80.5%	0.0%	3.3%
P06	100.0%	52.5%	17.5%	5.0%	22.5%	7.5%	37.5%	70.0%	2.5%	7.5%
P07	100.0%	60.0%	19.1%	6.4%	21.8%	10.0%	40.0%	82.7%	3.6%	6.4%
P08	100.0%	67.9%	32.1%	17.9%	17.9%	0.0%	53.6%	71.4%	7.1%	10.7%
P09	100.0%	3.2%	3.2%	0.0%	0.0%	0.0%	0.0%	6.5%	0.0%	0.0%
P10	100.0%	10.3%	0.0%	0.6%	0.0%	0.0%	19.8%	79.4%	0.0%	0.0%
P11	48.1%	100.0%	17.5%	10.4%	13.6%	4.5%	44.8%	74.7%	9.7%	26.0%
P12	100.0%	41.4%	18.2%	34.3%	21.2%	12.1%	18.2%	84.8%	0.0%	1.0%
P13	100.0%	69.6%	4.3%	8.7%	17.4%	0.0%	43.5%	78.3%	0.0%	4.3%
P14	100.0%	16.7%	23.3%	0.0%	10.0%	3.3%	20.0%	46.7%	6.7%	3.3%
P15	100.0%	0.0%	6.3%	6.3%	12.5%	0.0%	25.0%	83.3%	0.0%	2.1%
P16										
P17	100.0%	28.8%	19.2%	8.5%	13.5%	5.4%	12.3%	60.4%	0.0%	4.6%
P18	100.0%	51.1%	7.9%	5.9%	1.1%	1.1%	25.6%	79.2%	2.8%	3.1%
P19										
P20	100.0%	9.0%	4.5%	0.0%	13.4%	0.0%	23.9%	71.6%	1.5%	0.0%
P21	100.0%	15.1%	4.7%	1.9%	13.2%	0.9%	18.9%	82.1%	0.0%	0.0%
P22	100.0%	55.6%	9.5%	11.1%	28.6%	28.6%	38.1%	84.1%	0.0%	4.8%
P23	100.0%	0.0%	3.6%	3.6%	3.6%	0.0%	29.1%	81.8%	0.0%	0.0%
P24	100.0%	36.4%	13.3%	10.4%	14.9%	3.9%	15.6%	80.2%	0.3%	3.2%
P25	75.0%	100.0%	27.6%	16.4%	16.4%	7.8%	44.8%	76.7%	10.3%	46.6%
P26	9.7%	100.0%	6.5%	5.2%	2.6%	1.3%	11.7%	61.0%	3.9%	20.1%
P27	100.0%	17.6%	23.0%	4.1%	0.0%	0.0%	13.5%	64.9%	0.0%	1.4%
P28	100.0%	6.5%	5.7%	1.6%	0.0%	0.0%	1.6%	63.4%	0.8%	1.6%
P29	100.0%	48.0%	22.8%	11.0%	22.0%	26.8%	41.7%	85.0%	1.6%	4.7%
P30	100.0%	6.6%	1.6%	2.5%	10.7%	0.8%	20.5%	77.0%	0.0%	2.5%
P31	100.0%	9.3%	5.2%	1.0%	15.5%	4.1%	24.7%	75.3%	0.0%	1.0%
P32										
P33										
Total	93.1%	39.3%	11.2%	7.2%	10.6%	6.1%	24.1%	75.0%	1.8%	6.0%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it,

use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 14. Percentage of Health Home Participants Diagnosed with Chronic Conditions, by Provider and Quarter

Provider ID	Quarter 4 (July 2014 - September 2014)									
	Mental Health Condition	Substance use disorder	Asthma	COPD	Diabetes	Heart Disease	Hypertension	Obesity	HIV_AIDS	Hepatitis_C
	%	%	%	%	%	%	%	%	%	%
P01	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02	100.0%	64.0%	12.0%	4.0%	12.0%	6.0%	18.0%	64.0%	2.0%	2.0%
P03	100.0%	60.4%	18.8%	10.9%	15.8%	6.4%	38.1%	73.8%	3.5%	9.4%
P04	100.0%	38.7%	10.8%	8.1%	0.9%	0.0%	7.2%	79.3%	0.0%	1.8%
P05	100.0%	41.9%	12.9%	15.5%	30.3%	58.1%	36.1%	79.4%	0.0%	2.6%
P06	100.0%	60.6%	23.9%	8.5%	23.9%	11.3%	39.4%	74.6%	4.2%	9.9%
P07	100.0%	59.8%	20.1%	7.9%	21.3%	10.4%	38.4%	81.7%	2.4%	7.9%
P08	100.0%	75.0%	33.3%	5.6%	16.7%	2.8%	44.4%	75.0%	8.3%	11.1%
P09	100.0%	2.7%	2.7%	0.0%	0.0%	0.0%	0.0%	5.4%	0.0%	0.0%
P10	100.0%	13.0%	0.0%	0.8%	0.0%	0.0%	18.7%	81.1%	0.0%	0.0%
P11	50.0%	100.0%	19.6%	9.5%	12.5%	6.0%	44.0%	72.0%	12.5%	29.2%
P12	100.0%	40.6%	17.0%	32.1%	19.8%	11.3%	18.9%	84.9%	0.0%	0.9%
P13	100.0%	64.0%	4.0%	8.0%	20.0%	0.0%	44.0%	80.0%	0.0%	4.0%
P14	100.0%	12.1%	24.2%	0.0%	3.0%	3.0%	21.2%	57.6%	6.1%	6.1%
P15	100.0%	0.0%	6.9%	5.2%	13.8%	0.0%	32.8%	81.0%	0.0%	1.7%
P16	100.0%	28.6%	23.8%	7.1%	19.0%	2.4%	33.3%	78.6%	2.4%	16.7%
P17	100.0%	31.3%	21.0%	9.5%	13.2%	5.8%	11.9%	61.7%	0.0%	4.9%
P18	100.0%	51.1%	7.9%	5.5%	1.3%	1.3%	25.0%	78.4%	2.9%	3.7%
P19										
P20	100.0%	9.1%	4.5%	0.0%	13.6%	0.0%	22.7%	72.7%	1.5%	0.0%
P21	100.0%	15.6%	4.4%	2.2%	11.1%	0.7%	17.0%	81.5%	0.0%	0.7%
P22	100.0%	53.2%	11.4%	10.1%	30.4%	24.1%	32.9%	84.8%	0.0%	3.8%
P23	100.0%	0.0%	3.6%	3.6%	3.6%	0.0%	29.1%	81.8%	0.0%	0.0%
P24	100.0%	34.3%	13.5%	9.3%	16.3%	2.9%	16.7%	80.1%	0.3%	2.6%
P25	75.8%	100.0%	28.0%	15.9%	17.4%	7.6%	42.4%	77.3%	8.3%	47.0%
P26	9.7%	100.0%	6.5%	5.2%	2.6%	1.3%	11.7%	61.0%	3.9%	20.1%
P27	100.0%	16.9%	24.7%	3.9%	0.0%	0.0%	13.0%	63.6%	0.0%	1.3%
P28	100.0%	5.3%	7.5%	2.3%	0.8%	0.0%	6.8%	63.9%	0.8%	0.8%
P29	100.0%	49.6%	23.6%	11.4%	22.8%	26.8%	40.7%	83.7%	1.6%	5.7%
P30	100.0%	6.8%	1.7%	2.5%	10.2%	0.8%	19.5%	76.3%	0.0%	2.5%
P31	100.0%	6.4%	5.3%	1.1%	14.9%	4.3%	26.6%	76.6%	0.0%	1.1%
P32										
P33										
Total	93.4%	40.4%	12.0%	7.2%	11.0%	6.5%	24.4%	75.4%	1.9%	6.6%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it,

use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 14. Percentage of Health Home Participants Diagnosed with Chronic Conditions, by Provider and Quarter

Provider ID	Quarter 5 (October 2014 - December 2014)									
	Mental Health Condition	Substance use disorder	Asthma	COPD	Diabetes	Heart Disease	Hypertension	Obesity	HIV_AIDS	Hepatitis_C
	%	%	%	%	%	%	%	%	%	%
P01	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02	100.0%	58.5%	13.2%	3.8%	13.2%	5.7%	22.6%	66.0%	1.9%	1.9%
P03	100.0%	59.7%	18.8%	9.9%	17.3%	4.7%	36.6%	74.3%	3.7%	10.5%
P04	100.0%	38.7%	11.8%	9.2%	0.8%	0.0%	6.7%	80.7%	0.0%	2.5%
P05	100.0%	41.7%	12.8%	16.0%	30.8%	58.3%	37.2%	78.2%	0.0%	2.6%
P06	100.0%	61.5%	20.8%	7.3%	27.1%	9.4%	39.6%	77.1%	3.1%	11.5%
P07	100.0%	60.7%	19.7%	7.5%	22.0%	9.8%	38.2%	82.7%	1.7%	6.4%
P08	100.0%	66.7%	23.3%	6.7%	20.0%	0.0%	50.0%	70.0%	3.3%	6.7%
P09	100.0%	3.1%	3.1%	0.0%	0.0%	0.0%	0.0%	3.1%	0.0%	0.0%
P10	100.0%	14.6%	0.2%	0.8%	0.0%	0.0%	18.1%	80.7%	0.0%	0.0%
P11	52.0%	100.0%	18.5%	10.4%	12.7%	6.9%	45.1%	71.1%	11.6%	28.3%
P12	100.0%	40.4%	17.3%	31.7%	21.2%	10.6%	18.3%	84.6%	0.0%	1.0%
P13	100.0%	66.7%	4.2%	8.3%	20.8%	0.0%	45.8%	79.2%	0.0%	4.2%
P14	100.0%	7.1%	23.8%	0.0%	4.8%	2.4%	23.8%	61.9%	4.8%	4.8%
P15	100.0%	0.0%	7.1%	5.4%	14.3%	0.0%	32.1%	82.1%	0.0%	0.0%
P16	100.0%	30.6%	17.6%	5.9%	21.2%	4.7%	37.6%	85.9%	3.5%	11.8%
P17	100.0%	32.8%	21.2%	10.0%	12.8%	5.6%	12.0%	62.4%	0.0%	5.6%
P18	100.0%	50.4%	7.0%	5.5%	1.0%	1.0%	24.2%	78.4%	2.6%	3.6%
P19	100.0%	0.0%	4.8%	0.0%	0.0%	0.0%	0.0%	9.5%	0.0%	0.0%
P20	100.0%	9.7%	4.8%	1.6%	14.5%	0.0%	22.6%	71.0%	1.6%	0.0%
P21	100.0%	13.8%	4.3%	2.2%	10.9%	0.7%	18.8%	80.4%	0.0%	0.7%
P22	100.0%	52.7%	12.9%	8.6%	26.9%	19.4%	29.0%	81.7%	0.0%	3.2%
P23	100.0%	0.0%	3.3%	3.3%	3.3%	0.0%	26.7%	81.7%	0.0%	0.0%
P24	100.0%	33.4%	13.6%	8.4%	16.1%	3.4%	17.6%	80.5%	0.3%	1.9%
P25	75.0%	100.0%	27.9%	15.7%	17.9%	7.9%	42.9%	77.1%	9.3%	49.3%
P26	9.7%	100.0%	6.5%	5.2%	2.6%	1.3%	11.7%	61.0%	3.9%	20.1%
P27	100.0%	18.2%	28.6%	3.9%	0.0%	0.0%	13.0%	64.9%	0.0%	1.3%
P28	100.0%	4.7%	9.4%	1.6%	1.6%	0.0%	6.3%	62.2%	0.8%	0.0%
P29	100.0%	49.2%	25.0%	10.9%	21.9%	25.8%	37.5%	83.6%	1.6%	5.5%
P30	100.0%	8.2%	1.6%	2.5%	9.8%	0.8%	18.9%	76.2%	0.0%	2.5%
P31	100.0%	4.7%	4.7%	0.9%	13.1%	3.7%	23.4%	72.9%	0.0%	0.9%
P32										
P33										
Total	93.6%	40.3%	12.1%	7.0%	11.4%	6.3%	24.4%	75.2%	1.8%	6.6%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 14. Percentage of Health Home Participants Diagnosed with Chronic Conditions, by Provider and Quarter

Provider ID	Quarter 6 (January 2015 - March 2015)									
	Mental Health Condition	Substance use disorder	Asthma	COPD	Diabetes	Heart Disease	Hypertension	Obesity	HIV_AIDS	Hepatitis_C
	%	%	%	%	%	%	%	%	%	%
P01	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02	100.0%	55.3%	10.6%	4.3%	10.6%	4.3%	19.1%	61.7%	2.1%	2.1%
P03	100.0%	70.0%	19.0%	11.0%	17.0%	4.0%	40.0%	70.0%	4.0%	15.0%
P04	100.0%	38.8%	11.6%	9.1%	0.8%	0.0%	5.8%	79.3%	0.0%	2.5%
P05	100.0%	41.9%	11.6%	15.1%	30.8%	54.1%	38.4%	77.3%	0.0%	2.3%
P06	100.0%	61.4%	24.8%	6.9%	27.7%	8.9%	41.6%	77.2%	4.0%	10.9%
P07	100.0%	61.1%	20.5%	7.9%	22.1%	8.9%	37.9%	84.2%	1.6%	7.4%
P08	100.0%	67.9%	25.0%	7.1%	17.9%	0.0%	50.0%	71.4%	3.6%	7.1%
P09	100.0%	3.2%	3.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
P10	100.0%	17.2%	0.2%	0.8%	0.0%	0.0%	17.6%	79.9%	0.0%	0.0%
P11	54.7%	100.0%	19.3%	9.9%	9.9%	7.3%	44.8%	67.7%	9.4%	29.7%
P12	100.0%	42.0%	19.0%	33.0%	21.0%	11.0%	19.0%	85.0%	0.0%	1.0%
P13	100.0%	53.6%	3.6%	7.1%	17.9%	0.0%	42.9%	75.0%	0.0%	7.1%
P14	100.0%	4.8%	27.0%	0.0%	3.2%	1.6%	20.6%	52.4%	3.2%	3.2%
P15	100.0%	0.0%	5.4%	5.4%	14.3%	0.0%	32.1%	83.9%	0.0%	0.0%
P16	100.0%	29.6%	14.8%	5.2%	20.9%	6.1%	43.5%	87.0%	4.3%	11.3%
P17	100.0%	31.2%	19.6%	9.2%	14.0%	6.0%	12.8%	60.4%	0.0%	4.8%
P18	100.0%	47.9%	7.1%	4.6%	1.0%	1.0%	22.7%	78.5%	3.2%	3.4%
P19	100.0%	0.0%	5.7%	0.0%	1.9%	0.0%	0.0%	13.2%	0.0%	0.0%
P20	100.0%	11.5%	5.8%	1.9%	17.3%	0.0%	26.9%	76.9%	1.9%	0.0%
P21	100.0%	15.4%	4.2%	2.1%	11.9%	0.7%	18.9%	80.4%	0.0%	0.7%
P22	100.0%	54.5%	12.9%	7.9%	23.8%	17.8%	26.7%	75.2%	0.0%	3.0%
P23	100.0%	0.0%	3.3%	3.3%	3.3%	0.0%	26.2%	82.0%	0.0%	0.0%
P24	100.0%	34.2%	13.0%	7.1%	15.2%	2.5%	16.8%	80.7%	0.3%	2.5%
P25	76.1%	100.0%	26.1%	15.9%	18.8%	6.5%	42.0%	74.6%	8.7%	50.7%
P26	9.7%	100.0%	6.5%	5.2%	2.6%	1.3%	11.7%	61.0%	3.9%	20.1%
P27	100.0%	16.5%	30.4%	3.8%	0.0%	0.0%	12.7%	60.8%	0.0%	0.0%
P28	100.0%	6.6%	11.6%	0.8%	3.3%	0.0%	7.4%	61.2%	0.8%	0.8%
P29	100.0%	49.6%	24.0%	10.4%	21.6%	27.2%	37.6%	82.4%	1.6%	5.6%
P30	100.0%	7.6%	2.5%	2.5%	9.2%	0.0%	16.8%	75.6%	0.0%	2.5%
P31	100.0%	4.7%	5.6%	0.9%	12.1%	3.7%	24.3%	72.9%	0.0%	0.9%
P32	85.2%	100.0%	24.6%	8.2%	9.8%	6.6%	51.6%	73.0%	9.8%	32.8%
P33	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%
Total	93.4%	41.9%	12.5%	6.7%	11.1%	6.2%	25.0%	73.8%	2.0%	7.5%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 15. Percentage of Health Home (HH) Participants Completing Services and Average Number of Services Received, by Provider and Quarter

Provider ID	Quarter 1 (October 2013 - December 2013)		Quarter 2 (January 2014 - March 2014)		Quarter 3 (April 2014 - June 2014)		Quarter 4 (July 2014 - September 2014)		Quarter 5 (October 2014 - December 2014)		Quarter 6 (January 2015 - March 2015)	
	Received a HH Service	Number of Services	Received a HH Service	Number of Services	Received a HH Service	Number of Services	Received a HH Service	Number of Services	Received a HH Service	Number of Services	Received a HH Service	Number of Services
	%	Avg	%	Avg	%	Avg	%	Avg	%	Avg	%	Avg
P01			0.0%	0.0	0.0%	0.0	0.0%	0.0	0.0%	0.0	0.0%	0.0
P02					35.1%	2.5	84.0%	3.6	96.2%	7.3	93.6%	6.0
P03	77.8%	8.7	100.0%	7.9	99.5%	7.2	64.9%	8.7	74.9%	8.4	55.0%	3.6
P04	8.7%	2.0	66.3%	3.9	96.2%	5.4	93.7%	5.5	95.0%	5.5	98.3%	5.5
P05	4.2%	1.0	65.4%	2.5	92.7%	5.3	100.0%	5.8	98.1%	5.3	90.1%	3.7
P06					100.0%	6.6	100.0%	6.6	97.9%	6.8	96.0%	7.5
P07			100.0%	1.0	100.0%	3.9	94.5%	5.1	96.5%	5.4	92.6%	4.6
P08					96.4%	6.6	97.2%	5.3	96.7%	5.9	96.4%	7.0
P09					100.0%	7.5	100.0%	12.6	96.9%	11.7	96.8%	9.5
P10	98.6%	5.5	99.2%	8.0	98.1%	6.9	98.5%	6.6	98.4%	6.4	99.2%	6.6
P11	28.8%	2.8	68.3%	4.4	98.1%	6.1	95.8%	6.5	100.0%	8.3	99.5%	6.7
P12	1.1%	1.0	51.6%	3.0	89.9%	6.1	94.3%	7.7	92.3%	5.6	94.0%	5.1
P13					100.0%	6.7	96.0%	6.9	95.8%	6.2	96.4%	6.0
P14			100.0%	3.2	93.3%	3.4	81.8%	5.4	90.5%	4.2	88.9%	4.7
P15	87.5%	5.2	91.7%	5.2	93.8%	5.6	93.1%	4.9	87.5%	3.5	92.9%	4.3
P16							97.6%	5.7	97.6%	10.3	98.3%	12.8
P17	98.0%	3.0	99.6%	6.4	97.7%	7.4	98.4%	6.5	97.2%	6.1	98.8%	6.5
P18	9.3%	2.0	77.4%	3.3	98.0%	6.4	96.1%	7.7	98.7%	7.7	100.0%	7.9
P19									90.5%	2.2	98.1%	5.1
P20	100.0%	4.3	100.0%	5.8	98.5%	6.9	100.0%	6.7	88.7%	6.1	100.0%	6.2
P21			91.0%	6.6	93.4%	9.1	93.3%	5.0	98.6%	5.7	97.2%	5.8
P22			65.5%	1.9	82.5%	4.9	88.6%	5.9	90.3%	6.3	95.0%	5.9
P23	98.1%	6.4	96.5%	5.6	100.0%	5.4	94.5%	4.7	86.7%	5.2	62.3%	2.8
P24	35.7%	1.5	93.9%	5.1	94.8%	6.3	97.4%	6.2	96.0%	7.5	96.0%	7.0
P25	98.4%	6.2	97.3%	8.8	97.4%	7.2	97.7%	8.8	94.3%	7.9	97.8%	7.2
P26	13.1%	2.1	46.9%	2.4	0.0%	0.0	0.0%	0.0	5.2%	1.0	2.6%	1.0
P27			90.7%	10.1	86.5%	9.1	75.3%	7.1	70.1%	6.3	75.9%	5.8
P28			0.7%	5.0	0.8%	1.0	18.0%	3.8	62.2%	1.4	28.9%	5.0
P29	45.2%	3.4	49.5%	3.5	89.0%	7.9	90.2%	7.0	95.3%	10.7	97.6%	9.1
P30	83.1%	1.7	98.3%	6.0	100.0%	6.0	100.0%	5.5	100.0%	7.4	99.2%	6.4
P31	96.5%	4.0	95.8%	6.4	94.8%	6.1	98.9%	7.4	98.1%	6.4	100.0%	5.8
P32											100.0%	2.0
P33											0.0%	0.0
Total	61.8%	4.8	81.8%	5.9	88.2%	6.6	87.7%	6.6	90.4%	6.8	89.9%	6.4

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it,

use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 16. Percentage of Health Home Participants by the Number of Services Received, by Provider and Month

Provider ID	Number of Services									Number of Services								
	Quarter 1 (October 2013 - December 2013)									Quarter 2 (January 2014 - March 2014)								
	October 2013			November 2013			December 2013			January 2014			February 2014			March 2014		
	0	1	2+	0	1	2+	0	1	2+	0	1	2+	0	1	2+	0	1	2+
P01													100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02																		
P03				19.3%	0.0%	80.7%	27.7%	0.0%	72.3%	30.4%	3.8%	65.8%	31.1%	5.2%	63.7%	0.0%	36.4%	63.6%
P04				100.0%	0.0%	0.0%	95.5%	0.0%	4.5%	47.8%	4.3%	47.8%	59.4%	1.6%	39.1%	49.4%	9.9%	40.7%
P05										47.8%	26.1%	26.1%	75.0%	0.0%	25.0%	52.8%	9.4%	37.7%
P06																		
P07																		
P08																		
P09																		
P10	75.8%	12.6%	11.7%	10.7%	5.1%	84.3%	0.2%	7.1%	92.7%	0.0%	15.8%	84.2%	0.0%	16.3%	83.7%	0.0%	10.1%	89.9%
P11				84.6%	3.8%	11.5%	72.5%	0.0%	27.5%	54.8%	0.0%	45.2%	64.3%	1.2%	34.5%	59.8%	1.8%	38.4%
P12				100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	68.1%	0.0%	31.9%	51.1%	15.2%	33.7%
P13																		
P14										100.0%	0.0%	0.0%	0.0%	36.4%	63.6%	0.0%	6.7%	93.3%
P15							17.4%	0.0%	82.6%	12.5%	0.0%	87.5%	20.5%	0.0%	79.5%	12.5%	2.5%	85.0%
P16																		
P17							5.9%	2.4%	91.8%	2.0%	0.0%	98.0%	3.1%	1.6%	95.3%	1.4%	0.5%	98.1%
P18							86.3%	0.0%	13.7%	44.9%	8.8%	46.3%	56.0%	14.0%	30.1%	18.1%	45.1%	36.7%
P19																		
P20							0.0%	0.0%	100.0%	0.0%	1.6%	98.4%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P21										4.3%	0.0%	95.7%	0.0%	11.1%	88.9%	13.0%	6.5%	80.5%
P22																0.0%	0.0%	100.0%
P23				6.1%	22.4%	71.4%	9.8%	5.9%	84.3%	5.9%	0.0%	94.1%	16.0%	2.0%	82.0%	6.1%	0.0%	93.9%
P24							58.7%	21.7%	19.6%	21.0%	13.0%	66.0%	13.5%	5.8%	80.8%	7.9%	7.5%	84.5%
P25				4.3%	0.0%	95.7%	4.3%	2.1%	93.6%	5.2%	3.4%	91.4%	10.6%	10.6%	78.8%	0.0%	11.4%	88.6%
P26							87.0%	0.0%	13.0%	65.5%	0.0%	34.5%	77.0%	1.0%	22.0%	88.5%	9.4%	2.2%
P27													7.4%	0.0%	92.6%	9.6%	0.0%	90.4%
P28										100.0%	0.0%	0.0%	99.2%	0.0%	0.8%	100.0%	0.0%	0.0%
P29	57.1%	0.0%	42.9%	53.8%	0.0%	46.2%	95.1%	0.0%	4.9%	92.2%	6.8%	1.0%	79.6%	2.9%	17.5%	57.7%	9.6%	32.7%
P30							9.3%	22.7%	68.0%	0.9%	0.9%	98.3%	8.4%	1.7%	89.9%	0.0%	43.7%	56.3%
P31				0.0%	0.0%	100.0%	6.1%	8.5%	85.4%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P32																		
P33																		
Total (Frequency)	173	28	29	165	31	580	496	74	974	610	135	1343	693	153	1500	568	365	1713
Total (Percentage)	75.2%	12.2%	12.6%	21.3%	4.0%	74.7%	32.1%	4.8%	63.1%	29.2%	6.5%	64.3%	29.5%	6.5%	63.9%	21.5%	13.8%	64.7%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it,

use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 16. Percentage of Health Home Participants by the Number of Services Received, by Provider and Month

Provider ID	Number of Services									Number of Services								
	Quarter 3 (April 2014 - June 2014)									Quarter 4 (July 2014 - September 2014)								
	April 2014			May 2014			June 2014			July 2014			August 2014			September 2014		
	0	1	2+	0	1	2+	0	1	2+	0	1	2+	0	1	2+	0	1	2+
P01	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02							75.0%	12.5%	12.5%	60.0%	22.9%	17.1%	52.9%	11.8%	35.3%	10.3%	5.1%	84.6%
P03	0.5%	46.0%	53.5%	45.1%	10.3%	44.6%	47.3%	17.0%	35.7%	48.1%	14.4%	37.4%	50.6%	16.3%	33.1%	48.0%	16.2%	35.8%
P04	11.2%	15.7%	73.0%	2.1%	1.1%	96.8%	3.2%	0.0%	96.8%	3.1%	0.0%	96.9%	5.1%	1.0%	93.9%	8.1%	0.0%	91.9%
P05	0.0%	78.2%	21.8%	1.9%	46.2%	51.9%	0.9%	30.4%	68.8%	1.7%	26.4%	71.9%	0.0%	13.4%	86.6%	2.1%	28.3%	69.7%
P06				0.0%	15.8%	84.2%	0.0%	3.1%	96.9%	0.0%	20.5%	79.5%	0.0%	0.0%	100.0%	0.0%	1.6%	98.4%
P07	0.0%	65.0%	35.0%	1.4%	61.4%	37.1%	2.5%	35.8%	61.7%	4.7%	15.1%	80.2%	4.4%	30.1%	65.4%	4.1%	27.4%	68.5%
P08				0.0%	20.0%	80.0%	0.0%	4.0%	96.0%	0.0%	7.7%	92.3%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P09				0.0%	7.7%	92.3%	0.0%	3.4%	96.6%	0.0%	0.0%	100.0%	3.4%	0.0%	96.6%	3.4%	0.0%	96.6%
P10	0.0%	3.7%	96.3%	0.0%	6.9%	93.1%	0.0%	5.6%	94.4%	0.0%	3.8%	96.2%	0.0%	6.3%	93.7%	0.0%	3.6%	96.4%
P11	0.7%	0.7%	98.5%	70.7%	0.0%	29.3%	18.8%	0.0%	81.2%	59.3%	0.0%	40.7%	2.8%	0.0%	97.2%	2.1%	0.0%	97.9%
P12	26.9%	9.7%	63.4%	21.6%	9.3%	69.1%	13.1%	3.0%	83.8%	4.0%	8.0%	88.0%	4.0%	10.0%	86.0%	5.0%	8.9%	86.1%
P13				0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	4.3%	0.0%	95.7%	0.0%	0.0%	100.0%	4.2%	0.0%	95.8%
P14	0.0%	4.3%	95.7%	10.0%	0.0%	90.0%	81.0%	19.0%	0.0%	10.0%	0.0%	90.0%	16.0%	40.0%	44.0%	44.4%	7.4%	48.1%
P15	14.9%	0.0%	85.1%	17.0%	0.0%	83.0%	21.3%	2.1%	76.6%	15.6%	2.2%	82.2%	5.4%	60.7%	33.9%	10.7%	0.0%	89.3%
P16													0.0%	0.0%	100.0%	4.5%	4.5%	90.9%
P17	0.9%	0.0%	99.1%	2.7%	0.0%	97.3%	0.0%	1.4%	98.6%	0.4%	0.9%	98.7%	0.4%	1.8%	97.8%	0.0%	4.2%	95.8%
P18	6.2%	37.0%	56.8%	0.9%	33.9%	65.2%	0.9%	20.5%	78.6%	0.6%	24.1%	75.3%	0.0%	12.4%	87.6%	0.0%	15.9%	84.1%
P19																		
P20	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	7.7%	92.3%	0.0%	17.5%	82.5%	0.0%	6.6%	93.4%
P21	4.5%	10.2%	85.2%	6.4%	31.9%	61.7%	17.2%	2.0%	80.8%	29.4%	22.5%	48.0%	3.4%	14.7%	81.9%	8.1%	8.1%	83.9%
P22	6.9%	0.0%	93.1%	8.3%	0.0%	91.7%	2.4%	0.0%	97.6%	8.5%	8.5%	83.1%	1.7%	5.0%	93.3%	1.6%	3.1%	95.3%
P23	20.0%	0.0%	80.0%	9.1%	0.0%	90.9%	16.4%	1.8%	81.8%	49.1%	1.8%	49.1%	9.1%	29.1%	61.8%	18.2%	0.0%	81.8%
P24	6.4%	4.2%	89.4%	3.7%	2.2%	94.1%	2.3%	1.1%	96.6%	2.2%	3.6%	94.2%	5.4%	3.6%	90.9%	3.6%	4.0%	92.4%
P25	11.1%	1.4%	87.5%	11.0%	0.0%	89.0%	9.6%	4.8%	85.6%	9.3%	0.0%	90.7%	0.9%	8.0%	91.2%	6.5%	0.0%	93.5%
P26	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P27	27.8%	0.0%	72.2%	40.9%	0.0%	59.1%	30.4%	0.0%	69.6%	44.6%	4.1%	51.4%	32.4%	0.0%	67.6%	29.4%	1.5%	69.1%
P28	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	99.1%	0.9%	0.0%	90.7%	0.0%	9.3%	85.8%	0.8%	13.3%	89.6%	0.9%	9.6%
P29	13.3%	11.4%	75.2%	10.0%	8.2%	81.8%	14.2%	37.2%	48.7%	9.6%	9.6%	80.9%	9.3%	7.6%	83.1%	22.2%	5.1%	72.6%
P30	0.0%	0.0%	100.0%	0.0%	0.9%	99.1%	0.0%	0.0%	100.0%	0.0%	81.4%	18.6%	0.8%	0.0%	99.2%	0.0%	1.7%	98.3%
P31	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	4.4%	95.6%	0.0%	2.2%	97.8%
P32																		
P33																		
Total (Frequency)	404	343	2103	564	312	2200	514	257	2413	593	356	2365	456	302	2680	479	245	2775
Total (Percentage)	14.2%	12.0%	73.8%	18.3%	10.1%	71.5%	16.1%	8.1%	75.8%	17.9%	10.7%	71.4%	13.3%	8.8%	78.0%	13.7%	7.0%	79.3%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it,

use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 16. Percentage of Health Home Participants by the Number of Services Received, by Provider and Month

Provider ID	Number of Services									Number of Services								
	Quarter 5 (October 2014 - December 2014)									Quarter 6 (January 2015 - March 2015)								
	October 2014			November 2014			December 2014			January 2015			February 2015			March 2015		
	0	1	2+	0	1	2+	0	1	2+	0	1	2+	0	1	2+	0	1	2+
P01	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P02	9.3%	14.0%	76.7%	0.0%	0.0%	100.0%	4.7%	7.0%	88.4%	4.9%	17.1%	78.0%	0.0%	16.7%	83.3%	0.0%	2.9%	97.1%
P03	49.4%	14.6%	36.0%	46.6%	14.1%	39.3%	10.4%	19.8%	69.8%	51.5%	6.1%	42.4%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P04	1.0%	0.0%	99.0%	2.8%	0.9%	96.3%	4.4%	0.0%	95.6%	5.3%	1.8%	92.9%	3.5%	3.5%	93.0%	6.7%	0.8%	92.4%
P05	1.3%	25.7%	73.0%	5.9%	35.9%	58.2%	6.6%	37.5%	55.9%	8.4%	45.5%	46.1%	5.8%	36.1%	58.1%	6.3%	26.3%	67.5%
P06	0.0%	0.0%	100.0%	0.0%	8.6%	91.4%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P07	5.7%	15.3%	79.0%	9.0%	13.2%	77.8%	7.2%	23.4%	69.5%	8.7%	28.5%	62.8%	17.2%	34.5%	48.3%	19.0%	22.3%	58.7%
P08	0.0%	7.4%	92.6%	0.0%	3.7%	96.3%	0.0%	3.7%	96.3%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P09	0.0%	0.0%	100.0%	7.1%	0.0%	92.9%	0.0%	4.0%	96.0%	0.0%	0.0%	100.0%	4.0%	8.0%	88.0%	18.5%	18.5%	63.0%
P10	0.0%	4.5%	95.5%	0.0%	8.7%	91.3%	0.0%	7.7%	92.3%	0.0%	5.8%	94.2%	0.0%	9.1%	90.9%	0.0%	16.3%	83.7%
P11	1.3%	0.6%	98.1%	5.2%	0.0%	94.8%	0.6%	0.0%	99.4%	1.9%	0.0%	98.1%	46.4%	17.9%	35.7%	1.2%	50.6%	48.2%
P12	3.1%	16.3%	80.6%	5.1%	4.0%	90.9%	7.1%	3.1%	89.8%	4.2%	6.3%	89.6%	10.3%	1.0%	88.7%	9.4%	1.0%	89.6%
P13	4.2%	0.0%	95.8%	4.2%	0.0%	95.8%	4.3%	0.0%	95.7%	4.5%	0.0%	95.5%	3.7%	0.0%	96.3%	0.0%	3.7%	96.3%
P14	21.9%	18.8%	59.4%	33.3%	16.7%	50.0%	22.2%	27.8%	50.0%	25.7%	31.4%	42.9%	21.4%	2.4%	76.2%	8.5%	0.0%	91.5%
P15	16.1%	0.0%	83.9%	58.2%	16.4%	25.5%	78.2%	0.0%	21.8%	32.7%	3.6%	63.6%	22.2%	0.0%	77.8%	44.4%	0.0%	55.6%
P16	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	1.1%	98.9%	0.0%	0.0%	100.0%
P17	0.0%	3.3%	96.7%	0.5%	4.7%	94.8%	0.0%	0.9%	99.1%	0.0%	0.5%	99.5%	0.0%	0.5%	99.5%	0.0%	1.4%	98.6%
P18	0.0%	9.6%	90.4%	0.0%	24.6%	75.4%	0.3%	18.5%	81.2%	0.0%	10.4%	89.6%	0.0%	5.7%	94.3%	0.0%	10.0%	90.0%
P19										0.0%	9.5%	90.5%	30.0%	10.0%	60.0%	25.0%	12.5%	62.5%
P20	0.0%	3.9%	96.1%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%
P21	0.8%	20.0%	79.2%	1.5%	3.8%	94.7%	3.0%	1.5%	95.5%	0.7%	2.2%	97.0%	0.7%	3.7%	95.5%	2.9%	1.4%	95.7%
P22	1.4%	4.1%	94.6%	1.3%	6.4%	92.3%	3.8%	5.0%	91.3%	3.4%	2.2%	94.4%	4.3%	7.4%	88.3%	4.3%	10.9%	84.8%
P23	7.3%	12.7%	80.0%	54.5%	5.5%	40.0%	70.0%	5.0%	25.0%	85.0%	11.7%	3.3%	68.4%	0.0%	31.6%	55.6%	0.0%	44.4%
P24	2.2%	2.2%	95.7%	2.5%	3.2%	94.2%	0.7%	4.3%	95.0%	2.5%	4.0%	93.5%	1.4%	2.5%	96.1%	3.6%	2.6%	93.8%
P25	3.4%	0.0%	96.6%	6.6%	0.0%	93.4%	4.1%	0.0%	95.9%	11.8%	0.0%	88.2%	10.0%	1.5%	88.5%	8.6%	0.8%	90.6%
P26	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
P27	27.4%	1.6%	71.0%	31.8%	1.5%	66.7%	29.4%	1.5%	69.1%	18.5%	1.5%	80.0%	23.5%	2.9%	73.5%	35.2%	0.0%	64.8%
P28	100.0%	0.0%	0.0%	98.3%	0.9%	0.9%	31.1%	58.5%	10.4%	61.5%	5.8%	32.7%	46.7%	4.4%	48.9%	41.7%	0.0%	58.3%
P29	4.5%	0.0%	95.5%	0.9%	3.4%	95.7%	1.7%	16.7%	81.7%	0.8%	6.7%	92.4%	1.7%	8.5%	89.8%	0.0%	5.1%	94.9%
P30	0.8%	0.8%	98.3%	0.0%	2.6%	97.4%	0.0%	0.9%	99.1%	0.0%	3.4%	96.6%	0.0%	24.8%	75.2%	0.0%	10.4%	89.6%
P31	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	1.0%	0.0%	99.0%	0.0%	0.0%	100.0%	0.0%	4.0%	96.0%
P32																		
P33																		
Total (Frequency)	437	227	2873	502	298	2809	366	342	2873	400	260	2934	517	292	2818	427	341	2870
Total (Percentage)	12.4%	6.4%	81.2%	13.9%	8.3%	77.8%	10.2%	9.6%	80.2%	11.1%	7.2%	81.6%	14.3%	8.1%	77.7%	11.7%	9.4%	78.9%

Measures are based on eMedicaid data collected by Health Home providers

Data as of May 5, 2015

Participants included in the denominator for each quarter were enrolled for at least one day during that quarter

Since providers can enter new data into eMedicaid for any period of time as well as revise data for a limited time period after entering it, use of these updated datafiles may result in estimates for Quarter 1 through Quarter 5 that differ from prior reports.

Table 17. Number and Percentage of Health Home Participants with at Least One Inpatient Hospital Admission during their First Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Inpatient Admission	Summary Statistics for Those with at Least One Inpatient Admission		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	6.8%	1.8	1.0	4.0
P03	7.1%	1.4	1.0	4.0
P04	2.3%	1.0	1.0	1.0
P05	4.3%	1.3	1.0	2.0
P06	5.1%	1.6	1.0	3.0
P07	2.8%	1.0	1.0	1.0
P08	2.5%	1.0	1.0	1.0
P09	10.0%	1.5	1.0	2.0
P10	5.8%	1.5	1.0	3.0
P11	11.8%	1.1	1.0	2.0
P12	2.8%	2.0	1.0	3.0
P13	4.0%	1.0	1.0	1.0
P14	13.0%	1.1	1.0	2.0
P15	3.3%	1.5	1.0	2.0
P16	9.3%	1.4	1.0	2.0
P17	3.5%	1.5	1.0	4.0
P18	4.6%	1.4	1.0	4.0
P19	0.0%			
P20	2.7%	1.0	1.0	1.0
P21	5.4%	1.8	1.0	4.0
P22	5.9%	1.7	1.0	5.0
P23	4.7%	2.0	1.0	3.0
P24	6.0%	1.5	1.0	6.0
P25	8.3%	1.4	1.0	4.0
P26	7.2%	1.3	1.0	3.0
P27	5.9%	1.4	1.0	2.0
P28	4.8%	1.8	1.0	3.0
P29	1.4%	1.0	1.0	1.0
P30	7.0%	1.4	1.0	2.0
P31	4.8%	1.5	1.0	3.0
P32				
P33				
Total	5.5%	1.4	1.0	6.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 17. Number and Percentage of Health Home Participants with at Least One Inpatient Hospital Admission during their Second Quarter After Enrollment and Summary Statistics, by Provide

Provider ID	Percentage with an Inpatient Admission	Summary Statistics for Those with at Least One Inpatient Admission		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	8.0%	2.0	1.0	5.0
P03	6.5%	1.5	1.0	4.0
P04	4.3%	1.2	1.0	2.0
P05	3.8%	2.3	1.0	6.0
P06	8.3%	2.0	1.0	4.0
P07	4.9%	2.1	1.0	6.0
P08	13.2%	1.6	1.0	4.0
P09	13.2%	2.8	1.0	6.0
P10	6.4%	1.8	1.0	5.0
P11	10.1%	1.6	1.0	6.0
P12	4.7%	3.0	1.0	6.0
P13	4.0%	1.0	1.0	1.0
P14	11.4%	1.8	1.0	4.0
P15	3.3%	1.5	1.0	2.0
P16	9.5%	1.3	1.0	2.0
P17	3.9%	1.5	1.0	4.0
P18	4.9%	1.8	1.0	9.0
P19				
P20	4.2%	1.0	1.0	1.0
P21	4.4%	2.7	1.0	7.0
P22	7.2%	1.2	1.0	2.0
P23	3.4%	2.0	1.0	3.0
P24	4.4%	1.6	1.0	4.0
P25	9.2%	1.6	1.0	4.0
P26	10.2%	1.8	1.0	5.0
P27	1.3%	1.0	1.0	1.0
P28	5.1%	1.1	1.0	2.0
P29	3.7%	1.2	1.0	2.0
P30	7.3%	2.4	1.0	6.0
P31	2.8%	2.0	1.0	4.0
P32				
P33				
Total	5.9%	1.7	1.0	9.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 17. Number and Percentage of Health Home Participants with at Least One Inpatient Hospital Admission during their Third Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Inpatient Admission	Summary Statistics for Those with at Least One Inpatient Admission		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	0.0%			
P03	11.1%	1.5	1.0	5.0
P04	4.7%	2.0	1.0	4.0
P05	4.0%	2.0	1.0	3.0
P06	4.9%	1.0	1.0	1.0
P07	5.5%	1.3	1.0	2.0
P08	17.9%	2.0	1.0	4.0
P09	6.5%	7.5	3.0	12.0
P10	5.5%	1.5	1.0	3.0
P11	10.0%	1.9	1.0	9.0
P12	3.0%	2.0	1.0	4.0
P13	0.0%			
P14	3.2%	1.0	1.0	1.0
P15	2.0%	1.0	1.0	1.0
P16				
P17	4.9%	1.4	1.0	4.0
P18	3.5%	1.6	1.0	4.0
P19				
P20	1.4%	1.0	1.0	1.0
P21	3.4%	1.5	1.0	2.0
P22	6.3%	1.5	1.0	2.0
P23	6.8%	1.8	1.0	4.0
P24	5.2%	1.5	1.0	4.0
P25	8.2%	2.2	1.0	7.0
P26	12.0%	1.3	1.0	3.0
P27	4.1%	1.7	1.0	2.0
P28	2.9%	1.3	1.0	2.0
P29	2.3%	3.0	1.0	4.0
P30	3.2%	2.5	1.0	4.0
P31	3.9%	1.8	1.0	4.0
P32				
P33				
Total	5.5%	1.7	1.0	12.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 17. Number and Percentage of Health Home Participants with at Least One Inpatient Hospital Admission during their Fourth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Inpatient Admission	Summary Statistics for Those with at Least One Inpatient Admission		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02				
P03	5.9%	2.1	1.0	5.0
P04	5.6%	1.8	1.0	5.0
P05	5.6%	1.8	1.0	4.0
P06				
P07	4.3%	1.0	1.0	1.0
P08				
P09	0.0%			
P10	5.4%	1.6	1.0	5.0
P11	9.9%	1.7	1.0	9.0
P12	6.5%	1.7	1.0	4.0
P13				
P14	11.5%	2.3	1.0	5.0
P15	4.1%	1.0	1.0	1.0
P16				
P17	3.4%	1.6	1.0	3.0
P18	3.8%	2.1	1.0	7.0
P19				
P20	1.4%	1.0	1.0	1.0
P21	3.4%	1.3	1.0	2.0
P22	0.0%			
P23	1.7%	6.0	6.0	6.0
P24	4.3%	1.1	1.0	2.0
P25	10.3%	1.5	1.0	2.0
P26	6.6%	1.2	1.0	2.0
P27	0.0%			
P28	4.5%	1.2	1.0	2.0
P29	2.7%	1.3	1.0	2.0
P30	3.3%	2.8	1.0	5.0
P31	3.0%	1.7	1.0	3.0
P32				
P33				
Total	4.8%	1.7	1.0	9.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 17. Number and Percentage of Health Home Participants with at Least One Inpatient Hospital Admission during their Fifth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Inpatient Admission	Summary Statistics for Those with at Least One Inpatient Admission		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03	6.9%	1.4	1.0	3.0
P04	5.8%	2.0	1.0	3.0
P05	6.5%	2.0	1.0	3.0
P06				
P07				
P08				
P09				
P10	3.2%	1.6	1.0	4.0
P11	6.1%	1.0	1.0	1.0
P12	4.5%	3.3	1.0	5.0
P13				
P14	12.5%	1.0	1.0	1.0
P15	2.5%	1.0	1.0	1.0
P16				
P17	4.6%	1.3	1.0	2.0
P18	5.8%	1.3	1.0	3.0
P19				
P20	1.5%	1.0	1.0	1.0
P21	4.3%	1.0	1.0	1.0
P22				
P23	5.7%	1.3	1.0	2.0
P24	2.4%	1.3	1.0	2.0
P25	6.6%	1.0	1.0	1.0
P26	4.0%	1.5	1.0	3.0
P27	0.0%			
P28	2.4%	1.0	1.0	1.0
P29	4.8%	2.0	1.0	3.0
P30	2.5%	1.0	1.0	1.0
P31	0.0%			
P32				
P33				
Total	4.0%	1.5	1.0	5.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 17. Number and Percentage of Health Home Participants with at Least One Inpatient Hospital Admission during their Sixth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Inpatient Admission	Summary Statistics for Those with at Least One Inpatient Admission		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03				
P04				
P05				
P06				
P07				
P08				
P09				
P10	2.4%	1.7	1.0	3.0
P11				
P12				
P13				
P14				
P15				
P16				
P17				
P18				
P19				
P20				
P21				
P22				
P23				
P24				
P25				
P26				
P27				
P28				
P29				
P30				
P31				
P32				
P33				
Total	2.4%	1.7	1.0	3.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 18. Number and Percentage of Health Home Participants with at Least One Emergency Department Visit during Their First Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an ED Visit	Summary Statistics for Those with at Least One ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	28.8%	2.8	1.0	18.0
P03	29.8%	1.8	1.0	8.0
P04	27.1%	1.9	1.0	10.0
P05	18.6%	1.6	1.0	4.0
P06	24.2%	1.5	1.0	4.0
P07	31.7%	1.9	1.0	7.0
P08	37.5%	5.1	1.0	23.0
P09	20.0%	2.0	1.0	6.0
P10	28.1%	2.0	1.0	13.0
P11	34.5%	2.1	1.0	11.0
P12	16.8%	1.3	1.0	3.0
P13	28.0%	1.7	1.0	3.0
P14	38.9%	1.8	1.0	7.0
P15	10.0%	1.7	1.0	5.0
P16	29.1%	2.0	1.0	11.0
P17	23.9%	2.0	1.0	11.0
P18	24.0%	2.0	1.0	8.0
P19	4.8%	1.0	1.0	1.0
P20	16.4%	1.1	1.0	2.0
P21	29.9%	1.8	1.0	6.0
P22	33.3%	1.8	1.0	7.0
P23	40.6%	2.2	1.0	7.0
P24	32.0%	1.7	1.0	9.0
P25	33.3%	1.8	1.0	6.0
P26	27.5%	1.5	1.0	5.0
P27	41.2%	1.5	1.0	6.0
P28	17.6%	3.6	1.0	51.0
P29	21.2%	2.3	1.0	16.0
P30	28.1%	1.5	1.0	5.0
P31	19.4%	1.5	1.0	6.0
P32				
P33				
Total	27.1%	1.9	1.0	51.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 18. Number and Percentage of Health Home Participants with at Least One Emergency Department Visit during Their Second Quarter After Enrollment and Summary Statistics, by Provide

Provider ID	Percentage with an ED Visit	Summary Statistics for Those with at Least One ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	34.0%	1.8	1.0	4.0
P03	33.0%	1.9	1.0	6.0
P04	30.4%	1.9	1.0	9.0
P05	17.7%	1.7	1.0	5.0
P06	30.6%	2.3	1.0	10.0
P07	30.5%	1.7	1.0	7.0
P08	42.1%	5.7	1.0	29.0
P09	18.4%	1.1	1.0	2.0
P10	26.1%	2.3	1.0	20.0
P11	36.7%	2.2	1.0	14.0
P12	13.2%	2.0	1.0	6.0
P13	12.0%	2.7	1.0	5.0
P14	43.2%	2.2	1.0	10.0
P15	10.0%	1.7	1.0	4.0
P16	33.3%	1.9	1.0	6.0
P17	28.7%	2.4	1.0	32.0
P18	25.5%	1.9	1.0	20.0
P19				
P20	18.1%	1.1	1.0	2.0
P21	26.5%	1.9	1.0	8.0
P22	33.7%	1.3	1.0	6.0
P23	30.5%	2.0	1.0	7.0
P24	30.4%	2.1	1.0	43.0
P25	24.8%	1.9	1.0	6.0
P26	32.3%	1.9	1.0	7.0
P27	27.3%	1.5	1.0	4.0
P28	21.5%	1.5	1.0	5.0
P29	23.5%	1.8	1.0	14.0
P30	31.5%	1.8	1.0	7.0
P31	19.6%	1.5	1.0	5.0
P32				
P33				
Total	27.3%	2.0	1.0	43.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 18. Number and Percentage of Health Home Participants with at Least One Emergency Department Visit during Their Third Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an ED Visit	Summary Statistics for Those with at Least One ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	27.0%	1.8	1.0	7.0
P03	31.0%	1.8	1.0	7.0
P04	27.4%	1.8	1.0	8.0
P05	17.7%	1.8	1.0	6.0
P06	26.8%	1.5	1.0	3.0
P07	22.7%	1.8	1.0	8.0
P08	39.3%	7.5	1.0	29.0
P09	3.2%	1.0	1.0	1.0
P10	24.5%	2.6	1.0	34.0
P11	33.8%	2.3	1.0	12.0
P12	14.9%	1.6	1.0	5.0
P13	26.1%	1.2	1.0	2.0
P14	29.0%	1.4	1.0	3.0
P15	18.4%	1.4	1.0	3.0
P16				
P17	27.7%	2.0	1.0	13.0
P18	25.4%	1.5	1.0	7.0
P19				
P20	12.7%	1.7	1.0	5.0
P21	16.4%	1.6	1.0	6.0
P22	25.4%	1.3	1.0	3.0
P23	32.2%	2.1	1.0	6.0
P24	23.1%	2.0	1.0	8.0
P25	26.2%	2.1	1.0	6.0
P26	28.1%	2.2	1.0	10.0
P27	18.9%	1.6	1.0	4.0
P28	19.6%	1.4	1.0	5.0
P29	23.4%	2.1	1.0	15.0
P30	21.8%	2.4	1.0	17.0
P31	23.5%	1.7	1.0	5.0
P32				
P33				
Total	24.4%	2.0	1.0	34.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 18. Number and Percentage of Health Home Participants with at Least One Emergency Department Visit during Their Fourth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an ED Visit	Summary Statistics for Those with at Least One ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02				
P03	23.6%	2.7	1.0	35.0
P04	25.8%	2.1	1.0	11.0
P05	24.4%	1.9	1.0	11.0
P06				
P07	17.4%	1.3	1.0	2.0
P08				
P09	0.0%			
P10	24.0%	2.4	1.0	34.0
P11	30.3%	2.1	1.0	14.0
P12	18.3%	1.5	1.0	5.0
P13				
P14	23.1%	1.5	1.0	3.0
P15	8.2%	1.5	1.0	2.0
P16				
P17	23.7%	1.7	1.0	7.0
P18	18.6%	1.7	1.0	10.0
P19				
P20	11.3%	1.3	1.0	2.0
P21	18.0%	1.6	1.0	4.0
P22	13.8%	1.0	1.0	1.0
P23	28.8%	2.4	1.0	15.0
P24	24.3%	1.8	1.0	15.0
P25	33.3%	1.8	1.0	8.0
P26	31.7%	1.9	1.0	13.0
P27	27.8%	1.2	1.0	3.0
P28	17.9%	1.5	1.0	5.0
P29	17.0%	2.3	1.0	9.0
P30	24.0%	1.4	1.0	3.0
P31	18.2%	1.9	1.0	6.0
P32				
P33				
Total	22.8%	2.0	1.0	35.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 18. Number and Percentage of Health Home Participants with at Least One Emergency Department Visit during Their Fifth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an ED Visit	Summary Statistics for Those with at Least One ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03	20.1%	2.7	1.0	36.0
P04	23.1%	2.7	1.0	6.0
P05	9.7%	2.7	1.0	5.0
P06				
P07				
P08				
P09				
P10	22.9%	2.5	1.0	41.0
P11	30.3%	1.2	1.0	3.0
P12	14.8%	2.2	1.0	6.0
P13				
P14	37.5%	1.3	1.0	2.0
P15	12.5%	1.4	1.0	2.0
P16				
P17	25.2%	2.0	1.0	7.0
P18	23.4%	1.5	1.0	6.0
P19				
P20	13.6%	1.6	1.0	3.0
P21	30.4%	1.9	1.0	3.0
P22				
P23	20.8%	1.5	1.0	3.0
P24	20.6%	1.7	1.0	5.0
P25	26.2%	1.6	1.0	4.0
P26	26.3%	2.1	1.0	8.0
P27	25.0%	1.0	1.0	1.0
P28	14.4%	1.2	1.0	2.0
P29	15.4%	3.6	1.0	20.0
P30	24.6%	1.6	1.0	9.0
P31	18.8%	1.8	1.0	6.0
P32				
P33				
Total	21.3%	2.1	1.0	41.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 18. Number and Percentage of Health Home Participants with at Least One Emergency Department Visit during Their Sixth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an ED Visit	Summary Statistics for Those with at Least One ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03				
P04				
P05				
P06				
P07				
P08				
P09				
P10	20.0%	1.8	1.0	5.0
P11				
P12				
P13				
P14				
P15				
P16				
P17				
P18				
P19				
P20				
P21				
P22				
P23				
P24				
P25				
P26				
P27				
P28				
P29				
P30				
P31				
P32				
P33				
Total	20.0%	1.8	1.0	5.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 19. Number and Percentage of Health Home Participants with at Least One Ambulatory Care Visit during Their First Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Ambulatory Care Visit	Summary Statistics for Those with at Least One Ambulatory Care Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	100.0%	2.0	2.0	2.0
P02	55.9%	2.7	1.0	9.0
P03	63.4%	2.9	1.0	11.0
P04	75.2%	3.4	1.0	16.0
P05	67.1%	2.8	1.0	14.0
P06	59.6%	2.4	1.0	9.0
P07	65.0%	2.9	1.0	16.0
P08	55.0%	2.9	1.0	11.0
P09	42.5%	2.0	1.0	4.0
P10	65.3%	3.3	1.0	23.0
P11	50.7%	2.6	1.0	10.0
P12	68.2%	2.7	1.0	13.0
P13	72.0%	2.1	1.0	6.0
P14	75.9%	3.0	1.0	16.0
P15	23.3%	2.0	1.0	4.0
P16	67.4%	3.5	1.0	16.0
P17	71.3%	3.0	1.0	13.0
P18	64.7%	2.7	1.0	17.0
P19	47.6%	1.4	1.0	2.0
P20	68.5%	2.3	1.0	7.0
P21	70.7%	3.0	1.0	11.0
P22	71.6%	2.8	1.0	9.0
P23	40.6%	1.9	1.0	6.0
P24	74.3%	3.0	1.0	18.0
P25	69.2%	2.4	1.0	12.0
P26	44.9%	2.7	1.0	11.0
P27	62.4%	2.5	1.0	17.0
P28	47.9%	2.1	1.0	6.0
P29	65.1%	3.4	1.0	11.0
P30	50.0%	2.2	1.0	7.0
P31	44.4%	3.0	1.0	16.0
P32				
P33				
Total	62.9%	2.9	1.0	23.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 19. Number and Percentage of Health Home Participants with at Least One Ambulatory Care Visit during Their Second Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Ambulatory Care Visit	Summary Statistics for Those with at Least One Ambulatory Care Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	100.0%	1.0	1.0	1.0
P02	50.0%	1.9	1.0	5.0
P03	66.5%	3.1	1.0	11.0
P04	73.0%	3.7	1.0	16.0
P05	63.9%	2.8	1.0	21.0
P06	70.8%	2.5	1.0	7.0
P07	65.2%	2.8	1.0	12.0
P08	50.0%	3.8	1.0	12.0
P09	57.9%	2.2	1.0	4.0
P10	60.2%	3.2	1.0	24.0
P11	58.5%	2.5	1.0	12.0
P12	69.8%	2.8	1.0	29.0
P13	56.0%	1.8	1.0	4.0
P14	63.6%	3.1	1.0	10.0
P15	38.3%	1.7	1.0	4.0
P16	64.3%	3.1	1.0	9.0
P17	69.2%	3.4	1.0	14.0
P18	68.1%	2.8	1.0	13.0
P19				
P20	73.6%	2.8	1.0	10.0
P21	65.4%	2.8	1.0	14.0
P22	67.5%	3.1	1.0	14.0
P23	30.5%	2.7	1.0	8.0
P24	70.1%	3.0	1.0	10.0
P25	61.7%	2.9	1.0	13.0
P26	46.1%	3.2	1.0	16.0
P27	62.3%	2.7	1.0	13.0
P28	45.6%	2.0	1.0	14.0
P29	72.8%	3.4	1.0	20.0
P30	58.9%	3.0	1.0	16.0
P31	49.5%	3.2	1.0	26.0
P32				
P33				
Total	62.5%	2.9	1.0	29.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 19. Number and Percentage of Health Home Participants with at Least One Ambulatory Care Visit during Their Third Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Ambulatory Care Visit	Summary Statistics for Those with at Least One Ambulatory Care Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	100.0%	5.0	5.0	5.0
P02	40.5%	2.7	1.0	4.0
P03	63.9%	3.2	1.0	17.0
P04	75.5%	3.2	1.0	14.0
P05	62.1%	2.5	1.0	21.0
P06	56.1%	2.5	1.0	6.0
P07	48.2%	3.0	1.0	12.0
P08	53.6%	2.5	1.0	12.0
P09	64.5%	1.8	1.0	4.0
P10	61.1%	3.2	1.0	22.0
P11	51.3%	2.6	1.0	12.0
P12	65.3%	2.8	1.0	24.0
P13	43.5%	2.4	1.0	6.0
P14	54.8%	2.9	1.0	7.0
P15	49.0%	1.6	1.0	4.0
P16				
P17	65.9%	3.2	1.0	17.0
P18	62.4%	2.6	1.0	12.0
P19				
P20	56.3%	2.6	1.0	7.0
P21	56.0%	3.6	1.0	14.0
P22	69.8%	3.0	1.0	12.0
P23	32.2%	2.4	1.0	12.0
P24	68.4%	3.1	1.0	29.0
P25	59.8%	2.7	1.0	12.0
P26	50.9%	3.2	1.0	16.0
P27	54.1%	2.9	1.0	19.0
P28	50.7%	1.7	1.0	9.0
P29	76.6%	3.4	1.0	16.0
P30	49.2%	2.7	1.0	12.0
P31	48.0%	3.0	1.0	23.0
P32				
P33				
Total	59.7%	2.9	1.0	29.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 19. Number and Percentage of Health Home Participants with at Least One Ambulatory Care Visit during Their Fourth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Ambulatory Care Visit	Summary Statistics for Those with at Least One Ambulatory Care Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	100.0%	1.0	1.0	1.0
P02				
P03	63.1%	2.9	1.0	12.0
P04	65.2%	3.6	1.0	17.0
P05	63.3%	2.9	1.0	17.0
P06				
P07	39.1%	2.9	1.0	7.0
P08				
P09	100.0%	1.0	1.0	1.0
P10	59.1%	3.2	1.0	21.0
P11	50.0%	2.4	1.0	10.0
P12	73.1%	3.1	1.0	29.0
P13				
P14	42.3%	2.8	1.0	7.0
P15	34.7%	1.7	1.0	4.0
P16				
P17	64.2%	3.1	1.0	12.0
P18	61.2%	2.6	1.0	17.0
P19				
P20	52.1%	2.8	1.0	9.0
P21	48.3%	3.0	1.0	13.0
P22	65.5%	2.2	1.0	6.0
P23	27.1%	1.8	1.0	4.0
P24	65.8%	3.1	1.0	15.0
P25	66.7%	3.1	1.0	12.0
P26	42.5%	3.0	1.0	12.0
P27	48.1%	2.4	1.0	14.0
P28	42.5%	2.0	1.0	11.0
P29	64.3%	4.1	1.0	24.0
P30	45.5%	2.4	1.0	9.0
P31	41.4%	2.5	1.0	12.0
P32				
P33				
Total	56.7%	2.9	1.0	29.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 19. Number and Percentage of Health Home Participants with at Least One Ambulatory Care Visit during Their Fifth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Ambulatory Care Visit	Summary Statistics for Those with at Least One Ambulatory Care Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03	52.9%	3.0	1.0	14.0
P04	65.4%	2.9	1.0	14.0
P05	61.3%	2.5	1.0	6.0
P06				
P07				
P08				
P09		0.0	0.0	0.0
P10	53.3%	3.3	1.0	16.0
P11	48.5%	2.3	1.0	7.0
P12	61.4%	2.7	1.0	21.0
P13		0.0	0.0	0.0
P14	50.0%	3.8	1.0	7.0
P15	40.0%	1.6	1.0	5.0
P16				
P17	63.6%	2.8	1.0	11.0
P18	65.6%	2.4	1.0	17.0
P19		0.0	0.0	0.0
P20	54.5%	2.2	1.0	7.0
P21	65.2%	2.9	1.0	8.0
P22				
P23	28.3%	2.3	1.0	8.0
P24	62.9%	3.1	1.0	10.0
P25	50.8%	3.3	1.0	11.0
P26	45.5%	2.6	1.0	9.0
P27	50.0%	1.5	1.0	2.0
P28	41.6%	1.9	1.0	9.0
P29	61.5%	3.8	1.0	19.0
P30	44.1%	2.6	1.0	8.0
P31	43.5%	2.3	1.0	11.0
P32				
P33				
Total	53.9%	2.9	1.0	21.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 19. Number and Percentage of Health Home Participants with at Least One Ambulatory Care Visit during Their Sixth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with an Ambulatory Care Visit	Summary Statistics for Those with at Least One Ambulatory Care Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03				
P04				
P05				
P06				
P07				
P08				
P09				
P10	64.0%	3.0	1.0	10.0
P11				
P12				
P13				
P14				
P15				
P16				
P17				
P18				
P19				
P20				
P21				
P22				
P23				
P24				
P25				
P26				
P27				
P28				
P29				
P30				
P31				
P32				
P33				
Total	64.0%	3.0	1.0	10.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 20. Number and Percentage of Health Home Participants with at Least One Avoidable Inpatient Hospital Admission and Summary Statistics, by Quarter

Quarter	Number of Participants	Number with a Potentially Avoidable Hospitalization	Percentage with a Potentially Avoidable Hospitalization	Summary Statistics for Those with at Least One Potentially Avoidable Hospitalization		
				Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
At least 1 Quarter After Enrollment	4,636	26	0.6%	1.2	1	2
At least 2 Quarters After Enrollment	4,249	28	0.7%	1.3	1	3
At least 3 Quarters After Enrollment	3,756	32	0.9%	1.3	1	5
At least 4 Quarters After Enrollment	3,096	21	0.7%	1.6	1	5
At least 5 Quarters After Enrollment	2,184	14	0.6%	1.3	1	3
At least 6 Quarters After Enrollment	125	0	0.0%	-	-	-

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 21. Number and Percentage of Health Home Participants with at Least One Non-Emergent Emergency Department Visit during Their First Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with a Non-Emergent ED Visit	Summary Statistics for Those with at Least One Non-Emergent ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	10.2%	2.2	1.0	4.0
P03	13.0%	1.7	1.0	8.0
P04	16.3%	1.7	1.0	9.0
P05	6.2%	1.3	1.0	3.0
P06	9.1%	1.4	1.0	3.0
P07	13.9%	1.7	1.0	5.0
P08	22.5%	2.9	1.0	8.0
P09	0.0%			
P10	11.6%	1.4	1.0	5.0
P11	13.3%	1.5	1.0	4.0
P12	6.5%	1.1	1.0	2.0
P13	16.0%	1.3	1.0	2.0
P14	22.2%	1.1	1.0	2.0
P15	1.7%	1.0	1.0	1.0
P16	11.6%	1.6	1.0	3.0
P17	11.3%	1.8	1.0	6.0
P18	11.3%	1.5	1.0	5.0
P19	4.8%	1.0	1.0	1.0
P20	5.5%	1.0	1.0	1.0
P21	10.2%	1.1	1.0	2.0
P22	12.7%	1.2	1.0	2.0
P23	15.6%	1.6	1.0	3.0
P24	16.6%	1.4	1.0	6.0
P25	21.8%	1.4	1.0	5.0
P26	15.6%	1.3	1.0	3.0
P27	18.8%	1.4	1.0	3.0
P28	7.9%	4.6	1.0	43.0
P29	12.3%	2.2	1.0	14.0
P30	15.6%	1.1	1.0	2.0
P31	4.8%	1.0	1.0	1.0
P32				
P33				
Total	12.3%	1.6	1.0	43.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 21. Number and Percentage of Health Home Participants with at Least One Non-Emergent Emergency Department Visit during Their Second Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with a Non-Emergent ED Visit	Summary Statistics for Those with at Least One Non-Emergent ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	20.0%	1.3	1.0	3.0
P03	17.4%	1.5	1.0	4.0
P04	13.0%	1.5	1.0	2.0
P05	6.3%	1.0	1.0	1.0
P06	16.7%	1.6	1.0	4.0
P07	16.5%	1.5	1.0	4.0
P08	28.9%	2.7	1.0	14.0
P09	0.0%			
P10	11.7%	1.7	1.0	10.0
P11	16.5%	1.7	1.0	4.0
P12	8.5%	1.2	1.0	2.0
P13	12.0%	1.0	1.0	1.0
P14	29.5%	1.6	1.0	4.0
P15	5.0%	1.0	1.0	1.0
P16	11.9%	1.6	1.0	2.0
P17	16.1%	2.0	1.0	11.0
P18	14.7%	1.4	1.0	4.0
P19				
P20	9.7%	1.0	1.0	1.0
P21	13.2%	1.4	1.0	3.0
P22	9.6%	1.3	1.0	2.0
P23	8.5%	1.2	1.0	2.0
P24	15.3%	1.6	1.0	11.0
P25	14.2%	1.3	1.0	3.0
P26	22.2%	1.4	1.0	5.0
P27	16.9%	1.2	1.0	2.0
P28	12.7%	1.3	1.0	3.0
P29	9.6%	1.9	1.0	9.0
P30	14.5%	1.3	1.0	3.0
P31	6.5%	1.1	1.0	2.0
P32				
P33				
Total	13.8%	1.5	1.0	14.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 21. Number and Percentage of Health Home Participants with at Least One Non-Emergent Emergency Department Visit during Their Third Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with a Non-Emergent ED Visit	Summary Statistics for Those with at Least One Non-Emergent ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02	10.8%	1.0	1.0	1.0
P03	17.6%	1.4	1.0	4.0
P04	12.3%	1.5	1.0	4.0
P05	8.9%	1.1	1.0	2.0
P06	2.4%	1.0	1.0	1.0
P07	7.3%	1.9	1.0	7.0
P08	28.6%	4.6	1.0	14.0
P09	0.0%			
P10	12.0%	1.7	1.0	10.0
P11	18.1%	1.4	1.0	5.0
P12	5.9%	1.2	1.0	2.0
P13	4.3%	1.0	1.0	1.0
P14	16.1%	1.2	1.0	2.0
P15	10.2%	1.2	1.0	2.0
P16				
P17	12.7%	1.3	1.0	4.0
P18	11.9%	1.2	1.0	3.0
P19				
P20	1.4%	1.0	1.0	1.0
P21	5.2%	1.8	1.0	4.0
P22	9.5%	1.3	1.0	3.0
P23	15.3%	1.4	1.0	4.0
P24	11.2%	1.6	1.0	5.0
P25	13.9%	1.3	1.0	4.0
P26	14.4%	1.4	1.0	3.0
P27	9.5%	1.3	1.0	2.0
P28	11.6%	1.1	1.0	2.0
P29	7.0%	2.3	1.0	10.0
P30	12.9%	1.3	1.0	2.0
P31	9.8%	1.3	1.0	2.0
P32				
P33				
Total	11.5%	1.5	1.0	14.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 21. Number and Percentage of Health Home Participants with at Least One Non-Emergent Emergency Department Visit during Their Fourth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with a Non-Emergent ED Visit	Summary Statistics for Those with at Least One Non-Emergent ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01	0.0%			
P02				
P03	11.3%	3.0	1.0	31.0
P04	7.9%	2.3	1.0	7.0
P05	5.6%	1.6	1.0	4.0
P06				
P07	8.7%	1.0	1.0	1.0
P08				
P09	0.0%			
P10	10.2%	1.6	1.0	6.0
P11	18.3%	1.5	1.0	5.0
P12	5.4%	1.2	1.0	2.0
P13				
P14	15.4%	1.3	1.0	2.0
P15	4.1%	2.0	2.0	2.0
P16				
P17	12.5%	1.4	1.0	4.0
P18	9.6%	1.4	1.0	6.0
P19				
P20	5.6%	1.0	1.0	1.0
P21	11.2%	1.0	1.0	1.0
P22	3.4%	1.0	1.0	1.0
P23	10.2%	1.0	1.0	1.0
P24	13.0%	1.5	1.0	7.0
P25	9.0%	1.6	1.0	3.0
P26	16.2%	1.6	1.0	6.0
P27	14.8%	1.1	1.0	2.0
P28	6.0%	1.4	1.0	4.0
P29	8.0%	1.9	1.0	7.0
P30	10.7%	1.3	1.0	2.0
P31	6.1%	1.2	1.0	2.0
P32				
P33				
Total	10.5%	1.6	1.0	31.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 21. Number and Percentage of Health Home Participants with at Least One Non-Emergent Emergency Department Visit during Their Fifth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with a Non-Emergent ED Visit	Summary Statistics for Those with at Least One Non-Emergent ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03	9.0%	2.4	1.0	19.0
P04	17.3%	1.2	1.0	2.0
P05	3.2%	1.0	1.0	1.0
P06				
P07				
P08				
P09				
P10	12.1%	1.6	1.0	16.0
P11	13.6%	1.0	1.0	1.0
P12	3.4%	1.0	1.0	1.0
P13				
P14	25.0%	1.0	1.0	1.0
P15	0.0%			
P16				
P17	12.6%	1.5	1.0	7.0
P18	7.1%	1.3	1.0	3.0
P19				
P20	7.6%	1.2	1.0	2.0
P21	13.0%	1.0	1.0	1.0
P22				
P23	7.5%	1.5	1.0	2.0
P24	12.4%	1.2	1.0	3.0
P25	13.1%	1.5	1.0	3.0
P26	12.1%	1.7	1.0	6.0
P27	25.0%	1.0	1.0	1.0
P28	8.8%	1.1	1.0	2.0
P29	7.7%	3.0	1.0	14.0
P30	9.3%	1.3	1.0	2.0
P31	1.2%	1.0	1.0	1.0
P32				
P33				
Total	9.9%	1.5	1.0	19.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 21. Number and Percentage of Health Home Participants with at Least One Non-Emergent Emergency Department Visit during Their Sixth Quarter After Enrollment and Summary Statistics, by Provider

Provider ID	Percentage with a Non-Emergent ED	Summary Statistics for Those with at Least One Non-Emergent ED Visit		
		Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
P01				
P02				
P03				
P04				
P05				
P06				
P07				
P08				
P09				
P10	8.8%	1.5	1.0	4.0
P11				
P12				
P13				
P14				
P15				
P16				
P17				
P18				
P19				
P20				
P21				
P22				
P23				
P24				
P25				
P26				
P27				
P28				
P29				
P30				
P31				
P32				
P33				
Total	8.8%	1.5	1.0	4.0

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.

Table 22. Number and Percentage of Health Home Participants with at Least One 30-Day All-Cause-Hospital Readmission and Summary Statistics, by Quarter

Quarter	Number of Participants	Number with a 30-Day Readmission	Percentage with a 30-Day Readmission	Summary Statistics for Those with at Least One 30-Day Readmission		
				Average Visits per Person	Minimum Visits per Person	Maximum Visits per Person
At least 1 Quarter After Enrollment	4,636	43	0.9%	1.3	1	4
At least 2 Quarters After Enrollment	4,249	56	1.3%	1.5	1	5
At least 3 Quarters After Enrollment	3,756	46	1.2%	1.8	1	11
At least 4 Quarters After Enrollment	3,096	36	1.2%	2.0	1	7
At least 5 Quarters After Enrollment	2,184	12	0.5%	1.8	1	5
At least 6 Quarters After Enrollment	125	1	0.8%	1.0	1	1

Measures are based on MMIS2 data

Data as of May 31, 2015

Please consider the utilization data as preliminary because there is insufficient run-out for claims/encounter submission.

MCO encounters require at least 6 months of run-out, and FFS claims require at least 12 months of run-out. These measures will be revised to include complete data in future reports.

Participants are only included in the denominator if the period of time that has passed since the participant's enrollment date is greater than or equal to the measurement quarter.

For example, participants included in the Quarter 3 table had at least 3 quarters pass since their enrollment date.