

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	14.2	( 13.8 - 14.7 )	50,695	13.9	( 13.3 - 14.6 )	24,845	14.0	( 13.4 - 14.5 )	25,307
<b>Age</b>									
15 or younger	13.6	( 12.9 - 14.3 )	24,095	12.7	( 11.9 - 13.7 )	11,397	13.5	( 12.7 - 14.3 )	12,387
16 or 17	14.3	( 13.7 - 14.9 )	24,329	14.6	( 13.8 - 15.4 )	12,150	14.0	( 13.2 - 14.8 )	12,023
18 or older	18.4	( 16.7 - 20.3 )	2,178	17.7	( 15.5 - 20.2 )	1,272	18.8	( 15.6 - 22.5 )	883
<b>Grade</b>									
9th	12.9	( 12.0 - 13.9 )	14,137	12.2	( 10.9 - 13.7 )	6,820	13.2	( 12.2 - 14.3 )	7,208
10th	13.5	( 12.7 - 14.3 )	13,598	13.2	( 12.2 - 14.3 )	6,588	13.4	( 12.3 - 14.6 )	6,898
11th	14.0	( 13.2 - 14.9 )	12,541	13.9	( 12.8 - 15.1 )	6,266	13.8	( 12.7 - 14.9 )	6,194
12th	15.5	( 14.7 - 16.4 )	9,715	16.1	( 14.9 - 17.3 )	4,852	14.6	( 13.5 - 15.9 )	4,793
<b>Race/Ethnicity</b>									
Black*	13.5	( 12.7 - 14.4 )	11,210	13.8	( 12.6 - 15.0 )	5,493	13.2	( 12.1 - 14.4 )	5,675
Hispanic/Latino	16.2	( 15.3 - 17.0 )	6,185	16.3	( 14.9 - 17.9 )	2,984	15.6	( 14.3 - 17.1 )	3,094
White*	13.5	( 12.9 - 14.1 )	24,604	12.9	( 12.1 - 13.6 )	12,146	14.0	( 13.2 - 14.8 )	12,350
All other races*	12.4	( 11.0 - 13.9 )	3,449	11.8	( 10.2 - 13.7 )	1,760	12.4	( 10.5 - 14.7 )	1,657
Multiple races*	14.1	( 12.8 - 15.6 )	3,532	14.3	( 12.4 - 16.4 )	1,566	13.9	( 12.2 - 15.9 )	1,947

Note: 392 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	5.9	( 5.5 - 6.4 )	20,109	6.7	( 6.1 - 7.3 )	10,146	4.4	( 3.8 - 5.0 )	9,744
<b>Age</b>									
15 or younger	7.0	( 6.0 - 8.0 )	4,864	6.9	( 5.7 - 8.3 )	2,460	4.8	( 3.8 - 6.2 )	2,284
16 or 17	5.1	( 4.6 - 5.6 )	13,920	6.1	( 5.4 - 6.8 )	6,897	4.0	( 3.4 - 4.6 )	6,952
18 or older	9.5	( 7.7 - 11.6 )	1,295	10.2	( 8.0 - 13.0 )	779	7.0	( 4.7 - 10.2 )	501
<b>Grade</b>									
9th	5.9	( 4.8 - 7.2 )	2,496	6.5	( 5.0 - 8.4 )	1,344	4.2	( 3.1 - 5.6 )	1,124
10th	3.7	( 3.1 - 4.5 )	3,990	4.7	( 3.7 - 6.0 )	2,015	2.3	( 1.6 - 3.1 )	1,926
11th	4.5	( 3.9 - 5.2 )	6,943	5.6	( 4.8 - 6.7 )	3,487	3.1	( 2.3 - 4.1 )	3,417
12th	7.0	( 6.1 - 7.9 )	6,383	7.8	( 6.7 - 9.1 )	3,171	5.6	( 4.6 - 6.7 )	3,176
<b>Race/Ethnicity</b>									
Black*	4.2	( 3.5 - 5.0 )	3,861	4.9	( 3.9 - 6.2 )	1,935	3.3	( 2.5 - 4.3 )	1,906
Hispanic/Latino	8.4	( 7.1 - 9.9 )	2,259	9.0	( 7.4 - 10.9 )	1,170	7.2	( 5.5 - 9.4 )	1,055
White*	5.4	( 4.8 - 6.1 )	10,923	6.3	( 5.6 - 7.2 )	5,470	4.3	( 3.6 - 5.2 )	5,408
All other races*	5.4	( 4.1 - 7.2 )	1,163	7.2	( 5.2 - 9.8 )	606	3.1	( 1.7 - 5.6 )	547
Multiple races*	5.4	( 4.2 - 6.9 )	1,252	6.8	( 4.8 - 9.4 )	616	3.5	( 2.1 - 5.7 )	629

Note: 30,978 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	28.1	( 27.0 - 29.2 )	20,638	28.3	( 27.1 - 29.6 )	10,470	26.7	( 25.2 - 28.2 )	9,880
<b>Age</b>									
15 or younger	17.0	( 15.6 - 18.6 )	5,069	18.0	( 16.2 - 19.9 )	2,565	11.1	( 9.4 - 13.1 )	2,332
16 or 17	30.5	( 29.2 - 31.7 )	14,191	30.6	( 29.1 - 32.2 )	7,083	30.2	( 28.4 - 32.0 )	7,024
18 or older	40.6	( 37.1 - 44.1 )	1,345	38.6	( 34.5 - 42.9 )	812	41.8	( 36.3 - 47.5 )	518
<b>Grade</b>									
9th	14.6	( 12.8 - 16.6 )	2,582	16.6	( 14.3 - 19.3 )	1,395	10.5	( 8.4 - 13.1 )	1,151
10th	12.3	( 11.2 - 13.6 )	4,083	14.3	( 12.5 - 16.3 )	2,068	8.5	( 7.1 - 10.3 )	1,952
11th	22.2	( 21.0 - 23.4 )	7,069	24.1	( 22.5 - 25.9 )	3,584	19.4	( 17.9 - 21.1 )	3,439
12th	44.4	( 42.6 - 46.1 )	6,535	43.1	( 40.8 - 45.4 )	3,268	45.3	( 43.0 - 47.7 )	3,222
<b>Race/Ethnicity</b>									
Black*	20.3	( 18.7 - 22.1 )	3,987	21.1	( 18.9 - 23.5 )	2,025	19.4	( 17.2 - 21.9 )	1,941
Hispanic/Latino	28.6	( 25.7 - 31.8 )	2,367	30.1	( 27.1 - 33.3 )	1,230	25.5	( 21.3 - 30.1 )	1,087
White*	31.9	( 30.4 - 33.4 )	11,045	31.8	( 30.1 - 33.6 )	5,559	31.8	( 29.7 - 34.1 )	5,437
All other races*	26.2	( 22.7 - 30.1 )	1,218	27.8	( 23.3 - 32.8 )	640	23.8	( 19.0 - 29.4 )	564
Multiple races*	27.5	( 24.4 - 30.8 )	1,280	29.5	( 25.6 - 33.6 )	635	24.7	( 20.5 - 29.4 )	638

Note: 30,449 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	7.4	( 7.0 - 7.8 )	50,619	9.3	( 8.8 - 9.9 )	24,782	4.5	( 4.1 - 5.0 )	25,298
<b>Age</b>									
15 or younger	6.8	( 6.2 - 7.4 )	24,074	8.0	( 7.2 - 8.9 )	11,372	4.1	( 3.6 - 4.7 )	12,391
16 or 17	7.4	( 6.9 - 7.9 )	24,280	10.0	( 9.3 - 10.8 )	12,116	4.5	( 4.0 - 5.1 )	12,012
18 or older	12.3	( 10.5 - 14.3 )	2,170	13.6	( 11.3 - 16.3 )	1,264	8.5	( 6.2 - 11.6 )	881
<b>Grade</b>									
9th	5.9	( 5.3 - 6.6 )	14,124	7.5	( 6.6 - 8.7 )	6,804	3.6	( 3.1 - 4.2 )	7,212
10th	6.7	( 6.1 - 7.4 )	13,579	8.2	( 7.4 - 9.1 )	6,585	4.6	( 3.9 - 5.4 )	6,887
11th	7.2	( 6.6 - 7.8 )	12,525	9.9	( 9.0 - 10.9 )	6,252	3.8	( 3.2 - 4.5 )	6,189
12th	8.6	( 7.8 - 9.6 )	9,700	11.1	( 9.8 - 12.6 )	4,832	5.5	( 4.6 - 6.6 )	4,795
<b>Race/Ethnicity</b>									
Black*	8.5	( 7.8 - 9.3 )	11,179	10.8	( 9.7 - 11.9 )	5,472	6.0	( 5.2 - 7.0 )	5,666
Hispanic/Latino	9.1	( 8.2 - 10.1 )	6,156	11.1	( 9.6 - 12.8 )	2,968	5.8	( 4.9 - 6.8 )	3,080
White*	4.7	( 4.4 - 5.1 )	24,610	6.5	( 6.0 - 7.2 )	12,146	2.7	( 2.4 - 3.1 )	12,356
All other races*	6.1	( 5.1 - 7.2 )	3,448	8.3	( 6.7 - 10.1 )	1,755	3.1	( 2.2 - 4.3 )	1,659
Multiple races*	8.0	( 7.0 - 9.1 )	3,525	10.6	( 8.9 - 12.7 )	1,556	5.4	( 4.3 - 6.7 )	1,949

Note: 468 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN14: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	5.5	( 5.1 - 5.8 )	50,400	7.6	( 7.1 - 8.0 )	24,669	2.6	( 2.3 - 2.9 )	25,215
<b>Age</b>									
15 or younger	5.4	( 4.9 - 5.9 )	23,926	7.1	( 6.4 - 7.8 )	11,287	2.6	( 2.2 - 3.0 )	12,343
16 or 17	5.0	( 4.7 - 5.4 )	24,223	7.6	( 7.0 - 8.3 )	12,093	2.3	( 1.9 - 2.7 )	11,981
18 or older	9.5	( 8.0 - 11.2 )	2,160	11.2	( 9.3 - 13.4 )	1,260	5.3	( 3.7 - 7.6 )	877
<b>Grade</b>									
9th	4.8	( 4.3 - 5.4 )	14,056	6.7	( 5.8 - 7.6 )	6,769	2.4	( 1.9 - 2.9 )	7,183
10th	4.9	( 4.4 - 5.5 )	13,510	6.8	( 6.0 - 7.6 )	6,540	2.6	( 2.1 - 3.2 )	6,863
11th	5.0	( 4.4 - 5.5 )	12,489	7.7	( 6.8 - 8.6 )	6,236	1.8	( 1.4 - 2.3 )	6,174
12th	5.8	( 5.1 - 6.5 )	9,667	8.5	( 7.4 - 9.7 )	4,820	2.7	( 2.2 - 3.4 )	4,781
<b>Race/Ethnicity</b>									
Black*	5.7	( 5.1 - 6.3 )	11,101	8.3	( 7.5 - 9.2 )	5,428	2.9	( 2.4 - 3.5 )	5,634
Hispanic/Latino	7.8	( 6.9 - 8.8 )	6,134	10.1	( 8.8 - 11.6 )	2,956	4.3	( 3.5 - 5.3 )	3,071
White*	3.4	( 3.1 - 3.7 )	24,562	5.3	( 4.8 - 5.8 )	12,120	1.4	( 1.2 - 1.7 )	12,335
All other races*	4.3	( 3.5 - 5.3 )	3,427	6.1	( 4.8 - 7.7 )	1,748	1.9	( 1.3 - 2.7 )	1,647
Multiple races*	5.9	( 5.0 - 6.9 )	3,511	9.4	( 7.8 - 11.2 )	1,552	2.6	( 1.8 - 3.8 )	1,941

Note: 687 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	7.8	( 7.5 - 8.2 )	50,888	9.7	( 9.2 - 10.2 )	24,943	5.2	( 4.8 - 5.6 )	25,367
<b>Age</b>									
15 or younger	8.3	( 7.8 - 8.9 )	24,171	9.8	( 9.0 - 10.6 )	11,430	5.6	( 5.1 - 6.3 )	12,409
16 or 17	7.1	( 6.7 - 7.6 )	24,430	9.4	( 8.7 - 10.1 )	12,207	4.6	( 4.2 - 5.1 )	12,061
18 or older	9.6	( 8.1 - 11.3 )	2,187	10.8	( 8.9 - 13.1 )	1,277	6.2	( 4.6 - 8.4 )	884
<b>Grade</b>									
9th	7.4	( 6.7 - 8.1 )	14,164	8.8	( 8.0 - 9.8 )	6,833	5.4	( 4.7 - 6.2 )	7,219
10th	8.1	( 7.5 - 8.7 )	13,641	9.8	( 9.0 - 10.7 )	6,617	5.6	( 4.9 - 6.4 )	6,907
11th	6.9	( 6.3 - 7.4 )	12,595	9.3	( 8.4 - 10.2 )	6,295	4.0	( 3.5 - 4.5 )	6,211
12th	7.8	( 7.1 - 8.6 )	9,762	10.3	( 9.2 - 11.5 )	4,876	4.8	( 4.2 - 5.6 )	4,814
<b>Race/Ethnicity</b>									
Black*	8.5	( 7.8 - 9.1 )	11,245	11.0	( 10.1 - 12.0 )	5,515	5.7	( 5.1 - 6.3 )	5,687
Hispanic/Latino	9.5	( 8.5 - 10.5 )	6,210	11.0	( 9.7 - 12.5 )	2,998	7.0	( 6.1 - 8.2 )	3,100
White*	5.5	( 5.0 - 5.9 )	24,671	7.1	( 6.5 - 7.8 )	12,193	3.7	( 3.3 - 4.2 )	12,369
All other races*	6.4	( 5.4 - 7.4 )	3,464	8.7	( 7.2 - 10.3 )	1,767	3.4	( 2.6 - 4.5 )	1,662
Multiple races*	8.6	( 7.5 - 9.8 )	3,541	9.9	( 8.3 - 11.6 )	1,567	7.2	( 6.0 - 8.7 )	1,954

Note: 199 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	12.2	( 11.7 - 12.8 )	50,824	14.7	( 14.1 - 15.4 )	24,907	8.7	( 8.1 - 9.4 )	25,346
<b>Age</b>									
15 or younger	13.9	( 13.0 - 14.8 )	24,141	16.5	( 15.4 - 17.7 )	11,409	9.8	( 8.9 - 10.8 )	12,405
16 or 17	10.5	( 9.9 - 11.2 )	24,398	13.4	( 12.4 - 14.3 )	12,194	7.5	( 6.8 - 8.2 )	12,043
18 or older	13.2	( 11.5 - 15.0 )	2,185	12.6	( 10.6 - 14.9 )	1,275	11.9	( 9.1 - 15.3 )	884
<b>Grade</b>									
9th	14.2	( 13.1 - 15.3 )	14,141	17.4	( 16.1 - 18.8 )	6,813	10.2	( 9.0 - 11.6 )	7,216
10th	12.5	( 11.5 - 13.4 )	13,623	14.9	( 13.6 - 16.3 )	6,608	9.2	( 8.2 - 10.4 )	6,899
11th	10.3	( 9.5 - 11.2 )	12,584	13.0	( 11.9 - 14.2 )	6,292	7.1	( 6.2 - 8.1 )	6,205
12th	9.8	( 8.9 - 10.7 )	9,754	11.8	( 10.6 - 13.2 )	4,872	7.1	( 6.0 - 8.3 )	4,807
<b>Race/Ethnicity</b>									
Black*	16.2	( 15.2 - 17.3 )	11,222	18.9	( 17.5 - 20.3 )	5,503	13.4	( 12.2 - 14.8 )	5,677
Hispanic/Latino	14.4	( 13.3 - 15.7 )	6,205	17.4	( 15.7 - 19.3 )	2,992	10.3	( 9.0 - 11.8 )	3,101
White*	6.9	( 6.5 - 7.4 )	24,651	9.6	( 8.9 - 10.3 )	12,179	4.0	( 3.6 - 4.5 )	12,363
All other races*	9.5	( 8.1 - 11.0 )	3,459	12.6	( 10.7 - 14.8 )	1,763	5.5	( 4.2 - 7.2 )	1,660
Multiple races*	12.8	( 11.5 - 14.3 )	3,536	15.2	( 13.2 - 17.3 )	1,562	10.5	( 8.9 - 12.4 )	1,954

Note: 263 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	8.8	( 8.4 - 9.2 )	49,800	6.9	( 6.5 - 7.3 )	24,407	10.5	( 9.9 - 11.1 )	24,978
15 or younger	7.8	( 7.2 - 8.4 )	23,637	6.3	( 5.7 - 6.9 )	11,195	8.9	( 8.2 - 9.7 )	12,229
16 or 17	9.2	( 8.8 - 9.7 )	23,965	7.1	( 6.5 - 7.8 )	11,954	11.2	( 10.5 - 12.1 )	11,875
18 or older	13.3	( 11.7 - 15.1 )	2,113	9.5	( 7.5 - 11.8 )	1,234	18.6	( 15.7 - 21.8 )	863
<b>Grade</b>									
9th	7.3	( 6.7 - 8.1 )	13,925	6.3	( 5.5 - 7.1 )	6,722	8.4	( 7.5 - 9.4 )	7,117
10th	7.9	( 7.2 - 8.6 )	13,384	5.9	( 5.2 - 6.6 )	6,490	9.7	( 8.7 - 10.9 )	6,803
11th	8.6	( 7.9 - 9.2 )	12,352	6.8	( 6.1 - 7.6 )	6,166	10.3	( 9.3 - 11.3 )	6,121
12th	10.8	( 10.0 - 11.7 )	9,521	7.9	( 6.9 - 8.9 )	4,738	13.4	( 12.1 - 14.9 )	4,734
<b>Race/Ethnicity</b>									
Black*	9.0	( 8.3 - 9.7 )	10,956	7.4	( 6.6 - 8.4 )	5,346	10.5	( 9.4 - 11.6 )	5,575
Hispanic/Latino	12.2	( 11.3 - 13.2 )	6,006	10.0	( 8.6 - 11.6 )	2,903	14.1	( 12.6 - 15.8 )	3,017
White*	6.9	( 6.5 - 7.4 )	24,451	4.8	( 4.4 - 5.3 )	12,095	9.1	( 8.4 - 9.8 )	12,254
All other races*	7.4	( 6.4 - 8.6 )	3,389	6.5	( 5.4 - 8.0 )	1,720	8.1	( 6.5 - 10.1 )	1,642
Multiple races*	11.6	( 10.5 - 12.9 )	3,479	7.7	( 6.4 - 9.4 )	1,531	14.6	( 12.9 - 16.5 )	1,931

Note: 1,287 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Summary Tables - Weighted Data

QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	10.8	( 10.5 - 11.2 )	49,608	7.4	( 6.9 - 7.8 )	24,407	14.0	( 13.4 - 14.6 )	24,723
<b>Age</b>									
15 or younger	10.4	( 9.8 - 11.0 )	23,575	6.8	( 6.2 - 7.5 )	11,201	13.4	( 12.6 - 14.2 )	12,115
16 or 17	11.2	( 10.7 - 11.8 )	23,852	7.7	( 7.1 - 8.3 )	11,950	14.6	( 13.8 - 15.5 )	11,752
18 or older	11.1	( 9.7 - 12.8 )	2,089	8.8	( 7.0 - 10.9 )	1,229	14.0	( 11.6 - 16.8 )	843
<b>Grade</b>									
9th	9.7	( 9.0 - 10.4 )	13,873	6.5	( 5.8 - 7.3 )	6,717	12.7	( 11.6 - 13.8 )	7,060
10th	10.3	( 9.7 - 11.0 )	13,329	6.1	( 5.5 - 6.8 )	6,484	14.5	( 13.4 - 15.6 )	6,745
11th	10.8	( 10.2 - 11.5 )	12,269	8.2	( 7.3 - 9.1 )	6,155	13.4	( 12.4 - 14.4 )	6,039
12th	11.8	( 10.9 - 12.7 )	9,483	8.1	( 7.1 - 9.2 )	4,750	15.0	( 13.7 - 16.4 )	4,674
<b>Race/Ethnicity</b>									
Black*	10.0	( 9.3 - 10.8 )	10,967	8.1	( 7.1 - 9.1 )	5,383	11.9	( 10.8 - 13.1 )	5,549
Hispanic/Latino	12.7	( 11.5 - 14.0 )	5,987	9.8	( 8.4 - 11.4 )	2,894	15.1	( 13.6 - 16.7 )	2,994
White*	10.1	( 9.6 - 10.6 )	24,192	5.1	( 4.6 - 5.6 )	12,014	15.3	( 14.5 - 16.1 )	12,079
All other races*	7.8	( 6.9 - 8.8 )	3,383	6.3	( 5.2 - 7.6 )	1,725	9.1	( 7.6 - 10.8 )	1,628
Multiple races*	14.8	( 13.4 - 16.4 )	3,476	9.1	( 7.5 - 10.9 )	1,545	19.5	( 17.4 - 21.8 )	1,913

Note: 1,479 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	6.0	( 5.6 - 6.4 )	28,622	3.8	( 3.4 - 4.2 )	13,713	7.7	( 7.1 - 8.2 )	14,644
<b>Age</b>									
15 or younger	6.1	( 5.5 - 6.7 )	12,412	3.9	( 3.3 - 4.7 )	5,751	7.4	( 6.7 - 8.2 )	6,520
16 or 17	5.9	( 5.5 - 6.4 )	14,829	3.6	( 3.1 - 4.2 )	7,179	8.0	( 7.3 - 8.8 )	7,562
18 or older	5.5	( 4.3 - 7.0 )	1,336	4.2	( 3.0 - 6.0 )	769	6.0	( 4.2 - 8.6 )	552
<b>Grade</b>									
9th	5.1	( 4.4 - 5.9 )	7,167	3.3	( 2.4 - 4.4 )	3,466	6.8	( 5.9 - 7.8 )	3,655
10th	5.5	( 4.9 - 6.2 )	7,420	3.0	( 2.4 - 3.8 )	3,435	7.5	( 6.5 - 8.6 )	3,937
11th	5.9	( 5.3 - 6.6 )	7,543	3.7	( 3.1 - 4.6 )	3,678	7.9	( 7.0 - 9.0 )	3,823
12th	6.2	( 5.5 - 7.1 )	6,099	4.2	( 3.4 - 5.3 )	2,955	7.7	( 6.6 - 8.9 )	3,106
<b>Race/Ethnicity</b>									
Black*	4.2	( 3.7 - 4.9 )	6,346	3.2	( 2.6 - 4.0 )	3,114	5.1	( 4.3 - 6.0 )	3,210
Hispanic/Latino	7.5	( 6.5 - 8.6 )	3,465	5.8	( 4.6 - 7.3 )	1,652	8.5	( 7.1 - 10.2 )	1,751
White*	6.1	( 5.6 - 6.6 )	14,547	2.6	( 2.1 - 3.0 )	6,913	9.4	( 8.6 - 10.4 )	7,578
All other races*	6.6	( 5.3 - 8.2 )	1,337	8.5	( 6.5 - 11.1 )	684	4.3	( 2.9 - 6.4 )	639
Multiple races*	7.9	( 6.6 - 9.4 )	2,054	4.3	( 2.8 - 6.7 )	893	10.4	( 8.5 - 12.7 )	1,153

Note: 22,465 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	9.9	( 9.4 - 10.4 )	29,781	8.8	( 8.2 - 9.4 )	14,213	10.1	( 9.4 - 10.8 )	15,239
<b>Age</b>									
15 or younger	9.9	( 9.1 - 10.7 )	12,932	8.1	( 7.1 - 9.3 )	5,960	10.0	( 9.1 - 11.1 )	6,788
16 or 17	9.6	( 8.9 - 10.3 )	15,381	8.9	( 8.1 - 9.8 )	7,426	10.0	( 9.1 - 10.9 )	7,855
18 or older	12.0	( 9.8 - 14.7 )	1,412	11.3	( 8.7 - 14.7 )	811	11.3	( 8.4 - 15.0 )	585
<b>Grade</b>									
9th	8.7	( 7.7 - 9.9 )	7,453	7.0	( 5.7 - 8.6 )	3,581	10.0	( 8.7 - 11.4 )	3,814
10th	9.1	( 8.2 - 10.0 )	7,690	7.8	( 6.6 - 9.1 )	3,553	9.7	( 8.5 - 11.1 )	4,079
11th	9.6	( 8.7 - 10.5 )	7,836	9.5	( 8.4 - 10.8 )	3,806	9.0	( 8.0 - 10.1 )	3,978
12th	10.8	( 9.7 - 11.9 )	6,363	9.9	( 8.6 - 11.3 )	3,077	10.9	( 9.3 - 12.7 )	3,236
<b>Race/Ethnicity</b>									
Black*	10.1	( 9.2 - 11.0 )	6,642	8.8	( 7.8 - 10.0 )	3,259	11.2	( 9.9 - 12.6 )	3,357
Hispanic/Latino	11.3	( 10.2 - 12.6 )	3,659	10.7	( 8.8 - 12.9 )	1,741	11.2	( 9.6 - 13.0 )	1,848
White*	7.6	( 7.0 - 8.2 )	14,984	6.5	( 5.8 - 7.3 )	7,078	8.4	( 7.6 - 9.3 )	7,841
All other races*	8.8	( 7.4 - 10.5 )	1,400	9.7	( 7.5 - 12.4 )	716	7.4	( 5.5 - 9.9 )	667
Multiple races*	11.9	( 10.1 - 14.0 )	2,114	11.6	( 8.8 - 15.1 )	912	11.9	( 9.7 - 14.4 )	1,194

Note: 21,306 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	18.2	( 17.7 - 18.7 )	50,233	16.1	( 15.4 - 16.7 )	24,582	19.9	( 19.2 - 20.6 )	25,206
15 or younger	20.4	( 19.6 - 21.3 )	23,834	17.8	( 16.8 - 18.9 )	11,281	22.5	( 21.4 - 23.7 )	12,321
16 or 17	16.2	( 15.5 - 16.8 )	24,164	14.5	( 13.6 - 15.4 )	12,028	17.6	( 16.8 - 18.5 )	11,995
18 or older	17.3	( 15.5 - 19.3 )	2,141	16.1	( 13.5 - 19.0 )	1,247	18.5	( 15.1 - 22.4 )	877
<b>Grade</b>									
9th	20.8	( 19.8 - 21.9 )	14,032	18.6	( 17.4 - 19.9 )	6,771	22.9	( 21.4 - 24.5 )	7,165
10th	18.7	( 17.8 - 19.6 )	13,490	15.8	( 14.6 - 17.0 )	6,540	21.4	( 20.2 - 22.7 )	6,859
11th	16.3	( 15.4 - 17.2 )	12,442	14.2	( 13.0 - 15.5 )	6,191	18.1	( 16.9 - 19.3 )	6,186
12th	15.6	( 14.8 - 16.5 )	9,631	14.9	( 13.6 - 16.2 )	4,792	16.2	( 14.9 - 17.5 )	4,784
<b>Race/Ethnicity</b>									
Black*	14.2	( 13.3 - 15.1 )	11,108	12.8	( 11.8 - 14.0 )	5,428	15.3	( 14.1 - 16.6 )	5,642
Hispanic/Latino	18.1	( 16.8 - 19.5 )	6,093	15.9	( 14.3 - 17.5 )	2,934	19.6	( 17.3 - 22.0 )	3,068
White*	21.3	( 20.6 - 22.1 )	24,562	18.7	( 17.7 - 19.8 )	12,121	23.8	( 22.8 - 24.9 )	12,335
All other races*	14.0	( 12.4 - 15.7 )	3,401	13.5	( 11.4 - 15.9 )	1,731	14.3	( 12.3 - 16.4 )	1,646
Multiple races*	21.1	( 19.4 - 22.9 )	3,508	17.1	( 14.9 - 19.5 )	1,544	24.3	( 21.9 - 26.8 )	1,947

Note: 854 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	14.1	( 13.8 - 14.5 )	50,138	11.1	( 10.6 - 11.5 )	24,525	17.0	( 16.4 - 17.6 )	25,182
15 or younger	15.0	( 14.4 - 15.6 )	23,799	11.3	( 10.6 - 12.1 )	11,253	18.3	( 17.4 - 19.2 )	12,322
16 or 17	13.2	( 12.7 - 13.8 )	24,125	10.7	( 10.1 - 11.4 )	12,012	15.6	( 14.8 - 16.4 )	11,974
18 or older	15.0	( 12.9 - 17.2 )	2,122	11.6	( 9.4 - 14.4 )	1,233	19.1	( 15.6 - 23.1 )	873
<b>Grade</b>									
9th	15.2	( 14.4 - 16.0 )	14,019	11.7	( 10.7 - 12.7 )	6,759	18.7	( 17.4 - 20.1 )	7,165
10th	13.7	( 12.9 - 14.4 )	13,485	9.9	( 9.1 - 10.9 )	6,527	17.3	( 16.1 - 18.4 )	6,870
11th	13.2	( 12.4 - 14.0 )	12,409	10.6	( 9.8 - 11.6 )	6,177	15.6	( 14.5 - 16.9 )	6,170
12th	13.8	( 13.0 - 14.7 )	9,596	11.6	( 10.5 - 12.8 )	4,773	15.7	( 14.4 - 17.0 )	4,769
<b>Race/Ethnicity</b>									
Black*	10.4	( 9.7 - 11.1 )	11,075	9.3	( 8.4 - 10.2 )	5,407	11.4	( 10.4 - 12.5 )	5,636
Hispanic/Latino	14.1	( 13.0 - 15.2 )	6,075	10.5	( 9.1 - 12.0 )	2,926	17.2	( 15.6 - 18.9 )	3,059
White*	17.0	( 16.4 - 17.6 )	24,539	12.1	( 11.4 - 12.9 )	12,113	21.9	( 21.0 - 22.9 )	12,326
All other races*	12.4	( 11.0 - 14.0 )	3,398	11.8	( 9.7 - 14.3 )	1,718	12.8	( 11.2 - 14.7 )	1,649
Multiple races*	16.8	( 15.3 - 18.3 )	3,511	12.0	( 10.2 - 14.1 )	1,544	20.6	( 18.7 - 22.6 )	1,948

Note: 949 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN25: Percentage of students who felt sad or hopeless (almost every day for  $\geq 2$  weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	29.9	( 29.3 - 30.5 )	49,169	21.0	( 20.4 - 21.7 )	24,052	38.7	( 37.9 - 39.6 )	24,717
<b>Age</b>									
15 or younger	28.5	( 27.5 - 29.5 )	23,347	18.8	( 17.8 - 19.8 )	11,047	38.0	( 36.7 - 39.3 )	12,092
16 or 17	30.8	( 30.1 - 31.6 )	23,684	22.2	( 21.4 - 23.1 )	11,777	39.2	( 38.0 - 40.5 )	11,776
18 or older	33.4	( 30.7 - 36.3 )	2,055	28.0	( 24.9 - 31.3 )	1,203	40.9	( 36.9 - 45.0 )	836
<b>Grade</b>									
9th	27.7	( 26.6 - 28.9 )	13,733	18.2	( 17.0 - 19.5 )	6,626	37.7	( 35.9 - 39.5 )	7,025
10th	30.0	( 28.9 - 31.1 )	13,209	20.9	( 19.4 - 22.4 )	6,382	39.1	( 37.8 - 40.5 )	6,743
11th	30.2	( 29.1 - 31.3 )	12,189	21.1	( 19.8 - 22.5 )	6,060	39.1	( 37.3 - 40.8 )	6,066
12th	31.5	( 30.4 - 32.7 )	9,429	24.0	( 22.6 - 25.6 )	4,696	38.6	( 36.9 - 40.3 )	4,686
<b>Race/Ethnicity</b>									
Black*	28.3	( 27.3 - 29.3 )	10,808	20.2	( 19.0 - 21.6 )	5,269	36.2	( 34.8 - 37.6 )	5,506
Hispanic/Latino	37.2	( 35.5 - 38.9 )	5,897	27.6	( 25.5 - 29.9 )	2,845	46.4	( 44.3 - 48.6 )	2,973
White*	28.7	( 27.8 - 29.5 )	24,235	19.1	( 18.2 - 20.0 )	11,964	38.3	( 37.1 - 39.5 )	12,168
All other races*	27.2	( 25.3 - 29.2 )	3,326	20.9	( 18.8 - 23.3 )	1,689	33.7	( 31.0 - 36.5 )	1,616
Multiple races*	36.3	( 34.4 - 38.3 )	3,417	24.2	( 21.4 - 27.2 )	1,491	46.1	( 43.5 - 48.8 )	1,909

Note: 1,918 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	17.3	( 16.8 - 17.8 )	50,006	12.4	( 11.9 - 13.0 )	24,489	21.8	( 21.2 - 22.5 )	25,075
15 or younger	17.6	( 16.9 - 18.4 )	23,712	11.9	( 11.1 - 12.8 )	11,231	22.8	( 21.9 - 23.7 )	12,243
16 or 17	16.9	( 16.2 - 17.6 )	24,086	12.6	( 11.8 - 13.4 )	11,989	20.9	( 20.0 - 21.9 )	11,956
18 or older	18.1	( 16.1 - 20.4 )	2,121	14.8	( 12.7 - 17.2 )	1,242	22.2	( 19.2 - 25.6 )	861
<b>Grade</b>									
9th	16.8	( 15.9 - 17.8 )	13,923	11.2	( 10.3 - 12.3 )	6,732	22.5	( 21.3 - 23.7 )	7,105
10th	17.6	( 16.8 - 18.5 )	13,472	12.2	( 11.2 - 13.3 )	6,529	22.9	( 21.7 - 24.1 )	6,849
11th	16.9	( 16.0 - 17.7 )	12,383	12.4	( 11.5 - 13.5 )	6,162	21.1	( 19.7 - 22.5 )	6,155
12th	17.1	( 16.0 - 18.2 )	9,582	13.5	( 12.1 - 15.0 )	4,768	20.0	( 18.6 - 21.5 )	4,757
<b>Race/Ethnicity</b>									
Black*	16.1	( 15.2 - 17.1 )	11,041	11.1	( 10.0 - 12.3 )	5,388	21.1	( 19.9 - 22.3 )	5,615
Hispanic/Latino	19.6	( 18.0 - 21.3 )	6,078	14.2	( 12.5 - 16.0 )	2,930	24.5	( 22.5 - 26.7 )	3,058
White*	16.6	( 16.0 - 17.2 )	24,465	12.1	( 11.3 - 12.8 )	12,090	20.9	( 20.0 - 21.8 )	12,271
All other races*	15.8	( 13.8 - 18.1 )	3,388	13.3	( 10.9 - 16.1 )	1,728	18.3	( 16.1 - 20.6 )	1,634
Multiple races*	24.2	( 22.4 - 26.1 )	3,495	16.5	( 14.4 - 18.8 )	1,541	30.5	( 27.9 - 33.3 )	1,936

Note: 1,081 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	14.4	( 14.0 - 14.8 )	49,717	11.0	( 10.5 - 11.5 )	24,348	17.7	( 17.1 - 18.3 )	24,958
<b>Age</b>									
15 or younger	14.9	( 14.3 - 15.5 )	23,609	10.6	( 9.9 - 11.3 )	11,184	18.9	( 18.0 - 19.9 )	12,207
16 or 17	13.7	( 13.1 - 14.3 )	23,929	10.9	( 10.2 - 11.6 )	11,914	16.4	( 15.5 - 17.3 )	11,882
18 or older	17.0	( 15.1 - 19.2 )	2,094	14.6	( 12.4 - 17.1 )	1,223	20.2	( 17.2 - 23.7 )	856
<b>Grade</b>									
9th	14.5	( 13.7 - 15.4 )	13,884	9.9	( 9.0 - 10.9 )	6,719	19.3	( 18.1 - 20.5 )	7,079
10th	14.4	( 13.6 - 15.2 )	13,379	10.7	( 9.9 - 11.6 )	6,480	17.9	( 16.7 - 19.2 )	6,815
11th	13.9	( 13.1 - 14.7 )	12,300	10.9	( 10.1 - 11.9 )	6,118	16.6	( 15.3 - 17.9 )	6,118
12th	14.3	( 13.2 - 15.4 )	9,537	11.9	( 10.7 - 13.3 )	4,747	16.2	( 14.8 - 17.8 )	4,742
<b>Race/Ethnicity</b>									
Black*	14.5	( 13.8 - 15.3 )	10,961	10.4	( 9.6 - 11.4 )	5,358	18.5	( 17.4 - 19.7 )	5,567
Hispanic/Latino	16.4	( 15.0 - 18.0 )	6,024	12.5	( 11.2 - 13.9 )	2,910	20.2	( 18.2 - 22.4 )	3,036
White*	12.9	( 12.3 - 13.6 )	24,371	10.2	( 9.4 - 10.9 )	12,034	15.6	( 14.8 - 16.4 )	12,235
All other races*	14.1	( 12.9 - 15.3 )	3,376	11.5	( 10.2 - 12.9 )	1,712	16.5	( 14.7 - 18.4 )	1,637
Multiple races*	19.4	( 17.8 - 21.1 )	3,471	13.7	( 11.8 - 16.0 )	1,529	23.8	( 21.7 - 26.1 )	1,926

Note: 1,370 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	8.2	( 7.8 - 8.6 )	50,735	9.3	( 8.8 - 9.9 )	24,864	6.3	( 5.8 - 6.8 )	25,309
15 or younger	6.7	( 6.1 - 7.2 )	24,095	7.3	( 6.6 - 8.1 )	11,395	4.8	( 4.2 - 5.4 )	12,380
16 or 17	8.6	( 8.1 - 9.2 )	24,364	10.2	( 9.5 - 10.9 )	12,168	6.9	( 6.3 - 7.6 )	12,037
18 or older	16.3	( 14.4 - 18.3 )	2,177	17.1	( 14.8 - 19.7 )	1,274	13.9	( 11.2 - 17.1 )	878
<b>Grade</b>									
9th	5.8	( 5.1 - 6.5 )	14,119	6.7	( 5.8 - 7.8 )	6,807	4.2	( 3.7 - 4.9 )	7,200
10th	6.4	( 5.8 - 7.0 )	13,608	7.2	( 6.4 - 8.1 )	6,598	5.0	( 4.3 - 5.9 )	6,896
11th	7.9	( 7.2 - 8.5 )	12,560	9.3	( 8.4 - 10.3 )	6,276	6.0	( 5.3 - 6.8 )	6,201
12th	11.8	( 11.0 - 12.7 )	9,726	13.6	( 12.6 - 14.8 )	4,860	9.4	( 8.4 - 10.6 )	4,795
<b>Race/Ethnicity</b>									
Black*	5.7	( 5.1 - 6.3 )	11,210	7.4	( 6.6 - 8.3 )	5,498	3.8	( 3.2 - 4.6 )	5,669
Hispanic/Latino	10.2	( 9.3 - 11.3 )	6,176	12.2	( 11.1 - 13.5 )	2,982	7.6	( 6.5 - 8.9 )	3,086
White*	8.6	( 8.1 - 9.2 )	24,635	9.1	( 8.5 - 9.8 )	12,169	8.0	( 7.4 - 8.7 )	12,356
All other races*	5.5	( 4.6 - 6.6 )	3,453	6.9	( 5.7 - 8.4 )	1,760	3.5	( 2.6 - 4.9 )	1,660
Multiple races*	8.1	( 7.2 - 9.2 )	3,533	9.6	( 8.1 - 11.4 )	1,564	6.5	( 5.3 - 7.9 )	1,949

Note: 352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNFRSIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	1.8	( 1.7 - 2.0 )	50,735	2.0	( 1.8 - 2.2 )	24,864	1.4	( 1.2 - 1.7 )	25,309
<b>Age</b>									
15 or younger	1.2	( 1.1 - 1.4 )	24,095	1.3	( 1.1 - 1.5 )	11,395	0.9	( 0.7 - 1.2 )	12,380
16 or 17	1.9	( 1.8 - 2.2 )	24,364	2.3	( 2.0 - 2.6 )	12,168	1.6	( 1.3 - 1.9 )	12,037
18 or older	5.0	( 3.9 - 6.3 )	2,177	4.7	( 3.5 - 6.3 )	1,274	4.8	( 3.1 - 7.1 )	878
<b>Grade</b>									
9th	0.9	( 0.7 - 1.1 )	14,119	1.0	( 0.8 - 1.4 )	6,807	0.6	( 0.4 - 0.8 )	7,200
10th	1.1	( 0.9 - 1.3 )	13,608	1.2	( 0.9 - 1.4 )	6,598	0.9	( 0.6 - 1.2 )	6,896
11th	1.7	( 1.5 - 2.0 )	12,560	2.2	( 1.8 - 2.6 )	6,276	1.3	( 1.0 - 1.6 )	6,201
12th	3.0	( 2.5 - 3.4 )	9,726	3.2	( 2.7 - 3.8 )	4,860	2.5	( 2.0 - 3.3 )	4,795
<b>Race/Ethnicity</b>									
Black*	0.8	( 0.6 - 1.0 )	11,210	0.9	( 0.7 - 1.2 )	5,498	0.6	( 0.4 - 1.0 )	5,669
Hispanic/Latino	2.7	( 2.1 - 3.3 )	6,176	3.0	( 2.2 - 3.9 )	2,982	2.1	( 1.5 - 3.0 )	3,086
White*	2.2	( 2.0 - 2.4 )	24,635	2.3	( 2.0 - 2.7 )	12,169	2.0	( 1.7 - 2.3 )	12,356
All other races*	1.5	( 1.1 - 2.0 )	3,453	1.8	( 1.3 - 2.7 )	1,760	1.0	( 0.6 - 1.6 )	1,660
Multiple races*	1.7	( 1.3 - 2.2 )	3,533	2.3	( 1.6 - 3.1 )	1,564	1.1	( 0.7 - 1.7 )	1,949

Note: 352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	1.3	( 1.2 - 1.5 )	50,735	1.5	( 1.3 - 1.6 )	24,864	1.0	( 0.9 - 1.2 )	25,309
15 or younger	1.0	( 0.9 - 1.2 )	24,095	1.1	( 0.9 - 1.3 )	11,395	0.8	( 0.6 - 1.0 )	12,380
16 or 17	1.3	( 1.1 - 1.4 )	24,364	1.5	( 1.3 - 1.8 )	12,168	1.0	( 0.8 - 1.3 )	12,037
18 or older	3.7	( 2.8 - 4.9 )	2,177	3.9	( 2.7 - 5.4 )	1,274	3.1	( 1.8 - 5.2 )	878
<b>Grade</b>									
9th	0.8	( 0.6 - 1.0 )	14,119	0.9	( 0.7 - 1.2 )	6,807	0.5	( 0.3 - 0.7 )	7,200
10th	0.8	( 0.7 - 1.0 )	13,608	0.9	( 0.7 - 1.2 )	6,598	0.7	( 0.5 - 1.0 )	6,896
11th	1.1	( 1.0 - 1.4 )	12,560	1.5	( 1.2 - 1.9 )	6,276	0.8	( 0.6 - 1.0 )	6,201
12th	2.0	( 1.7 - 2.4 )	9,726	2.2	( 1.8 - 2.7 )	4,860	1.7	( 1.3 - 2.2 )	4,795
<b>Race/Ethnicity</b>									
Black*	0.5	( 0.4 - 0.7 )	11,210	0.6	( 0.5 - 0.9 )	5,498	0.4	( 0.2 - 0.7 )	5,669
Hispanic/Latino	2.1	( 1.6 - 2.7 )	6,176	2.5	( 1.8 - 3.3 )	2,982	1.6	( 1.1 - 2.3 )	3,086
White*	1.6	( 1.4 - 1.8 )	24,635	1.7	( 1.4 - 2.0 )	12,169	1.4	( 1.2 - 1.7 )	12,356
All other races*	1.2	( 0.9 - 1.6 )	3,453	1.4	( 0.9 - 2.2 )	1,760	0.8	( 0.5 - 1.4 )	1,660
Multiple races*	1.3	( 0.9 - 1.7 )	3,533	1.8	( 1.2 - 2.6 )	1,564	0.7	( 0.4 - 1.2 )	1,949

Note: 352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Summary Tables - Weighted Data

QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	35.3	( 34.4 - 36.2 )	48,337	35.5	( 34.4 - 36.6 )	23,483	34.9	( 33.8 - 36.0 )	24,486
<b>Age</b>									
15 or younger	29.6	( 28.5 - 30.8 )	22,938	29.3	( 27.8 - 30.8 )	10,773	29.7	( 28.4 - 31.0 )	11,979
16 or 17	39.6	( 38.6 - 40.6 )	23,331	40.2	( 39.0 - 41.5 )	11,533	39.0	( 37.7 - 40.3 )	11,675
18 or older	42.9	( 39.4 - 46.5 )	1,986	43.7	( 40.2 - 47.3 )	1,152	41.4	( 35.7 - 47.4 )	821
<b>Grade</b>									
9th	27.2	( 25.9 - 28.6 )	13,505	26.9	( 25.2 - 28.5 )	6,466	27.6	( 26.1 - 29.2 )	6,962
10th	32.8	( 31.6 - 34.0 )	13,027	32.7	( 31.1 - 34.3 )	6,274	32.7	( 31.1 - 34.3 )	6,673
11th	37.6	( 36.2 - 39.0 )	12,035	38.5	( 36.7 - 40.3 )	5,938	36.6	( 34.9 - 38.3 )	6,040
12th	44.6	( 43.1 - 46.1 )	9,228	45.9	( 44.2 - 47.7 )	4,555	43.3	( 41.1 - 45.5 )	4,630
<b>Race/Ethnicity</b>									
Black*	33.4	( 32.3 - 34.6 )	10,511	33.2	( 31.6 - 34.9 )	5,058	33.6	( 32.0 - 35.2 )	5,422
Hispanic/Latino	40.3	( 38.4 - 42.2 )	5,688	41.0	( 38.4 - 43.7 )	2,726	39.0	( 36.7 - 41.3 )	2,887
White*	36.1	( 34.9 - 37.4 )	24,092	36.6	( 35.1 - 38.1 )	11,843	35.7	( 34.3 - 37.2 )	12,148
All other races*	23.9	( 21.4 - 26.7 )	3,284	26.1	( 23.4 - 29.1 )	1,650	21.5	( 18.5 - 25.0 )	1,616
Multiple races*	40.4	( 38.4 - 42.4 )	3,388	37.2	( 34.4 - 40.1 )	1,478	43.0	( 40.3 - 45.7 )	1,895

Note: 2,750 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.3	( 12.7 - 13.9 )	45,743	14.0	( 13.3 - 14.7 )	22,337	12.1	( 11.5 - 12.8 )	23,001
<b>Age</b>									
15 or younger	11.3	( 10.7 - 12.0 )	21,951	11.2	( 10.3 - 12.1 )	10,353	10.6	( 9.8 - 11.4 )	11,378
16 or 17	14.4	( 13.8 - 15.1 )	21,807	15.8	( 14.9 - 16.7 )	10,841	13.0	( 12.2 - 14.0 )	10,838
18 or older	19.6	( 17.2 - 22.3 )	1,906	21.0	( 18.4 - 23.9 )	1,119	17.1	( 13.2 - 21.9 )	772
<b>Grade</b>									
9th	10.4	( 9.6 - 11.3 )	12,973	10.4	( 9.4 - 11.6 )	6,227	10.0	( 9.1 - 11.1 )	6,663
10th	11.6	( 10.8 - 12.5 )	12,317	11.8	( 10.8 - 12.8 )	5,965	11.2	( 10.2 - 12.3 )	6,271
11th	13.4	( 12.4 - 14.4 )	11,239	14.8	( 13.6 - 16.1 )	5,564	11.5	( 10.4 - 12.7 )	5,608
12th	17.7	( 16.5 - 18.9 )	8,664	19.6	( 18.2 - 21.1 )	4,326	15.6	( 14.0 - 17.3 )	4,284
<b>Race/Ethnicity</b>									
Black*	9.1	( 8.3 - 9.9 )	9,930	9.4	( 8.5 - 10.4 )	4,803	8.6	( 7.6 - 9.7 )	5,096
Hispanic/Latino	14.7	( 13.3 - 16.2 )	5,396	15.4	( 13.5 - 17.5 )	2,598	13.6	( 12.1 - 15.3 )	2,723
White*	16.0	( 15.1 - 16.8 )	22,708	16.9	( 15.7 - 18.1 )	11,220	15.0	( 14.0 - 16.0 )	11,387
All other races*	8.3	( 7.0 - 9.8 )	3,158	10.0	( 8.2 - 12.2 )	1,584	6.0	( 4.8 - 7.6 )	1,549
Multiple races*	15.4	( 13.9 - 16.9 )	3,167	14.9	( 12.8 - 17.4 )	1,402	15.5	( 13.7 - 17.4 )	1,747

Note: 5,344 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN36: Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.3	( 12.1 - 14.6 )	6,437	17.0	( 15.3 - 18.8 )	3,322	8.8	( 7.4 - 10.5 )	2,989
<b>Age</b>									
15 or younger	11.3	( 9.5 - 13.2 )	2,777	14.7	( 12.1 - 17.6 )	1,317	7.1	( 5.2 - 9.6 )	1,364
16 or 17	14.8	( 13.2 - 16.5 )	3,660	18.5	( 16.3 - 20.9 )	2,005	10.1	( 8.2 - 12.5 )	1,625
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	13.9	( 11.1 - 17.4 )	1,485	18.5	( 14.3 - 23.5 )	718	7.7	( 5.0 - 11.7 )	746
10th	10.0	( 8.3 - 12.0 )	1,645	14.6	( 11.6 - 18.1 )	820	5.2	( 3.6 - 7.4 )	801
11th	12.6	( 10.7 - 14.8 )	1,784	16.0	( 13.2 - 19.2 )	984	8.0	( 5.8 - 10.8 )	771
12th	16.6	( 13.8 - 19.9 )	1,365	19.6	( 15.9 - 24.0 )	729	13.3	( 9.8 - 17.8 )	620
<b>Race/Ethnicity</b>									
Black*	20.6	( 17.3 - 24.2 )	925	25.4	( 20.9 - 30.4 )	468	15.3	( 11.8 - 19.7 )	449
Hispanic/Latino	13.1	( 10.4 - 16.4 )	800	15.7	( 11.5 - 21.0 )	399	10.3	( 6.6 - 15.7 )	383
White*	10.3	( 9.0 - 11.8 )	3,670	14.5	( 12.6 - 16.6 )	1,926	5.5	( 4.1 - 7.4 )	1,719
All other races*	14.6	( 10.7 - 19.6 )	310	15.5	( 10.3 - 22.6 )	179	10.9	( 5.6 - 20.4 )	120
Multiple races*	9.8	( 6.9 - 13.8 )	454	11.6	( 7.4 - 17.8 )	200	7.8	( 4.5 - 13.1 )	249

Note: 44,650 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	6.2	( 5.8 - 6.6 )	49,966	8.3	( 7.8 - 8.9 )	24,412	3.2	( 2.9 - 3.5 )	25,014
<b>Age</b>									
15 or younger	5.4	( 4.9 - 5.9 )	23,698	6.4	( 5.8 - 7.1 )	11,168	3.0	( 2.5 - 3.5 )	12,219
16 or 17	6.4	( 5.9 - 6.9 )	24,058	9.5	( 8.8 - 10.3 )	11,984	3.1	( 2.7 - 3.6 )	11,916
18 or older	10.2	( 8.9 - 11.7 )	2,123	12.4	( 10.4 - 14.6 )	1,236	5.6	( 4.0 - 7.8 )	865
<b>Grade</b>									
9th	4.4	( 3.8 - 5.0 )	13,854	5.4	( 4.6 - 6.3 )	6,660	2.8	( 2.3 - 3.3 )	7,089
10th	5.1	( 4.6 - 5.7 )	13,383	6.8	( 6.0 - 7.7 )	6,464	2.7	( 2.2 - 3.3 )	6,808
11th	6.3	( 5.7 - 7.0 )	12,432	9.3	( 8.3 - 10.4 )	6,192	2.7	( 2.2 - 3.3 )	6,157
12th	7.8	( 7.1 - 8.6 )	9,604	11.3	( 10.2 - 12.5 )	4,782	3.9	( 3.2 - 4.6 )	4,752
<b>Race/Ethnicity</b>									
Black*	5.0	( 4.4 - 5.7 )	10,887	6.6	( 5.8 - 7.5 )	5,308	3.3	( 2.7 - 3.9 )	5,539
Hispanic/Latino	7.2	( 6.4 - 8.1 )	6,039	9.2	( 7.9 - 10.6 )	2,899	4.3	( 3.4 - 5.4 )	3,035
White*	5.7	( 5.3 - 6.2 )	24,474	8.7	( 8.0 - 9.5 )	12,070	2.5	( 2.1 - 2.9 )	12,299
All other races*	4.7	( 3.8 - 5.8 )	3,418	6.5	( 5.1 - 8.4 )	1,742	2.1	( 1.5 - 3.0 )	1,641
Multiple races*	5.3	( 4.4 - 6.3 )	3,486	7.5	( 6.0 - 9.3 )	1,531	3.1	( 2.2 - 4.3 )	1,935

Note: 1,121 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	9.0	( 8.5 - 9.5 )	49,851	10.9	( 10.4 - 11.6 )	24,344	6.3	( 5.8 - 6.9 )	24,972
15 or younger	7.1	( 6.6 - 7.8 )	23,643	8.1	( 7.3 - 9.0 )	11,135	5.0	( 4.4 - 5.6 )	12,198
16 or 17	9.8	( 9.2 - 10.4 )	24,010	12.3	( 11.6 - 13.2 )	11,957	7.1	( 6.4 - 7.8 )	11,896
18 or older	17.1	( 15.3 - 19.1 )	2,114	20.2	( 17.6 - 23.1 )	1,230	11.5	( 9.2 - 14.2 )	863
<b>Grade</b>									
9th	6.0	( 5.3 - 6.7 )	13,818	6.9	( 6.0 - 8.1 )	6,635	4.5	( 3.8 - 5.3 )	7,080
10th	7.2	( 6.5 - 7.9 )	13,364	8.5	( 7.6 - 9.5 )	6,458	5.3	( 4.5 - 6.2 )	6,793
11th	9.3	( 8.6 - 10.0 )	12,403	11.9	( 10.9 - 13.1 )	6,180	6.1	( 5.4 - 7.0 )	6,140
12th	12.8	( 11.9 - 13.8 )	9,586	16.4	( 15.1 - 17.7 )	4,766	8.9	( 7.8 - 10.3 )	4,752
<b>Race/Ethnicity</b>									
Black*	8.6	( 7.8 - 9.5 )	10,856	10.1	( 9.2 - 11.2 )	5,292	6.9	( 5.9 - 8.0 )	5,526
Hispanic/Latino	9.9	( 8.8 - 11.1 )	6,013	12.2	( 10.7 - 13.9 )	2,888	6.9	( 5.6 - 8.4 )	3,020
White*	8.3	( 7.7 - 8.8 )	24,441	10.8	( 10.0 - 11.6 )	12,047	5.5	( 5.0 - 6.1 )	12,289
All other races*	6.0	( 4.9 - 7.3 )	3,404	7.7	( 6.3 - 9.4 )	1,729	3.6	( 2.6 - 5.1 )	1,640
Multiple races*	9.4	( 8.2 - 10.7 )	3,484	10.6	( 8.8 - 12.8 )	1,533	8.0	( 6.6 - 9.7 )	1,931

Note: 1,236 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	12.9	( 12.3 - 13.5 )	49,960	14.9	( 14.2 - 15.7 )	24,415	9.9	( 9.3 - 10.6 )	24,996
15 or younger	10.3	( 9.5 - 11.1 )	23,694	11.4	( 10.3 - 12.5 )	11,166	7.7	( 7.0 - 8.4 )	12,209
16 or 17	14.0	( 13.3 - 14.8 )	24,050	16.7	( 15.8 - 17.7 )	11,987	11.1	( 10.2 - 12.0 )	11,906
18 or older	23.8	( 21.6 - 26.1 )	2,130	26.2	( 23.4 - 29.2 )	1,240	19.0	( 16.0 - 22.4 )	867
<b>Grade</b>									
9th	9.1	( 8.1 - 10.2 )	13,852	10.4	( 9.0 - 12.0 )	6,656	7.0	( 6.2 - 7.9 )	7,087
10th	10.4	( 9.6 - 11.3 )	13,376	11.8	( 10.7 - 12.9 )	6,465	8.3	( 7.3 - 9.4 )	6,800
11th	12.9	( 12.0 - 13.8 )	12,423	15.6	( 14.4 - 16.9 )	6,196	9.5	( 8.6 - 10.5 )	6,143
12th	18.3	( 17.2 - 19.5 )	9,612	21.8	( 20.4 - 23.2 )	4,786	14.4	( 12.9 - 16.1 )	4,756
<b>Race/Ethnicity</b>									
Black*	11.3	( 10.4 - 12.3 )	10,870	13.6	( 12.4 - 14.9 )	5,299	8.9	( 7.7 - 10.2 )	5,532
Hispanic/Latino	14.8	( 13.4 - 16.2 )	6,045	17.9	( 16.0 - 19.9 )	2,912	10.5	( 9.1 - 12.1 )	3,026
White*	12.6	( 12.0 - 13.3 )	24,460	14.5	( 13.6 - 15.4 )	12,059	10.5	( 9.8 - 11.3 )	12,293
All other races*	8.0	( 6.8 - 9.4 )	3,413	10.1	( 8.5 - 11.9 )	1,736	5.2	( 4.0 - 6.7 )	1,643
Multiple races*	13.5	( 12.1 - 15.0 )	3,490	14.9	( 12.8 - 17.4 )	1,540	11.8	( 10.1 - 13.8 )	1,930

Note: 1,127 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	14.4	( 13.7 - 15.0 )	49,985	16.9	( 16.1 - 17.7 )	24,430	10.8	( 10.1 - 11.5 )	24,997
15 or younger	11.7	( 10.8 - 12.5 )	23,709	13.0	( 11.9 - 14.1 )	11,172	8.6	( 7.8 - 9.4 )	12,211
16 or 17	15.6	( 14.8 - 16.4 )	24,058	19.0	( 18.0 - 20.0 )	11,996	11.9	( 11.0 - 12.8 )	11,905
18 or older	25.6	( 23.4 - 28.0 )	2,131	28.6	( 25.7 - 31.7 )	1,240	19.8	( 16.8 - 23.3 )	867
<b>Grade</b>									
9th	10.3	( 9.2 - 11.4 )	13,853	11.7	( 10.3 - 13.3 )	6,659	8.0	( 7.1 - 9.0 )	7,085
10th	11.9	( 11.0 - 12.8 )	13,375	13.8	( 12.7 - 15.0 )	6,463	9.0	( 8.0 - 10.1 )	6,800
11th	14.3	( 13.4 - 15.3 )	12,428	17.6	( 16.3 - 18.9 )	6,199	10.4	( 9.5 - 11.5 )	6,145
12th	20.0	( 18.8 - 21.2 )	9,622	24.3	( 22.8 - 25.9 )	4,795	15.1	( 13.6 - 16.7 )	4,756
<b>Race/Ethnicity</b>									
Black*	12.3	( 11.4 - 13.4 )	10,871	14.7	( 13.5 - 16.0 )	5,300	9.9	( 8.7 - 11.2 )	5,532
Hispanic/Latino	16.2	( 14.9 - 17.5 )	6,049	19.5	( 17.4 - 21.7 )	2,912	11.4	( 10.2 - 12.8 )	3,029
White*	14.4	( 13.7 - 15.2 )	24,466	17.3	( 16.3 - 18.4 )	12,066	11.3	( 10.5 - 12.1 )	12,292
All other races*	8.8	( 7.5 - 10.3 )	3,419	11.2	( 9.5 - 13.2 )	1,741	5.4	( 4.2 - 6.9 )	1,643
Multiple races*	14.6	( 13.2 - 16.3 )	3,488	16.5	( 14.3 - 19.0 )	1,539	12.7	( 10.9 - 14.8 )	1,929

Note: 1,102 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	21.6	( 20.7 - 22.4 )	47,084	23.5	( 22.6 - 24.5 )	23,096	18.5	( 17.6 - 19.4 )	23,444
15 or younger	18.0	( 17.0 - 19.1 )	22,478	18.7	( 17.4 - 20.0 )	10,623	15.6	( 14.6 - 16.7 )	11,536
16 or 17	23.4	( 22.5 - 24.3 )	22,496	26.4	( 25.3 - 27.6 )	11,267	20.1	( 19.0 - 21.3 )	11,074
18 or older	33.8	( 31.0 - 36.8 )	2,028	36.2	( 32.9 - 39.7 )	1,185	28.9	( 24.2 - 34.1 )	820
<b>Grade</b>									
9th	16.2	( 15.0 - 17.6 )	13,165	17.1	( 15.5 - 18.8 )	6,338	14.7	( 13.5 - 16.1 )	6,722
10th	18.8	( 17.7 - 20.0 )	12,590	20.2	( 18.9 - 21.6 )	6,119	16.6	( 15.3 - 18.0 )	6,364
11th	21.7	( 20.6 - 22.9 )	11,578	24.9	( 23.4 - 26.4 )	5,783	17.8	( 16.5 - 19.3 )	5,710
12th	28.7	( 27.3 - 30.1 )	9,075	32.5	( 30.8 - 34.2 )	4,556	24.4	( 22.5 - 26.3 )	4,449
<b>Race/Ethnicity</b>									
Black*	18.2	( 17.0 - 19.4 )	10,166	20.0	( 18.6 - 21.6 )	4,963	16.1	( 14.5 - 17.8 )	5,166
Hispanic/Latino	23.9	( 22.3 - 25.6 )	5,635	26.5	( 24.2 - 29.0 )	2,717	19.9	( 18.2 - 21.6 )	2,814
White*	22.8	( 21.8 - 23.9 )	23,187	25.1	( 23.7 - 26.5 )	11,487	20.3	( 19.2 - 21.5 )	11,594
All other races*	13.2	( 11.4 - 15.3 )	3,249	16.2	( 13.9 - 18.9 )	1,646	9.2	( 7.4 - 11.3 )	1,568
Multiple races*	23.7	( 21.7 - 25.8 )	3,244	23.7	( 20.9 - 26.7 )	1,449	23.4	( 21.1 - 25.8 )	1,775

Note: 4,003 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN40: Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	53.5	( 52.6 - 54.5 )	46,640	49.1	( 47.9 - 50.2 )	22,547	57.7	( 56.6 - 58.9 )	23,667
<b>Age</b>									
15 or younger	45.0	( 43.7 - 46.3 )	22,199	40.8	( 39.1 - 42.4 )	10,358	48.4	( 46.9 - 50.0 )	11,604
16 or 17	60.5	( 59.4 - 61.5 )	22,473	55.5	( 54.1 - 56.9 )	11,059	65.4	( 64.1 - 66.7 )	11,289
18 or older	61.9	( 58.4 - 65.2 )	1,889	58.5	( 54.4 - 62.5 )	1,111	66.0	( 61.1 - 70.7 )	761
<b>Grade</b>									
9th	40.8	( 39.1 - 42.5 )	12,996	37.4	( 35.5 - 39.4 )	6,177	43.7	( 41.7 - 45.8 )	6,729
10th	49.9	( 48.7 - 51.1 )	12,527	45.0	( 43.2 - 46.8 )	5,977	54.5	( 52.7 - 56.2 )	6,460
11th	59.0	( 57.6 - 60.4 )	11,626	53.8	( 51.9 - 55.6 )	5,722	64.1	( 62.1 - 66.0 )	5,840
12th	66.6	( 65.2 - 68.0 )	8,913	62.3	( 60.4 - 64.2 )	4,416	70.8	( 68.9 - 72.6 )	4,448
<b>Race/Ethnicity</b>									
Black*	47.3	( 45.7 - 48.9 )	9,754	41.0	( 38.9 - 43.0 )	4,679	53.3	( 51.5 - 55.1 )	5,043
Hispanic/Latino	53.0	( 51.1 - 54.8 )	5,485	49.0	( 46.5 - 51.5 )	2,610	56.6	( 53.8 - 59.3 )	2,792
White*	60.0	( 58.9 - 61.1 )	23,525	56.4	( 55.1 - 57.7 )	11,505	63.6	( 62.2 - 65.0 )	11,923
All other races*	37.7	( 35.0 - 40.4 )	3,200	36.1	( 32.8 - 39.5 )	1,608	39.2	( 36.1 - 42.4 )	1,563
Multiple races*	60.2	( 58.1 - 62.2 )	3,257	52.7	( 49.4 - 55.9 )	1,413	66.2	( 63.6 - 68.7 )	1,830

Note: 4,447 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	15.7	( 15.1 - 16.3 )	45,949	16.5	( 15.9 - 17.3 )	22,197	14.4	( 13.7 - 15.0 )	23,352
15 or younger	17.1	( 16.3 - 18.0 )	21,747	16.9	( 15.8 - 18.2 )	10,141	16.5	( 15.6 - 17.5 )	11,397
16 or 17	14.3	( 13.6 - 15.0 )	22,247	16.1	( 15.2 - 17.0 )	10,931	12.5	( 11.7 - 13.4 )	11,192
18 or older	16.0	( 14.1 - 18.2 )	1,878	17.6	( 14.9 - 20.6 )	1,108	13.2	( 10.6 - 16.2 )	752
<b>Grade</b>									
9th	17.5	( 16.5 - 18.6 )	12,729	16.9	( 15.6 - 18.4 )	6,047	17.7	( 16.5 - 19.0 )	6,605
10th	15.4	( 14.5 - 16.4 )	12,315	16.1	( 14.9 - 17.3 )	5,867	14.4	( 13.2 - 15.7 )	6,364
11th	14.5	( 13.5 - 15.5 )	11,512	16.0	( 14.8 - 17.3 )	5,663	12.8	( 11.7 - 14.1 )	5,785
12th	14.0	( 13.1 - 15.0 )	8,842	16.2	( 14.9 - 17.7 )	4,369	11.5	( 10.4 - 12.7 )	4,421
<b>Race/Ethnicity</b>									
Black*	15.9	( 14.8 - 17.0 )	9,533	16.7	( 15.3 - 18.3 )	4,550	14.9	( 13.7 - 16.1 )	4,950
Hispanic/Latino	19.3	( 18.2 - 20.5 )	5,374	21.0	( 19.1 - 23.1 )	2,558	17.2	( 15.5 - 19.1 )	2,742
White*	14.2	( 13.6 - 14.9 )	23,338	15.1	( 14.3 - 16.1 )	11,424	13.2	( 12.5 - 13.9 )	11,819
All other races*	10.5	( 9.2 - 11.9 )	3,140	11.5	( 9.7 - 13.6 )	1,578	8.8	( 7.4 - 10.6 )	1,536
Multiple races*	18.6	( 17.1 - 20.2 )	3,221	18.9	( 16.6 - 21.4 )	1,397	18.2	( 16.2 - 20.3 )	1,810

Note: 5,138 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	25.5	( 24.8 - 26.3 )	46,525	22.2	( 21.3 - 23.2 )	22,429	28.6	( 27.6 - 29.6 )	23,740
<b>Age</b>									
15 or younger	18.7	( 17.9 - 19.6 )	22,140	15.4	( 14.3 - 16.5 )	10,328	21.6	( 20.5 - 22.7 )	11,631
16 or 17	31.0	( 30.0 - 32.1 )	22,441	27.6	( 26.5 - 28.7 )	10,996	34.4	( 32.9 - 36.0 )	11,329
18 or older	32.4	( 29.7 - 35.3 )	1,869	30.3	( 27.1 - 33.7 )	1,087	34.6	( 30.2 - 39.3 )	768
<b>Grade</b>									
9th	15.6	( 14.7 - 16.6 )	13,018	12.7	( 11.5 - 14.0 )	6,184	18.4	( 17.2 - 19.6 )	6,759
10th	22.6	( 21.5 - 23.8 )	12,539	19.4	( 18.0 - 20.8 )	5,968	25.9	( 24.4 - 27.3 )	6,494
11th	29.4	( 27.9 - 30.8 )	11,618	25.5	( 24.0 - 27.1 )	5,693	33.0	( 30.9 - 35.1 )	5,867
12th	36.1	( 34.6 - 37.6 )	8,827	33.5	( 31.8 - 35.1 )	4,339	38.5	( 36.2 - 40.8 )	4,447
<b>Race/Ethnicity</b>									
Black*	17.8	( 16.7 - 18.9 )	9,809	13.8	( 12.4 - 15.3 )	4,658	21.5	( 20.0 - 23.0 )	5,121
Hispanic/Latino	23.5	( 21.6 - 25.5 )	5,459	20.5	( 18.4 - 22.8 )	2,579	26.3	( 23.9 - 28.9 )	2,818
White*	33.2	( 32.2 - 34.2 )	23,475	30.0	( 28.7 - 31.3 )	11,486	36.4	( 35.1 - 37.8 )	11,899
All other races*	16.3	( 14.5 - 18.3 )	3,185	14.7	( 12.2 - 17.7 )	1,599	17.8	( 15.8 - 20.1 )	1,565
Multiple races*	28.0	( 26.3 - 29.9 )	3,277	24.6	( 21.9 - 27.5 )	1,419	30.8	( 28.7 - 32.9 )	1,842

Note: 4,562 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN44: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.0	( 12.4 - 13.6 )	47,591	11.8	( 11.1 - 12.4 )	23,037	13.9	( 13.2 - 14.7 )	24,156
<b>Age</b>									
15 or younger	8.5	( 8.0 - 9.1 )	22,626	7.3	( 6.6 - 7.9 )	10,579	9.3	( 8.6 - 10.1 )	11,839
16 or 17	16.4	( 15.6 - 17.3 )	22,939	15.1	( 14.2 - 16.1 )	11,308	17.7	( 16.6 - 18.8 )	11,502
18 or older	18.4	( 16.5 - 20.5 )	1,954	18.1	( 15.6 - 21.0 )	1,134	18.1	( 15.3 - 21.3 )	804
<b>Grade</b>									
9th	6.5	( 6.0 - 7.1 )	13,261	5.8	( 5.0 - 6.6 )	6,310	7.1	( 6.4 - 8.0 )	6,869
10th	10.9	( 10.1 - 11.8 )	12,821	9.6	( 8.7 - 10.7 )	6,126	12.1	( 11.1 - 13.2 )	6,611
11th	15.3	( 14.4 - 16.3 )	11,884	13.8	( 12.7 - 14.9 )	5,851	16.6	( 15.3 - 18.0 )	5,968
12th	19.8	( 18.5 - 21.2 )	9,051	18.9	( 17.4 - 20.5 )	4,485	20.5	( 18.8 - 22.4 )	4,523
<b>Race/Ethnicity</b>									
Black*	6.8	( 6.2 - 7.5 )	10,118	5.8	( 5.0 - 6.7 )	4,841	7.8	( 6.9 - 8.7 )	5,245
Hispanic/Latino	12.4	( 11.2 - 13.7 )	5,616	11.5	( 10.0 - 13.3 )	2,664	13.2	( 11.5 - 14.9 )	2,879
White*	18.4	( 17.5 - 19.3 )	23,847	16.8	( 15.8 - 17.9 )	11,694	20.0	( 18.8 - 21.1 )	12,057
All other races*	7.8	( 6.3 - 9.5 )	3,264	6.7	( 5.1 - 8.9 )	1,652	8.8	( 7.1 - 10.7 )	1,589
Multiple races*	13.3	( 11.8 - 14.9 )	3,336	12.6	( 10.4 - 15.2 )	1,449	13.7	( 11.9 - 15.7 )	1,871

Note: 3,496 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN46: Percentage of students who ever used marijuana (one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	31.4	( 30.5 - 32.3 )	47,214	29.7	( 28.5 - 30.8 )	22,730	32.9	( 31.8 - 34.0 )	24,093
<b>Age</b>									
15 or younger	22.4	( 21.5 - 23.4 )	22,445	20.9	( 19.7 - 22.2 )	10,444	23.3	( 22.1 - 24.4 )	11,793
16 or 17	38.4	( 37.3 - 39.4 )	22,780	36.1	( 34.8 - 37.5 )	11,167	40.6	( 39.2 - 41.9 )	11,485
18 or older	43.0	( 39.8 - 46.2 )	1,917	42.0	( 38.2 - 45.9 )	1,099	43.9	( 39.1 - 48.8 )	801
<b>Grade</b>									
9th	18.3	( 17.2 - 19.5 )	13,146	17.7	( 16.3 - 19.3 )	6,232	18.6	( 17.1 - 20.1 )	6,828
10th	28.2	( 26.9 - 29.6 )	12,714	26.2	( 24.6 - 27.9 )	6,038	30.1	( 28.3 - 31.9 )	6,597
11th	36.1	( 34.8 - 37.4 )	11,809	34.2	( 32.4 - 36.0 )	5,787	37.9	( 36.2 - 39.7 )	5,964
12th	44.9	( 43.3 - 46.5 )	8,995	42.8	( 40.7 - 44.8 )	4,420	46.8	( 44.6 - 49.0 )	4,529
<b>Race/Ethnicity</b>									
Black*	34.3	( 32.6 - 35.9 )	9,892	31.7	( 29.7 - 33.7 )	4,700	36.7	( 34.7 - 38.7 )	5,161
Hispanic/Latino	31.4	( 30.1 - 32.8 )	5,554	30.1	( 28.3 - 31.9 )	2,621	32.6	( 30.8 - 34.4 )	2,857
White*	30.5	( 29.3 - 31.6 )	23,828	29.5	( 28.0 - 31.0 )	11,626	31.4	( 30.1 - 32.9 )	12,103
All other races*	18.4	( 16.1 - 20.9 )	3,226	18.1	( 15.2 - 21.4 )	1,614	18.5	( 16.0 - 21.4 )	1,589
Multiple races*	36.5	( 34.4 - 38.7 )	3,324	32.4	( 29.5 - 35.5 )	1,443	39.6	( 36.9 - 42.4 )	1,864

Note: 3,873 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN47: Percentage of students who tried marijuana for the first time before age 13 years

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	7.3	( 6.9 - 7.7 )	47,771	9.0	( 8.4 - 9.6 )	23,035	5.1	( 4.7 - 5.5 )	24,330
15 or younger	7.5	( 7.0 - 8.1 )	22,658	8.8	( 8.0 - 9.7 )	10,554	5.4	( 4.8 - 5.9 )	11,893
16 or 17	6.7	( 6.2 - 7.3 )	23,064	8.8	( 8.1 - 9.6 )	11,328	4.6	( 4.1 - 5.1 )	11,601
18 or older	10.0	( 8.6 - 11.8 )	1,975	10.9	( 8.7 - 13.6 )	1,133	8.1	( 6.0 - 10.8 )	823
<b>Grade</b>									
9th	7.4	( 6.7 - 8.1 )	13,279	8.8	( 7.7 - 9.9 )	6,302	5.5	( 4.8 - 6.3 )	6,894
10th	6.6	( 6.0 - 7.3 )	12,841	8.0	( 7.1 - 8.9 )	6,102	5.0	( 4.3 - 5.8 )	6,657
11th	6.9	( 6.2 - 7.6 )	11,959	9.1	( 8.0 - 10.2 )	5,876	4.5	( 3.9 - 5.2 )	6,019
12th	7.1	( 6.4 - 8.0 )	9,119	9.2	( 8.0 - 10.6 )	4,489	4.8	( 4.0 - 5.7 )	4,584
<b>Race/Ethnicity</b>									
Black*	9.0	( 8.3 - 9.8 )	10,106	11.7	( 10.7 - 12.9 )	4,812	6.4	( 5.6 - 7.2 )	5,260
Hispanic/Latino	8.9	( 7.9 - 10.0 )	5,634	11.2	( 9.6 - 13.1 )	2,675	5.9	( 5.1 - 7.0 )	2,880
White*	4.9	( 4.5 - 5.3 )	23,970	6.0	( 5.4 - 6.6 )	11,709	3.7	( 3.3 - 4.2 )	12,164
All other races*	4.3	( 3.5 - 5.2 )	3,272	5.7	( 4.5 - 7.2 )	1,642	2.5	( 1.8 - 3.5 )	1,609
Multiple races*	9.1	( 7.9 - 10.5 )	3,368	10.9	( 8.9 - 13.3 )	1,457	7.5	( 6.1 - 9.1 )	1,893

Note: 3,316 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	18.4	( 17.8 - 19.1 )	47,867	17.6	( 16.9 - 18.5 )	23,092	19.0	( 18.1 - 19.9 )	24,368
15 or younger	13.1	( 12.4 - 13.7 )	22,732	12.1	( 11.3 - 13.0 )	10,592	13.6	( 12.7 - 14.5 )	11,924
16 or 17	22.5	( 21.6 - 23.3 )	23,078	21.6	( 20.5 - 22.6 )	11,346	23.3	( 22.0 - 24.7 )	11,604
18 or older	26.1	( 23.6 - 28.7 )	1,979	26.8	( 23.8 - 30.1 )	1,133	24.4	( 20.6 - 28.7 )	827
<b>Grade</b>									
9th	10.4	( 9.6 - 11.3 )	13,309	9.9	( 8.8 - 11.0 )	6,316	10.7	( 9.7 - 11.8 )	6,906
10th	16.4	( 15.5 - 17.4 )	12,887	15.2	( 14.0 - 16.4 )	6,136	17.6	( 16.2 - 19.0 )	6,671
11th	20.9	( 19.8 - 22.1 )	11,960	20.0	( 18.7 - 21.5 )	5,882	21.7	( 20.0 - 23.4 )	6,017
12th	26.8	( 25.4 - 28.2 )	9,133	26.7	( 25.0 - 28.5 )	4,493	26.7	( 24.7 - 28.8 )	4,593
<b>Race/Ethnicity</b>									
Black*	18.9	( 17.7 - 20.1 )	10,143	17.6	( 16.3 - 19.1 )	4,834	20.0	( 18.5 - 21.7 )	5,278
Hispanic/Latino	18.4	( 16.9 - 19.9 )	5,630	17.6	( 15.9 - 19.5 )	2,674	19.0	( 17.0 - 21.3 )	2,875
White*	18.6	( 17.7 - 19.6 )	24,030	18.5	( 17.3 - 19.7 )	11,746	18.7	( 17.6 - 20.0 )	12,184
All other races*	10.9	( 9.2 - 12.9 )	3,278	10.5	( 8.3 - 13.1 )	1,642	11.2	( 9.5 - 13.1 )	1,611
Multiple races*	21.7	( 20.0 - 23.5 )	3,363	19.7	( 17.5 - 22.1 )	1,451	23.2	( 21.0 - 25.6 )	1,896

Note: 3,220 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN49: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	5.4	( 5.1 - 5.8 )	48,606	6.8	( 6.3 - 7.3 )	23,638	3.4	( 3.0 - 3.7 )	24,439
15 or younger	5.1	( 4.6 - 5.7 )	23,033	6.0	( 5.2 - 6.8 )	10,784	3.0	( 2.6 - 3.4 )	11,946
16 or 17	5.3	( 4.8 - 5.7 )	23,429	7.0	( 6.5 - 7.7 )	11,633	3.3	( 2.8 - 3.8 )	11,644
18 or older	9.6	( 8.2 - 11.2 )	2,055	10.1	( 8.3 - 12.3 )	1,197	7.9	( 5.9 - 10.6 )	837
<b>Grade</b>									
9th	4.5	( 3.8 - 5.2 )	13,411	5.7	( 4.8 - 6.9 )	6,402	2.6	( 2.2 - 3.2 )	6,905
10th	4.4	( 4.0 - 4.9 )	13,061	5.2	( 4.6 - 5.9 )	6,258	3.1	( 2.6 - 3.7 )	6,692
11th	5.1	( 4.5 - 5.7 )	12,121	6.9	( 6.1 - 7.9 )	6,027	2.7	( 2.2 - 3.3 )	6,013
12th	6.6	( 6.0 - 7.3 )	9,350	8.3	( 7.4 - 9.3 )	4,653	4.5	( 3.7 - 5.3 )	4,632
<b>Race/Ethnicity</b>									
Black*	5.4	( 4.7 - 6.1 )	10,344	7.1	( 6.2 - 8.2 )	5,002	3.5	( 2.8 - 4.2 )	5,301
Hispanic/Latino	8.2	( 7.2 - 9.3 )	5,782	10.3	( 8.5 - 12.4 )	2,777	5.3	( 4.4 - 6.3 )	2,897
White*	3.6	( 3.3 - 3.9 )	24,163	4.5	( 4.1 - 5.0 )	11,872	2.4	( 2.1 - 2.8 )	12,185
All other races*	4.3	( 3.4 - 5.4 )	3,328	5.8	( 4.4 - 7.6 )	1,681	2.2	( 1.5 - 3.1 )	1,615
Multiple races*	5.8	( 4.8 - 6.9 )	3,399	7.0	( 5.6 - 8.7 )	1,487	4.5	( 3.4 - 5.9 )	1,895

Note: 2,481 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN51: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	4.3	( 3.9 - 4.6 )	49,375	5.3	( 4.9 - 5.8 )	24,028	2.4	( 2.1 - 2.7 )	24,813
<b>Age</b>									
15 or younger	4.3	( 3.8 - 4.8 )	23,403	5.0	( 4.3 - 5.8 )	10,970	2.3	( 1.9 - 2.7 )	12,128
16 or 17	3.8	( 3.4 - 4.2 )	23,803	5.2	( 4.6 - 5.7 )	11,825	2.2	( 1.8 - 2.7 )	11,821
18 or older	7.9	( 6.6 - 9.4 )	2,083	8.6	( 6.9 - 10.6 )	1,210	5.7	( 4.1 - 8.0 )	851
<b>Grade</b>									
9th	3.4	( 2.8 - 4.2 )	13,641	4.4	( 3.5 - 5.6 )	6,515	1.9	( 1.5 - 2.4 )	7,021
10th	3.8	( 3.3 - 4.3 )	13,256	4.5	( 3.9 - 5.2 )	6,370	2.4	( 1.9 - 3.0 )	6,774
11th	3.8	( 3.3 - 4.4 )	12,319	5.4	( 4.6 - 6.3 )	6,127	1.7	( 1.4 - 2.2 )	6,111
12th	4.8	( 4.3 - 5.4 )	9,491	6.1	( 5.3 - 7.1 )	4,716	3.0	( 2.4 - 3.7 )	4,706
<b>Race/Ethnicity</b>									
Black*	5.0	( 4.4 - 5.7 )	10,607	7.0	( 6.2 - 8.0 )	5,127	2.9	( 2.2 - 3.6 )	5,440
Hispanic/Latino	6.1	( 5.4 - 6.9 )	5,901	7.6	( 6.5 - 8.9 )	2,828	3.7	( 3.1 - 4.5 )	2,965
White*	2.0	( 1.8 - 2.3 )	24,417	2.6	( 2.2 - 3.0 )	12,014	1.3	( 1.1 - 1.6 )	12,296
All other races*	3.4	( 2.7 - 4.2 )	3,383	4.4	( 3.4 - 5.6 )	1,716	1.7	( 1.1 - 2.6 )	1,636
Multiple races*	3.4	( 2.7 - 4.3 )	3,452	4.5	( 3.5 - 5.9 )	1,513	2.1	( 1.4 - 3.2 )	1,921

Note: 1,712 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN52: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	4.6	( 4.2 - 4.9 )	49,230	5.6	( 5.2 - 6.1 )	23,940	2.6	( 2.3 - 2.9 )	24,760
<b>Age</b>									
15 or younger	4.8	( 4.3 - 5.4 )	23,346	5.5	( 4.8 - 6.3 )	10,934	2.7	( 2.3 - 3.1 )	12,111
16 or 17	3.9	( 3.5 - 4.3 )	23,730	5.3	( 4.8 - 5.9 )	11,782	2.2	( 1.9 - 2.7 )	11,790
18 or older	8.3	( 7.0 - 9.7 )	2,071	8.6	( 6.9 - 10.7 )	1,203	6.2	( 4.5 - 8.3 )	847
<b>Grade</b>									
9th	4.1	( 3.5 - 4.8 )	13,599	5.2	( 4.3 - 6.2 )	6,488	2.4	( 2.0 - 3.0 )	7,009
10th	3.8	( 3.3 - 4.5 )	13,222	4.6	( 3.9 - 5.4 )	6,349	2.4	( 1.9 - 3.0 )	6,760
11th	4.1	( 3.6 - 4.6 )	12,287	5.6	( 4.9 - 6.5 )	6,106	1.9	( 1.5 - 2.4 )	6,098
12th	4.8	( 4.3 - 5.4 )	9,458	6.1	( 5.2 - 7.1 )	4,701	3.0	( 2.4 - 3.7 )	4,690
<b>Race/Ethnicity</b>									
Black*	5.0	( 4.4 - 5.7 )	10,550	6.8	( 6.0 - 7.7 )	5,091	3.1	( 2.5 - 3.9 )	5,419
Hispanic/Latino	6.7	( 5.7 - 7.8 )	5,891	8.4	( 6.8 - 10.3 )	2,824	3.6	( 2.8 - 4.6 )	2,960
White*	2.3	( 2.1 - 2.6 )	24,377	2.8	( 2.5 - 3.2 )	11,987	1.6	( 1.3 - 1.9 )	12,283
All other races*	4.0	( 3.3 - 5.0 )	3,376	5.5	( 4.3 - 7.2 )	1,714	1.9	( 1.3 - 2.9 )	1,630
Multiple races*	3.8	( 3.1 - 4.8 )	3,436	4.9	( 3.7 - 6.4 )	1,498	2.5	( 1.8 - 3.6 )	1,918

Note: 1,857 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN53: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	5.5	( 5.2 - 5.9 )	48,948	6.7	( 6.2 - 7.2 )	23,777	3.6	( 3.2 - 3.9 )	24,643
15 or younger	5.2	( 4.7 - 5.7 )	23,207	6.2	( 5.4 - 7.0 )	10,868	2.9	( 2.5 - 3.4 )	12,040
16 or 17	5.3	( 4.9 - 5.8 )	23,603	6.7	( 6.1 - 7.3 )	11,698	3.7	( 3.2 - 4.2 )	11,748
18 or older	10.3	( 8.9 - 11.8 )	2,053	10.7	( 8.9 - 12.7 )	1,189	8.4	( 6.5 - 10.8 )	841
<b>Grade</b>									
9th	4.3	( 3.8 - 5.0 )	13,519	5.7	( 4.8 - 6.7 )	6,451	2.5	( 2.0 - 3.0 )	6,964
10th	4.6	( 4.1 - 5.3 )	13,148	5.3	( 4.6 - 6.2 )	6,307	3.2	( 2.6 - 3.9 )	6,730
11th	5.2	( 4.7 - 5.8 )	12,223	7.2	( 6.4 - 8.2 )	6,070	2.8	( 2.3 - 3.4 )	6,073
12th	6.8	( 6.1 - 7.5 )	9,395	7.9	( 7.0 - 8.9 )	4,657	5.2	( 4.4 - 6.1 )	4,674
<b>Race/Ethnicity</b>									
Black*	5.6	( 4.9 - 6.3 )	10,470	7.4	( 6.6 - 8.3 )	5,048	3.6	( 2.9 - 4.4 )	5,382
Hispanic/Latino	7.7	( 6.8 - 8.6 )	5,835	9.1	( 7.8 - 10.7 )	2,791	5.2	( 4.2 - 6.4 )	2,937
White*	3.7	( 3.4 - 4.1 )	24,290	4.5	( 4.1 - 5.0 )	11,940	2.8	( 2.4 - 3.2 )	12,246
All other races*	4.2	( 3.3 - 5.3 )	3,351	5.6	( 4.2 - 7.4 )	1,698	2.2	( 1.5 - 3.1 )	1,622
Multiple races*	5.6	( 4.6 - 6.7 )	3,402	6.7	( 5.3 - 8.4 )	1,476	4.2	( 3.2 - 5.6 )	1,907

Note: 2,139 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN54: Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	6.9	( 6.5 - 7.3 )	49,263	7.6	( 7.1 - 8.2 )	23,963	5.5	( 5.1 - 5.9 )	24,768
15 or younger	6.3	( 5.8 - 6.9 )	23,341	6.7	( 6.0 - 7.6 )	10,935	4.8	( 4.2 - 5.3 )	12,104
16 or 17	7.0	( 6.5 - 7.5 )	23,757	7.8	( 7.2 - 8.5 )	11,798	6.0	( 5.4 - 6.6 )	11,802
18 or older	11.0	( 9.5 - 12.6 )	2,082	12.1	( 10.3 - 14.2 )	1,208	7.8	( 5.9 - 10.3 )	851
<b>Grade</b>									
9th	5.3	( 4.7 - 6.0 )	13,594	5.9	( 5.0 - 7.1 )	6,487	4.3	( 3.7 - 4.9 )	7,006
10th	6.1	( 5.5 - 6.7 )	13,220	6.5	( 5.7 - 7.4 )	6,352	5.1	( 4.4 - 5.8 )	6,755
11th	6.8	( 6.2 - 7.5 )	12,297	7.9	( 7.0 - 8.9 )	6,113	5.4	( 4.7 - 6.2 )	6,104
12th	8.4	( 7.7 - 9.1 )	9,476	9.6	( 8.6 - 10.6 )	4,710	6.9	( 6.0 - 7.8 )	4,701
<b>Race/Ethnicity</b>									
Black*	7.0	( 6.3 - 7.8 )	10,571	8.9	( 7.9 - 9.9 )	5,100	5.2	( 4.4 - 6.1 )	5,429
Hispanic/Latino	8.6	( 7.7 - 9.6 )	5,891	9.7	( 8.0 - 11.7 )	2,821	6.7	( 5.7 - 7.8 )	2,961
White*	5.5	( 5.1 - 5.9 )	24,383	5.6	( 5.1 - 6.2 )	11,999	5.2	( 4.7 - 5.7 )	12,277
All other races*	4.9	( 3.9 - 6.0 )	3,375	5.7	( 4.4 - 7.4 )	1,712	3.5	( 2.6 - 4.6 )	1,631
Multiple races*	7.1	( 6.2 - 8.3 )	3,441	6.9	( 5.5 - 8.6 )	1,502	7.1	( 5.9 - 8.5 )	1,921

Note: 1,824 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN56: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.7	( 13.2 - 14.3 )	49,173	13.5	( 12.8 - 14.2 )	23,931	13.2	( 12.6 - 13.9 )	24,718
<b>Age</b>									
15 or younger	12.5	( 11.8 - 13.3 )	23,282	11.7	( 10.7 - 12.8 )	10,910	12.1	( 11.3 - 13.0 )	12,074
16 or 17	14.3	( 13.6 - 15.0 )	23,728	14.4	( 13.6 - 15.3 )	11,790	14.0	( 13.1 - 14.9 )	11,782
18 or older	17.9	( 16.2 - 19.8 )	2,080	18.3	( 15.9 - 21.0 )	1,210	16.2	( 13.2 - 19.8 )	849
<b>Grade</b>									
9th	11.3	( 10.4 - 12.2 )	13,558	10.6	( 9.5 - 11.9 )	6,470	11.5	( 10.5 - 12.5 )	6,985
10th	12.6	( 11.8 - 13.4 )	13,190	12.0	( 10.9 - 13.1 )	6,346	12.6	( 11.6 - 13.7 )	6,734
11th	14.1	( 13.2 - 14.9 )	12,282	14.6	( 13.5 - 15.7 )	6,104	13.0	( 12.0 - 14.2 )	6,097
12th	16.0	( 15.0 - 17.0 )	9,476	16.1	( 14.8 - 17.4 )	4,711	15.4	( 14.0 - 16.9 )	4,698
<b>Race/Ethnicity</b>									
Black*	13.4	( 12.5 - 14.4 )	10,522	14.3	( 13.1 - 15.5 )	5,082	12.3	( 11.0 - 13.8 )	5,398
Hispanic/Latino	16.2	( 14.7 - 17.7 )	5,877	16.1	( 13.9 - 18.7 )	2,818	15.4	( 13.5 - 17.5 )	2,951
White*	12.2	( 11.5 - 12.8 )	24,369	11.3	( 10.5 - 12.2 )	11,992	12.9	( 12.1 - 13.7 )	12,272
All other races*	10.7	( 9.1 - 12.4 )	3,374	10.4	( 8.5 - 12.6 )	1,715	10.7	( 9.0 - 12.8 )	1,630
Multiple races*	16.4	( 14.9 - 18.0 )	3,436	14.6	( 12.5 - 16.8 )	1,500	17.6	( 15.7 - 19.7 )	1,916

Note: 1,914 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN57: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	3.8	( 3.5 - 4.1 )	48,631	4.8	( 4.4 - 5.2 )	23,609	2.4	( 2.1 - 2.7 )	24,572
15 or younger	3.9	( 3.5 - 4.4 )	23,040	4.8	( 4.2 - 5.5 )	10,779	2.3	( 1.9 - 2.7 )	12,016
16 or 17	3.4	( 3.1 - 3.8 )	23,478	4.5	( 4.1 - 5.0 )	11,632	2.2	( 1.8 - 2.6 )	11,706
18 or older	6.5	( 5.4 - 7.8 )	2,033	6.2	( 4.8 - 8.0 )	1,177	6.0	( 4.3 - 8.3 )	838
<b>Grade</b>									
9th	3.5	( 2.9 - 4.1 )	13,466	4.5	( 3.6 - 5.7 )	6,423	2.0	( 1.6 - 2.4 )	6,953
10th	3.2	( 2.8 - 3.7 )	13,058	3.9	( 3.4 - 4.6 )	6,254	2.1	( 1.7 - 2.6 )	6,706
11th	3.5	( 3.0 - 4.1 )	12,143	4.9	( 4.3 - 5.7 )	6,011	1.9	( 1.4 - 2.5 )	6,061
12th	4.2	( 3.7 - 4.7 )	9,352	5.0	( 4.3 - 5.8 )	4,637	3.1	( 2.5 - 3.8 )	4,658
<b>Race/Ethnicity</b>									
Black*	4.5	( 3.9 - 5.1 )	10,387	6.0	( 5.2 - 6.8 )	4,992	3.0	( 2.4 - 3.8 )	5,356
Hispanic/Latino	5.0	( 4.3 - 5.8 )	5,767	6.0	( 4.8 - 7.6 )	2,757	3.4	( 2.8 - 4.2 )	2,918
White*	2.1	( 1.9 - 2.4 )	24,254	2.6	( 2.3 - 3.0 )	11,909	1.5	( 1.2 - 1.8 )	12,240
All other races*	3.2	( 2.5 - 4.1 )	3,332	4.0	( 3.0 - 5.3 )	1,683	2.0	( 1.4 - 2.8 )	1,623
Multiple races*	3.6	( 2.7 - 4.7 )	3,408	4.6	( 3.3 - 6.4 )	1,487	2.3	( 1.6 - 3.5 )	1,903

Note: 2,456 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN58: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	23.5	( 23.0 - 24.1 )	48,507	24.6	( 23.9 - 25.4 )	23,517	22.2	( 21.4 - 23.0 )	24,560
15 or younger	22.2	( 21.4 - 23.0 )	22,969	22.6	( 21.5 - 23.7 )	10,732	21.4	( 20.4 - 22.4 )	12,001
16 or 17	24.6	( 23.9 - 25.4 )	23,443	26.2	( 25.3 - 27.2 )	11,591	23.0	( 21.8 - 24.2 )	11,720
18 or older	24.8	( 22.5 - 27.2 )	2,015	26.9	( 23.7 - 30.4 )	1,172	21.2	( 18.0 - 24.8 )	827
<b>Grade</b>									
9th	20.8	( 19.9 - 21.8 )	13,410	20.9	( 19.5 - 22.3 )	6,381	20.6	( 19.4 - 21.8 )	6,943
10th	22.8	( 21.7 - 23.9 )	13,023	23.6	( 22.3 - 25.1 )	6,224	21.6	( 20.2 - 23.2 )	6,706
11th	24.5	( 23.4 - 25.6 )	12,148	26.3	( 24.9 - 27.7 )	6,012	22.6	( 21.2 - 24.1 )	6,071
12th	25.7	( 24.6 - 26.9 )	9,318	27.8	( 26.3 - 29.3 )	4,622	23.6	( 21.9 - 25.4 )	4,645
<b>Race/Ethnicity</b>									
Black*	23.3	( 22.3 - 24.4 )	10,340	24.9	( 23.4 - 26.5 )	4,948	21.8	( 20.4 - 23.4 )	5,353
Hispanic/Latino	28.4	( 26.7 - 30.1 )	5,754	28.1	( 25.4 - 30.9 )	2,746	28.2	( 26.1 - 30.4 )	2,923
White*	22.0	( 21.4 - 22.7 )	24,248	23.5	( 22.5 - 24.5 )	11,913	20.4	( 19.5 - 21.3 )	12,233
All other races*	20.3	( 18.5 - 22.3 )	3,319	20.7	( 18.5 - 23.1 )	1,678	19.8	( 17.3 - 22.5 )	1,620
Multiple races*	27.0	( 25.3 - 28.9 )	3,403	27.3	( 24.6 - 30.2 )	1,481	26.7	( 24.3 - 29.2 )	1,905

Note: 2,580 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN59: Percentage of students who ever had sexual intercourse

	Percentage	Total		Percentage	Male		Percentage	Female	
		95% confidence interval	N		95% confidence interval	N		95% confidence interval	N
<b>Total</b>	31.8	( 30.7 - 32.8 )	42,396	33.9	( 32.8 - 35.1 )	19,866	29.7	( 28.4 - 31.0 )	22,297
<b>Age</b>									
15 or younger	18.2	( 17.2 - 19.3 )	20,162	20.9	( 19.5 - 22.3 )	9,144	15.6	( 14.6 - 16.8 )	10,916
16 or 17	41.6	( 40.5 - 42.8 )	20,598	43.0	( 41.6 - 44.5 )	9,829	40.4	( 39.0 - 41.8 )	10,683
18 or older	56.1	( 52.6 - 59.5 )	1,576	57.6	( 53.5 - 61.6 )	876	53.5	( 48.2 - 58.7 )	689
<b>Grade</b>									
9th	14.9	( 13.8 - 16.2 )	11,759	18.7	( 17.0 - 20.5 )	5,427	11.2	( 10.1 - 12.4 )	6,280
10th	25.4	( 24.0 - 27.0 )	11,430	27.5	( 25.4 - 29.6 )	5,277	23.5	( 21.9 - 25.1 )	6,106
11th	37.2	( 35.6 - 38.7 )	10,723	39.2	( 37.1 - 41.3 )	5,130	35.3	( 33.6 - 37.0 )	5,558
12th	52.2	( 50.1 - 54.4 )	8,106	53.6	( 51.2 - 56.0 )	3,865	51.0	( 48.2 - 53.8 )	4,208
<b>Race/Ethnicity</b>									
Black*	35.9	( 34.1 - 37.8 )	8,470	41.9	( 39.8 - 44.0 )	3,808	30.8	( 28.5 - 33.2 )	4,643
Hispanic/Latino	34.1	( 32.5 - 35.9 )	4,677	37.1	( 34.6 - 39.6 )	2,166	31.2	( 29.2 - 33.3 )	2,469
White*	30.9	( 29.6 - 32.3 )	22,268	30.9	( 29.4 - 32.4 )	10,656	30.9	( 29.3 - 32.5 )	11,530
All other races*	13.8	( 12.1 - 15.8 )	2,919	14.6	( 12.2 - 17.4 )	1,425	13.0	( 11.2 - 15.1 )	1,484
Multiple races*	32.8	( 30.3 - 35.3 )	3,017	34.2	( 31.0 - 37.5 )	1,287	31.5	( 28.6 - 34.7 )	1,720

Note: 8,691 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN60: Percentage of students who had sexual intercourse for the first time before age 13 years

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	4.3	( 4.0 - 4.6 )	42,287	6.5	( 6.0 - 7.1 )	19,793	2.0	( 1.8 - 2.2 )	22,239
15 or younger	4.0	( 3.6 - 4.5 )	20,053	6.2	( 5.5 - 7.1 )	9,066	1.8	( 1.5 - 2.1 )	10,872
16 or 17	4.1	( 3.7 - 4.5 )	20,590	6.2	( 5.6 - 6.9 )	9,824	2.1	( 1.8 - 2.5 )	10,676
18 or older	8.5	( 7.1 - 10.3 )	1,585	12.2	( 9.8 - 15.1 )	888	3.0	( 1.9 - 4.7 )	682
<b>Grade</b>									
9th	4.0	( 3.4 - 4.6 )	11,683	6.4	( 5.4 - 7.5 )	5,376	1.6	( 1.3 - 2.0 )	6,254
10th	4.0	( 3.5 - 4.5 )	11,390	6.3	( 5.4 - 7.3 )	5,248	1.6	( 1.3 - 2.0 )	6,091
11th	3.8	( 3.3 - 4.4 )	10,706	5.6	( 4.7 - 6.7 )	5,121	2.1	( 1.7 - 2.6 )	5,547
12th	4.8	( 4.2 - 5.5 )	8,106	7.5	( 6.5 - 8.6 )	3,872	2.3	( 1.7 - 3.0 )	4,202
<b>Race/Ethnicity</b>									
Black*	6.5	( 5.8 - 7.2 )	8,443	11.3	( 10.1 - 12.7 )	3,788	2.4	( 1.9 - 3.0 )	4,635
Hispanic/Latino	5.7	( 5.0 - 6.4 )	4,644	8.1	( 7.0 - 9.3 )	2,158	3.2	( 2.5 - 4.1 )	2,445
White*	2.2	( 1.9 - 2.4 )	22,193	2.9	( 2.5 - 3.4 )	10,614	1.4	( 1.1 - 1.7 )	11,500
All other races*	2.5	( 2.0 - 3.2 )	2,916	3.5	( 2.6 - 4.7 )	1,426	1.5	( 1.0 - 2.3 )	1,477
Multiple races*	5.2	( 4.3 - 6.3 )	3,006	8.4	( 6.7 - 10.5 )	1,273	2.5	( 1.8 - 3.6 )	1,723

Note: 8,800 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse with four or more persons during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	7.7	( 7.3 - 8.1 )	42,311	9.8	( 9.2 - 10.5 )	19,787	5.6	( 5.2 - 6.0 )	22,256
15 or younger	3.6	( 3.2 - 4.0 )	20,125	5.1	( 4.5 - 5.8 )	9,104	2.1	( 1.8 - 2.4 )	10,892
16 or 17	9.9	( 9.3 - 10.5 )	20,552	12.2	( 11.3 - 13.1 )	9,789	7.7	( 7.1 - 8.4 )	10,671
18 or older	23.5	( 20.5 - 26.6 )	1,579	26.6	( 23.0 - 30.6 )	879	18.5	( 14.8 - 22.8 )	686
<b>Grade</b>									
9th	2.9	( 2.5 - 3.3 )	11,716	4.4	( 3.7 - 5.3 )	5,393	1.4	( 1.1 - 1.7 )	6,263
10th	4.9	( 4.3 - 5.5 )	11,403	7.0	( 6.1 - 8.0 )	5,252	2.9	( 2.3 - 3.5 )	6,099
11th	8.3	( 7.6 - 9.1 )	10,707	10.8	( 9.6 - 12.0 )	5,121	6.0	( 5.3 - 6.8 )	5,547
12th	15.2	( 14.0 - 16.4 )	8,086	18.1	( 16.3 - 20.1 )	3,845	12.3	( 11.1 - 13.7 )	4,202
<b>Race/Ethnicity</b>									
Black*	9.8	( 9.0 - 10.8 )	8,426	14.6	( 13.2 - 16.2 )	3,777	5.7	( 4.9 - 6.6 )	4,630
Hispanic/Latino	8.9	( 8.0 - 9.9 )	4,654	12.2	( 10.5 - 14.0 )	2,150	5.6	( 4.7 - 6.7 )	2,459
White*	6.3	( 5.8 - 6.9 )	22,215	6.7	( 6.0 - 7.5 )	10,616	5.8	( 5.2 - 6.6 )	11,517
All other races*	3.0	( 2.3 - 3.9 )	2,926	3.5	( 2.5 - 4.8 )	1,430	2.5	( 1.7 - 3.6 )	1,481
Multiple races*	8.4	( 7.2 - 9.8 )	3,005	10.4	( 8.5 - 12.7 )	1,274	6.7	( 5.4 - 8.4 )	1,721

Note: 8,776 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN62: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	22.1	( 21.3 - 22.8 )	42,304	21.8	( 20.9 - 22.6 )	19,793	22.2	( 21.2 - 23.3 )	22,243
<b>Age</b>									
15 or younger	11.9	( 11.2 - 12.6 )	20,101	12.4	( 11.5 - 13.4 )	9,089	11.2	( 10.3 - 12.1 )	10,883
16 or 17	29.3	( 28.4 - 30.2 )	20,575	28.0	( 26.9 - 29.2 )	9,810	30.5	( 29.3 - 31.7 )	10,671
18 or older	42.4	( 39.1 - 45.7 )	1,573	41.5	( 37.6 - 45.5 )	879	42.7	( 37.6 - 48.0 )	681
<b>Grade</b>									
9th	9.0	( 8.3 - 9.8 )	11,688	10.4	( 9.3 - 11.6 )	5,379	7.6	( 6.7 - 8.5 )	6,253
10th	16.9	( 15.8 - 18.0 )	11,400	16.6	( 15.2 - 18.1 )	5,259	17.1	( 15.7 - 18.5 )	6,090
11th	25.7	( 24.5 - 26.9 )	10,704	25.1	( 23.5 - 26.8 )	5,122	26.2	( 24.8 - 27.8 )	5,543
12th	38.4	( 36.7 - 40.1 )	8,103	36.9	( 34.8 - 39.1 )	3,856	39.7	( 37.5 - 41.8 )	4,210
<b>Race/Ethnicity</b>									
Black*	23.6	( 22.2 - 25.0 )	8,428	25.2	( 23.5 - 26.9 )	3,780	22.1	( 20.3 - 24.0 )	4,630
Hispanic/Latino	22.7	( 21.2 - 24.3 )	4,649	23.4	( 21.4 - 25.6 )	2,146	21.8	( 19.9 - 23.8 )	2,458
White*	22.6	( 21.6 - 23.7 )	22,201	20.8	( 19.7 - 22.0 )	10,610	24.4	( 23.1 - 25.7 )	11,508
All other races*	9.0	( 7.8 - 10.3 )	2,929	8.7	( 7.4 - 10.2 )	1,434	9.1	( 7.5 - 11.1 )	1,481
Multiple races*	22.7	( 20.6 - 24.8 )	3,006	21.9	( 19.3 - 24.8 )	1,276	23.1	( 20.6 - 25.9 )	1,720

Note: 8,783 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN63: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	21.2	( 20.0 - 22.5 )	9,452	22.6	( 21.0 - 24.3 )	4,329	19.7	( 18.2 - 21.4 )	5,052
15 or younger	22.2	( 20.2 - 24.3 )	2,469	22.4	( 19.4 - 25.8 )	1,113	21.3	( 18.7 - 24.1 )	1,328
16 or 17	20.5	( 19.0 - 22.0 )	6,303	22.3	( 20.4 - 24.3 )	2,855	19.0	( 17.2 - 21.0 )	3,421
18 or older	23.8	( 20.5 - 27.5 )	668	25.0	( 20.1 - 30.6 )	357	21.3	( 16.3 - 27.4 )	301
<b>Grade</b>									
9th	18.7	( 16.1 - 21.7 )	1,080	18.6	( 14.9 - 22.9 )	548	18.8	( 15.1 - 23.2 )	521
10th	22.3	( 20.1 - 24.6 )	2,008	23.8	( 20.6 - 27.2 )	866	21.1	( 17.9 - 24.6 )	1,131
11th	19.7	( 17.9 - 21.6 )	3,002	21.1	( 18.6 - 23.9 )	1,381	18.4	( 16.1 - 21.1 )	1,612
12th	21.1	( 19.1 - 23.3 )	3,218	23.4	( 20.7 - 26.4 )	1,474	19.1	( 16.6 - 21.9 )	1,729
<b>Race/Ethnicity</b>									
Black*	17.3	( 15.3 - 19.4 )	1,993	16.8	( 14.2 - 19.8 )	987	17.8	( 15.1 - 20.9 )	994
Hispanic/Latino	24.5	( 20.7 - 28.6 )	1,095	27.4	( 22.7 - 32.8 )	525	20.5	( 16.1 - 25.8 )	553
White*	22.2	( 20.7 - 23.8 )	5,083	24.9	( 22.6 - 27.2 )	2,240	19.9	( 18.1 - 21.9 )	2,827
All other races*	26.1	( 20.1 - 33.2 )	357	28.1	( 19.7 - 38.5 )	179	23.8	( 16.7 - 32.7 )	176
Multiple races*	24.8	( 20.9 - 29.1 )	687	24.8	( 19.5 - 30.9 )	282	24.5	( 19.4 - 30.5 )	400

Note: 41,635 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN64: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)

	Percentage	Total		N	Male		N	Female		N		
		95% confidence interval			95% confidence interval			95% confidence interval				
<b>Total</b>	56.9	( 55.6 - 58.2 )		9,302	64.2	( 62.3 - 66.0 )		4,246	50.7	( 48.9 - 52.4 )		4,985
<b>Age</b>												
15 or younger	59.4	( 56.7 - 62.1 )		2,426	65.4	( 61.8 - 68.9 )		1,086	53.8	( 50.0 - 57.6 )		1,309
16 or 17	56.4	( 54.9 - 57.9 )		6,203	64.6	( 62.2 - 66.8 )		2,799	49.9	( 47.9 - 51.9 )		3,379
18 or older	54.0	( 49.4 - 58.6 )		660	58.8	( 52.2 - 65.0 )		356	48.9	( 41.2 - 56.6 )		295
<b>Grade</b>												
9th	62.4	( 58.2 - 66.4 )		1,066	67.9	( 62.2 - 73.1 )		542	55.5	( 49.7 - 61.1 )		513
10th	59.0	( 56.1 - 61.9 )		1,964	67.7	( 64.0 - 71.1 )		839	51.4	( 47.2 - 55.6 )		1,112
11th	58.6	( 56.3 - 60.8 )		2,963	64.6	( 61.4 - 67.7 )		1,359	53.4	( 50.4 - 56.4 )		1,595
12th	54.0	( 51.7 - 56.3 )		3,164	61.6	( 58.1 - 65.0 )		1,447	47.8	( 44.9 - 50.7 )		1,705
<b>Race/Ethnicity</b>												
Black*	58.1	( 55.5 - 60.7 )		1,928	68.3	( 64.9 - 71.5 )		943	48.7	( 44.8 - 52.6 )		974
Hispanic/Latino	58.4	( 53.9 - 62.7 )		1,077	63.5	( 56.6 - 70.0 )		512	53.9	( 48.8 - 58.9 )		549
White*	55.9	( 54.2 - 57.7 )		5,017	62.0	( 59.4 - 64.6 )		2,212	51.0	( 48.7 - 53.3 )		2,789
All other races*	57.9	( 52.1 - 63.5 )		356	63.8	( 55.2 - 71.6 )		178	52.8	( 44.6 - 60.9 )		174
Multiple races*	54.0	( 49.5 - 58.5 )		682	60.8	( 53.9 - 67.2 )		282	48.9	( 43.0 - 55.0 )		395

Note: 41,785 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN65: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	20.2	( 19.1 - 21.4 )	9,284	17.2	( 15.8 - 18.7 )	4,254	23.1	( 21.4 - 24.8 )	4,943
15 or younger	13.1	( 11.5 - 15.0 )	2,443	10.6	( 8.5 - 13.2 )	1,104	15.9	( 13.3 - 18.9 )	1,294
16 or 17	22.7	( 21.3 - 24.2 )	6,181	19.2	( 17.5 - 21.1 )	2,796	25.6	( 23.5 - 27.7 )	3,357
18 or older	21.0	( 17.1 - 25.4 )	649	20.9	( 16.0 - 26.9 )	350	21.1	( 16.1 - 27.3 )	290
<b>Grade</b>									
9th	11.7	( 9.5 - 14.2 )	1,069	11.0	( 8.1 - 14.9 )	549	12.6	( 9.3 - 16.8 )	507
10th	14.6	( 12.7 - 16.7 )	1,938	11.1	( 8.9 - 13.9 )	831	17.6	( 14.9 - 20.7 )	1,094
11th	20.6	( 18.7 - 22.6 )	2,953	17.1	( 14.7 - 19.8 )	1,364	23.7	( 20.9 - 26.6 )	1,578
12th	25.3	( 23.3 - 27.4 )	3,160	22.5	( 19.8 - 25.5 )	1,445	27.6	( 24.9 - 30.5 )	1,700
<b>Race/Ethnicity</b>									
Black*	10.7	( 9.0 - 12.7 )	1,923	8.5	( 6.5 - 10.9 )	950	13.0	( 10.4 - 16.1 )	964
Hispanic/Latino	12.5	( 10.6 - 14.8 )	1,081	11.3	( 8.7 - 14.4 )	516	13.9	( 11.0 - 17.6 )	547
White*	29.3	( 27.5 - 31.2 )	4,979	25.7	( 23.4 - 28.2 )	2,198	32.2	( 29.8 - 34.8 )	2,764
All other races*	13.0	( 9.2 - 17.9 )	360	11.0	( 6.2 - 18.8 )	182	14.2	( 8.9 - 21.8 )	174
Multiple races*	21.0	( 17.5 - 25.0 )	665	18.6	( 13.9 - 24.5 )	276	23.0	( 18.0 - 29.0 )	384

Note: 41,803 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	3.7	( 3.2 - 4.3 )	9,284	2.1	( 1.6 - 2.7 )	4,254	5.1	( 4.4 - 6.0 )	4,943
<b>Age</b>									
15 or younger	2.7	( 2.0 - 3.6 )	2,443	1.8	( 1.0 - 3.3 )	1,104	3.2	( 2.3 - 4.4 )	1,294
16 or 17	3.6	( 3.1 - 4.3 )	6,181	1.9	( 1.4 - 2.6 )	2,796	5.1	( 4.2 - 6.2 )	3,357
18 or older	7.1	( 4.8 - 10.4 )	649	4.1	( 2.2 - 7.5 )	350	11.0	( 6.8 - 17.2 )	290
<b>Grade</b>									
9th	2.2	( 1.2 - 3.7 )	1,069	2.6	( 1.2 - 5.4 )	549	1.7	( 0.9 - 3.2 )	507
10th	2.8	( 2.0 - 3.8 )	1,938	1.6	( 0.8 - 3.3 )	831	3.8	( 2.7 - 5.2 )	1,094
11th	3.9	( 3.1 - 4.8 )	2,953	1.7	( 1.1 - 2.7 )	1,364	5.8	( 4.4 - 7.6 )	1,578
12th	4.3	( 3.3 - 5.5 )	3,160	2.2	( 1.5 - 3.2 )	1,445	6.0	( 4.5 - 8.0 )	1,700
<b>Race/Ethnicity</b>									
Black*	2.6	( 1.9 - 3.6 )	1,923	1.8	( 1.0 - 3.1 )	950	3.5	( 2.3 - 5.2 )	964
Hispanic/Latino	3.9	( 2.6 - 5.8 )	1,081	2.2	( 1.0 - 4.9 )	516	5.5	( 3.5 - 8.6 )	547
White*	4.3	( 3.5 - 5.2 )	4,979	2.2	( 1.5 - 3.2 )	2,198	6.0	( 4.9 - 7.2 )	2,764
All other races*	2.3	( 1.1 - 5.0 )	360	1.2	( 0.4 - 3.2 )	182	3.4	( 1.3 - 9.0 )	174
Multiple races*	4.4	( 3.1 - 6.4 )	665	2.3	( 1.1 - 4.6 )	276	6.1	( 4.0 - 9.3 )	384

Note: 41,803 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNSHPARG: Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active))

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	3.7	( 3.3 - 4.3 )	9,284	2.6	( 2.0 - 3.2 )	4,254	4.8	( 4.0 - 5.7 )	4,943
<b>Age</b>									
15 or younger	3.0	( 2.2 - 4.2 )	2,443	1.7	( 0.9 - 3.2 )	1,104	4.2	( 2.9 - 6.1 )	1,294
16 or 17	3.9	( 3.3 - 4.6 )	6,181	2.8	( 2.1 - 3.6 )	2,796	4.8	( 3.9 - 5.9 )	3,357
18 or older	4.8	( 3.0 - 7.5 )	649	3.1	( 1.5 - 6.4 )	350	7.0	( 3.9 - 12.2 )	290
<b>Grade</b>									
9th	3.0	( 1.8 - 5.0 )	1,069	2.5	( 1.1 - 5.4 )	549	3.8	( 2.0 - 7.0 )	507
10th	3.7	( 2.7 - 5.1 )	1,938	1.5	( 0.8 - 2.9 )	831	5.7	( 4.0 - 7.9 )	1,094
11th	4.2	( 3.4 - 5.2 )	2,953	2.8	( 1.9 - 4.1 )	1,364	5.3	( 4.1 - 6.9 )	1,578
12th	3.8	( 3.0 - 4.8 )	3,160	3.0	( 2.1 - 4.4 )	1,445	4.5	( 3.3 - 5.9 )	1,700
<b>Race/Ethnicity</b>									
Black*	4.9	( 3.9 - 6.2 )	1,923	3.0	( 2.0 - 4.6 )	950	6.8	( 4.9 - 9.2 )	964
Hispanic/Latino	2.5	( 1.5 - 4.2 )	1,081	1.1	( 0.3 - 3.2 )	516	4.0	( 2.3 - 6.9 )	547
White*	3.4	( 2.9 - 4.0 )	4,979	2.6	( 1.9 - 3.5 )	2,198	4.1	( 3.3 - 5.0 )	2,764
All other races*	1.9	( 1.0 - 3.6 )	360	1.5	( 0.5 - 4.2 )	182	2.4	( 1.1 - 5.2 )	174
Multiple races*	3.1	( 2.0 - 4.9 )	665	2.0	( 1.0 - 4.0 )	276	4.0	( 2.3 - 6.9 )	384

Note: 41,803 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	27.7	( 26.5 - 28.9 )	9,284	21.9	( 20.3 - 23.5 )	4,254	33.0	( 31.3 - 34.8 )	4,943
<b>Age</b>									
15 or younger	18.9	( 16.9 - 21.0 )	2,443	14.2	( 11.6 - 17.2 )	1,104	23.3	( 20.2 - 26.7 )	1,294
16 or 17	30.2	( 28.7 - 31.7 )	6,181	23.9	( 22.0 - 25.9 )	2,796	35.5	( 33.3 - 37.7 )	3,357
18 or older	32.9	( 28.5 - 37.6 )	649	28.2	( 22.6 - 34.5 )	350	39.1	( 31.9 - 46.8 )	290
<b>Grade</b>									
9th	16.8	( 14.0 - 20.0 )	1,069	16.1	( 12.1 - 21.0 )	549	18.1	( 14.1 - 23.0 )	507
10th	21.1	( 18.7 - 23.6 )	1,938	14.2	( 11.7 - 17.2 )	831	27.0	( 23.7 - 30.6 )	1,094
11th	28.6	( 26.5 - 30.8 )	2,953	21.6	( 19.0 - 24.4 )	1,364	34.8	( 31.6 - 38.1 )	1,578
12th	33.4	( 31.3 - 35.5 )	3,160	27.8	( 24.9 - 30.8 )	1,445	38.0	( 35.3 - 40.8 )	1,700
<b>Race/Ethnicity</b>									
Black*	18.2	( 16.2 - 20.4 )	1,923	13.3	( 10.8 - 16.2 )	950	23.2	( 19.9 - 26.8 )	964
Hispanic/Latino	19.0	( 16.7 - 21.4 )	1,081	14.6	( 11.9 - 17.8 )	516	23.5	( 19.6 - 27.8 )	547
White*	36.9	( 35.0 - 38.9 )	4,979	30.5	( 28.0 - 33.1 )	2,198	42.3	( 39.7 - 44.8 )	2,764
All other races*	17.2	( 13.0 - 22.4 )	360	13.7	( 8.4 - 21.5 )	182	20.0	( 13.7 - 28.2 )	174
Multiple races*	28.6	( 24.9 - 32.6 )	665	22.9	( 17.9 - 28.9 )	276	33.2	( 27.7 - 39.2 )	384

Note: 41,803 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	9.4	( 8.6 - 10.2 )	9,116	7.8	( 6.8 - 8.9 )	4,158	10.8	( 9.8 - 12.0 )	4,891
<b>Age</b>									
15 or younger	7.4	( 6.1 - 8.9 )	2,369	4.9	( 3.4 - 7.0 )	1,067	10.0	( 8.0 - 12.3 )	1,272
16 or 17	10.2	( 9.2 - 11.2 )	6,091	8.7	( 7.4 - 10.3 )	2,739	11.3	( 10.0 - 12.8 )	3,328
18 or older	8.5	( 6.2 - 11.6 )	645	8.5	( 5.2 - 13.5 )	348	8.7	( 5.7 - 13.1 )	289
<b>Grade</b>									
9th	6.6	( 4.7 - 9.1 )	1,038	5.8	( 3.5 - 9.6 )	530	7.7	( 5.0 - 11.7 )	497
10th	7.9	( 6.6 - 9.5 )	1,914	5.3	( 3.8 - 7.5 )	816	10.1	( 8.2 - 12.3 )	1,085
11th	10.2	( 8.9 - 11.7 )	2,904	7.8	( 6.3 - 9.7 )	1,333	12.3	( 10.2 - 14.8 )	1,563
12th	10.3	( 9.1 - 11.7 )	3,120	9.7	( 7.9 - 11.7 )	1,422	10.9	( 9.3 - 12.7 )	1,686
<b>Race/Ethnicity</b>									
Black*	6.6	( 5.4 - 8.1 )	1,887	5.5	( 4.0 - 7.5 )	927	7.8	( 6.0 - 9.9 )	951
Hispanic/Latino	6.0	( 4.3 - 8.2 )	1,056	3.8	( 2.3 - 6.3 )	501	8.1	( 5.4 - 12.1 )	540
White*	12.2	( 11.0 - 13.4 )	4,935	10.7	( 8.9 - 12.7 )	2,173	13.4	( 12.1 - 14.9 )	2,746
All other races*	6.9	( 4.2 - 11.4 )	350	8.3	( 3.9 - 16.6 )	174	5.5	( 2.6 - 11.5 )	172
Multiple races*	8.2	( 6.1 - 10.8 )	656	6.1	( 3.2 - 11.1 )	272	9.8	( 6.9 - 13.8 )	379

Note: 41,971 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	15.8	( 14.8 - 16.8 )	9,284	13.9	( 12.6 - 15.2 )	4,254	17.2	( 15.9 - 18.6 )	4,943
15 or younger	19.5	( 17.6 - 21.5 )	2,443	16.5	( 13.9 - 19.5 )	1,104	22.1	( 19.4 - 25.1 )	1,294
16 or 17	14.2	( 13.1 - 15.4 )	6,181	12.2	( 10.8 - 13.7 )	2,796	15.7	( 14.1 - 17.5 )	3,357
18 or older	17.9	( 14.1 - 22.5 )	649	17.7	( 13.0 - 23.8 )	350	16.3	( 11.0 - 23.5 )	290
<b>Grade</b>									
9th	20.3	( 17.3 - 23.5 )	1,069	17.9	( 14.0 - 22.6 )	549	23.3	( 18.8 - 28.5 )	507
10th	17.8	( 15.5 - 20.3 )	1,938	13.4	( 11.0 - 16.3 )	831	21.3	( 18.1 - 24.8 )	1,094
11th	15.0	( 13.4 - 16.9 )	2,953	14.5	( 12.3 - 16.9 )	1,364	15.5	( 13.3 - 18.0 )	1,578
12th	13.5	( 12.0 - 15.2 )	3,160	11.9	( 9.9 - 14.3 )	1,445	14.7	( 12.5 - 17.3 )	1,700
<b>Race/Ethnicity</b>									
Black*	20.7	( 18.6 - 22.9 )	1,923	16.6	( 14.0 - 19.6 )	950	24.2	( 21.0 - 27.7 )	964
Hispanic/Latino	21.5	( 18.2 - 25.3 )	1,081	18.7	( 14.4 - 23.8 )	516	23.6	( 18.6 - 29.5 )	547
White*	10.4	( 9.3 - 11.6 )	4,979	9.5	( 8.2 - 11.1 )	2,198	11.0	( 9.5 - 12.8 )	2,764
All other races*	15.1	( 11.0 - 20.2 )	360	17.7	( 11.3 - 26.6 )	182	12.5	( 7.9 - 19.4 )	174
Multiple races*	17.3	( 14.1 - 21.0 )	665	14.0	( 10.3 - 18.9 )	276	19.4	( 15.1 - 24.6 )	384

Note: 41,803 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNOBESE: Percentage of students who had obesity ( $\geq$  95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)\*\*

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	12.6	( 12.1 - 13.1 )	45,772	14.7	( 14.0 - 15.4 )	22,848	10.4	( 9.9 - 11.0 )	22,924
15 or younger	11.8	( 11.1 - 12.5 )	21,374	14.0	( 13.1 - 15.1 )	10,341	9.4	( 8.7 - 10.2 )	11,033
16 or 17	13.2	( 12.6 - 13.8 )	22,513	15.6	( 14.7 - 16.5 )	11,385	10.8	( 10.0 - 11.6 )	11,128
18 or older	13.8	( 11.8 - 16.0 )	1,885	12.1	( 10.0 - 14.5 )	1,122	16.1	( 12.8 - 20.2 )	763
<b>Grade</b>									
9th	11.4	( 10.6 - 12.4 )	12,560	13.2	( 12.0 - 14.6 )	6,172	9.5	( 8.6 - 10.5 )	6,388
10th	12.7	( 11.9 - 13.5 )	12,226	15.1	( 14.0 - 16.3 )	6,039	10.1	( 9.1 - 11.2 )	6,187
11th	13.1	( 12.1 - 14.1 )	11,573	15.9	( 14.6 - 17.3 )	5,847	10.1	( 9.0 - 11.4 )	5,726
12th	13.4	( 12.4 - 14.5 )	9,066	14.9	( 13.6 - 16.3 )	4,578	11.9	( 10.7 - 13.3 )	4,488
<b>Race/Ethnicity</b>									
Black*	16.3	( 15.4 - 17.3 )	10,163	16.8	( 15.4 - 18.2 )	5,059	15.9	( 14.8 - 17.0 )	5,104
Hispanic/Latino	14.7	( 13.7 - 15.8 )	5,096	17.6	( 15.9 - 19.4 )	2,536	11.7	( 10.4 - 13.1 )	2,560
White*	9.9	( 9.3 - 10.5 )	23,034	13.1	( 12.3 - 14.0 )	11,509	6.4	( 5.8 - 7.1 )	11,525
All other races*	6.0	( 4.8 - 7.4 )	3,104	8.5	( 6.5 - 11.1 )	1,603	3.2	( 2.3 - 4.3 )	1,501
Multiple races*	12.1	( 10.8 - 13.6 )	3,235	13.3	( 11.3 - 15.5 )	1,448	11.2	( 9.5 - 13.1 )	1,787

Note: 5,315 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight ( $\geq$  85th percentile but  $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)\*\*

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	15.2	( 14.7 - 15.6 )	45,772	14.4	( 13.8 - 15.0 )	22,848	16.0	( 15.3 - 16.7 )	22,924
15 or younger	16.1	( 15.4 - 16.8 )	21,374	14.9	( 14.0 - 15.9 )	10,341	17.3	( 16.2 - 18.3 )	11,033
16 or 17	14.4	( 13.8 - 14.9 )	22,513	13.7	( 13.0 - 14.4 )	11,385	15.1	( 14.2 - 15.9 )	11,128
18 or older	15.4	( 13.5 - 17.6 )	1,885	16.4	( 14.0 - 19.2 )	1,122	14.1	( 11.2 - 17.5 )	763
<b>Grade</b>									
9th	16.1	( 15.2 - 17.0 )	12,560	14.5	( 13.3 - 15.7 )	6,172	17.8	( 16.5 - 19.3 )	6,388
10th	15.4	( 14.6 - 16.3 )	12,226	15.2	( 14.0 - 16.5 )	6,039	15.7	( 14.5 - 17.0 )	6,187
11th	14.3	( 13.5 - 15.1 )	11,573	13.3	( 12.1 - 14.5 )	5,847	15.3	( 14.1 - 16.6 )	5,726
12th	14.8	( 13.9 - 15.7 )	9,066	14.6	( 13.5 - 15.9 )	4,578	15.0	( 13.5 - 16.5 )	4,488
<b>Race/Ethnicity</b>									
Black*	17.5	( 16.7 - 18.4 )	10,163	15.8	( 14.7 - 16.9 )	5,059	19.3	( 18.0 - 20.6 )	5,104
Hispanic/Latino	18.1	( 16.5 - 19.8 )	5,096	15.3	( 13.5 - 17.2 )	2,536	21.1	( 18.9 - 23.5 )	2,560
White*	12.9	( 12.3 - 13.5 )	23,034	13.1	( 12.3 - 14.0 )	11,509	12.6	( 11.9 - 13.4 )	11,525
All other races*	11.7	( 10.4 - 13.0 )	3,104	13.5	( 11.5 - 15.8 )	1,603	9.7	( 7.7 - 12.0 )	1,501
Multiple races*	16.0	( 14.5 - 17.6 )	3,235	15.5	( 13.1 - 18.1 )	1,448	16.5	( 14.3 - 18.9 )	1,787

Note: 5,315 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.



2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN68: Percentage of students who described themselves as slightly or very overweight

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	27.1	( 26.6 - 27.7 )	47,897	22.9	( 22.1 - 23.6 )	23,196	31.4	( 30.6 - 32.2 )	24,212
<b>Age</b>									
15 or younger	26.3	( 25.4 - 27.3 )	22,665	22.7	( 21.5 - 23.9 )	10,573	29.9	( 28.7 - 31.1 )	11,809
16 or 17	28.2	( 27.4 - 29.0 )	23,179	23.2	( 22.3 - 24.2 )	11,464	33.0	( 31.9 - 34.1 )	11,570
18 or older	24.5	( 22.4 - 26.7 )	1,977	21.3	( 18.6 - 24.3 )	1,137	28.7	( 24.7 - 33.0 )	819
<b>Grade</b>									
9th	25.6	( 24.5 - 26.8 )	13,133	22.4	( 20.9 - 24.0 )	6,237	28.9	( 27.5 - 30.3 )	6,804
10th	26.5	( 25.4 - 27.7 )	12,834	21.8	( 20.4 - 23.2 )	6,127	31.2	( 29.8 - 32.6 )	6,604
11th	27.5	( 26.4 - 28.6 )	12,030	22.8	( 21.3 - 24.3 )	5,966	32.2	( 30.7 - 33.7 )	5,986
12th	29.0	( 27.9 - 30.2 )	9,269	24.6	( 23.1 - 26.2 )	4,585	33.4	( 31.6 - 35.2 )	4,622
<b>Race/Ethnicity</b>									
Black*	25.8	( 24.7 - 26.9 )	10,144	19.9	( 18.5 - 21.3 )	4,841	31.4	( 29.8 - 32.9 )	5,261
Hispanic/Latino	32.8	( 31.2 - 34.4 )	5,607	29.1	( 26.6 - 31.6 )	2,675	36.5	( 34.5 - 38.6 )	2,833
White*	26.7	( 25.9 - 27.5 )	24,007	23.2	( 22.2 - 24.2 )	11,789	30.2	( 29.1 - 31.3 )	12,116
All other races*	25.9	( 24.5 - 27.3 )	3,304	24.4	( 22.3 - 26.6 )	1,676	27.4	( 25.5 - 29.5 )	1,598
Multiple races*	28.8	( 27.0 - 30.7 )	3,345	22.9	( 20.4 - 25.6 )	1,449	33.7	( 31.2 - 36.4 )	1,879

Note: 3,190 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN70: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	31.2	( 30.6 - 31.7 )	48,248	29.5	( 28.8 - 30.2 )	23,353	32.7	( 31.9 - 33.5 )	24,370
<b>Age</b>									
15 or younger	30.4	( 29.6 - 31.3 )	22,842	28.7	( 27.5 - 30.0 )	10,655	31.9	( 30.9 - 32.8 )	11,886
16 or 17	31.6	( 30.9 - 32.3 )	23,316	29.9	( 29.0 - 30.9 )	11,523	33.3	( 32.2 - 34.4 )	11,641
18 or older	33.0	( 30.2 - 35.9 )	2,006	31.3	( 27.9 - 34.8 )	1,154	35.0	( 30.9 - 39.4 )	830
<b>Grade</b>									
9th	30.8	( 29.8 - 31.9 )	13,237	29.1	( 27.6 - 30.6 )	6,290	32.6	( 31.2 - 34.0 )	6,846
10th	30.0	( 28.9 - 31.1 )	12,941	28.8	( 27.4 - 30.3 )	6,177	31.0	( 29.7 - 32.4 )	6,652
11th	31.2	( 30.3 - 32.2 )	12,093	29.7	( 28.2 - 31.3 )	5,996	32.7	( 31.2 - 34.2 )	6,018
12th	32.5	( 31.3 - 33.7 )	9,329	30.3	( 28.7 - 32.0 )	4,606	34.5	( 32.6 - 36.4 )	4,655
<b>Race/Ethnicity</b>									
Black*	27.1	( 26.0 - 28.1 )	10,211	27.9	( 26.5 - 29.4 )	4,884	26.2	( 24.8 - 27.7 )	5,285
Hispanic/Latino	29.5	( 28.3 - 30.8 )	5,664	27.9	( 26.0 - 30.0 )	2,697	30.6	( 28.9 - 32.4 )	2,860
White*	33.9	( 33.1 - 34.6 )	24,112	30.7	( 29.7 - 31.7 )	11,823	37.0	( 36.0 - 38.1 )	12,182
All other races*	36.9	( 34.9 - 39.1 )	3,333	32.2	( 30.0 - 34.5 )	1,687	42.1	( 38.9 - 45.3 )	1,616
Multiple races*	30.8	( 28.9 - 32.8 )	3,370	27.7	( 24.6 - 31.0 )	1,465	33.1	( 30.7 - 35.6 )	1,887

Note: 2,839 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN71: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	16.3	( 15.8 - 16.9 )	48,092	18.3	( 17.5 - 19.2 )	23,276	14.2	( 13.7 - 14.8 )	24,291
<b>Age</b>									
15 or younger	15.7	( 14.8 - 16.6 )	22,775	17.6	( 16.4 - 18.9 )	10,624	13.5	( 12.7 - 14.4 )	11,848
16 or 17	16.5	( 15.9 - 17.2 )	23,238	18.6	( 17.7 - 19.6 )	11,483	14.5	( 13.6 - 15.4 )	11,602
18 or older	20.0	( 17.9 - 22.3 )	2,001	21.4	( 18.6 - 24.5 )	1,150	18.0	( 14.9 - 21.5 )	828
<b>Grade</b>									
9th	16.0	( 14.9 - 17.1 )	13,194	18.1	( 16.6 - 19.7 )	6,264	13.8	( 12.7 - 15.0 )	6,831
10th	15.9	( 14.9 - 16.9 )	12,885	18.3	( 16.9 - 19.9 )	6,155	13.4	( 12.4 - 14.5 )	6,619
11th	16.2	( 15.2 - 17.3 )	12,055	18.3	( 16.9 - 19.7 )	5,969	14.1	( 12.8 - 15.5 )	6,006
12th	16.8	( 15.7 - 17.8 )	9,304	18.4	( 16.9 - 20.1 )	4,599	15.2	( 13.8 - 16.8 )	4,637
<b>Race/Ethnicity</b>									
Black*	22.7	( 21.6 - 23.8 )	10,154	25.0	( 23.3 - 26.7 )	4,860	20.5	( 19.2 - 21.9 )	5,254
Hispanic/Latino	16.0	( 14.8 - 17.2 )	5,653	17.2	( 15.7 - 18.8 )	2,693	14.4	( 12.7 - 16.3 )	2,854
White*	12.3	( 11.7 - 12.9 )	24,057	14.4	( 13.6 - 15.3 )	11,794	10.1	( 9.4 - 10.9 )	12,157
All other races*	9.9	( 8.3 - 11.7 )	3,321	12.1	( 10.3 - 14.1 )	1,679	7.4	( 5.4 - 10.0 )	1,611
Multiple races*	15.7	( 14.2 - 17.4 )	3,352	18.6	( 16.1 - 21.3 )	1,457	13.1	( 11.4 - 15.0 )	1,877

Note: 2,995 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	8.6	( 8.2 - 9.0 )	47,865	9.9	( 9.3 - 10.5 )	23,146	7.3	( 6.8 - 7.7 )	24,209
15 or younger	8.2	( 7.6 - 8.8 )	22,654	9.3	( 8.4 - 10.3 )	10,560	6.8	( 6.2 - 7.4 )	11,801
16 or 17	8.7	( 8.2 - 9.2 )	23,147	10.2	( 9.5 - 11.0 )	11,427	7.2	( 6.6 - 7.8 )	11,570
18 or older	12.1	( 10.5 - 13.9 )	1,987	12.0	( 9.8 - 14.5 )	1,140	11.9	( 9.5 - 14.7 )	826
<b>Grade</b>									
9th	8.4	( 7.7 - 9.3 )	13,127	9.6	( 8.4 - 11.0 )	6,227	7.2	( 6.4 - 8.1 )	6,802
10th	8.2	( 7.6 - 8.9 )	12,828	9.8	( 8.9 - 10.9 )	6,121	6.7	( 5.9 - 7.5 )	6,597
11th	8.3	( 7.6 - 9.0 )	12,009	9.7	( 8.7 - 10.9 )	5,943	6.7	( 6.0 - 7.6 )	5,990
12th	9.1	( 8.4 - 9.9 )	9,266	10.4	( 9.3 - 11.6 )	4,574	7.9	( 7.0 - 8.9 )	4,626
<b>Race/Ethnicity</b>									
Black*	10.6	( 9.8 - 11.4 )	10,091	12.7	( 11.5 - 14.0 )	4,819	8.6	( 7.8 - 9.5 )	5,232
Hispanic/Latino	9.2	( 8.4 - 10.2 )	5,606	10.0	( 8.5 - 11.6 )	2,670	8.3	( 7.2 - 9.5 )	2,831
White*	7.2	( 6.8 - 7.7 )	23,998	8.3	( 7.7 - 9.0 )	11,755	6.1	( 5.5 - 6.7 )	12,137
All other races*	5.8	( 4.8 - 7.1 )	3,312	6.8	( 5.4 - 8.4 )	1,674	4.8	( 3.6 - 6.4 )	1,608
Multiple races*	8.2	( 7.1 - 9.4 )	3,336	9.9	( 8.1 - 12.2 )	1,448	6.4	( 5.3 - 7.8 )	1,871

Note: 3,222 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	53.9	( 53.0 - 54.7 )	47,865	55.2	( 54.2 - 56.2 )	23,146	52.5	( 51.4 - 53.6 )	24,209
<b>Age</b>									
15 or younger	55.2	( 53.8 - 56.5 )	22,654	56.7	( 55.2 - 58.1 )	10,560	53.6	( 51.9 - 55.3 )	11,801
16 or 17	53.2	( 52.3 - 54.2 )	23,147	54.2	( 53.0 - 55.5 )	11,427	52.1	( 50.9 - 53.4 )	11,570
18 or older	49.4	( 46.8 - 52.1 )	1,987	51.4	( 48.1 - 54.7 )	1,140	46.4	( 41.8 - 51.0 )	826
<b>Grade</b>									
9th	55.2	( 53.7 - 56.7 )	13,127	56.7	( 54.8 - 58.6 )	6,227	53.4	( 51.6 - 55.3 )	6,802
10th	54.4	( 52.8 - 56.0 )	12,828	54.8	( 53.0 - 56.5 )	6,121	53.8	( 51.8 - 55.9 )	6,597
11th	54.6	( 53.2 - 55.9 )	12,009	56.1	( 54.3 - 58.0 )	5,943	53.0	( 51.3 - 54.7 )	5,990
12th	51.2	( 49.8 - 52.7 )	9,266	52.5	( 50.5 - 54.6 )	4,574	49.8	( 47.9 - 51.8 )	4,626
<b>Race/Ethnicity</b>									
Black*	49.2	( 47.9 - 50.5 )	10,091	50.6	( 48.9 - 52.3 )	4,819	47.8	( 46.0 - 49.6 )	5,232
Hispanic/Latino	53.5	( 51.9 - 55.1 )	5,606	54.8	( 52.7 - 56.9 )	2,670	52.0	( 49.8 - 54.2 )	2,831
White*	56.4	( 55.2 - 57.7 )	23,998	57.2	( 55.8 - 58.5 )	11,755	55.6	( 54.1 - 57.2 )	12,137
All other races*	60.1	( 57.7 - 62.6 )	3,312	62.5	( 59.8 - 65.1 )	1,674	57.7	( 54.2 - 61.2 )	1,608
Multiple races*	55.4	( 53.5 - 57.3 )	3,336	58.5	( 55.4 - 61.5 )	1,448	53.1	( 50.5 - 55.6 )	1,871

Note: 3,222 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	26.7	( 26.1 - 27.4 )	47,865	27.8	( 27.1 - 28.5 )	23,146	25.6	( 24.7 - 26.5 )	24,209
<b>Age</b>									
15 or younger	27.5	( 26.6 - 28.4 )	22,654	28.6	( 27.5 - 29.7 )	10,560	26.5	( 25.3 - 27.8 )	11,801
16 or 17	26.3	( 25.5 - 27.0 )	23,147	27.4	( 26.5 - 28.4 )	11,427	25.0	( 23.9 - 26.1 )	11,570
18 or older	24.8	( 22.9 - 26.9 )	1,987	25.6	( 23.0 - 28.3 )	1,140	23.4	( 20.3 - 26.9 )	826
<b>Grade</b>									
9th	27.4	( 26.4 - 28.5 )	13,127	28.3	( 26.9 - 29.7 )	6,227	26.4	( 24.8 - 28.0 )	6,802
10th	27.8	( 26.5 - 29.0 )	12,828	28.6	( 27.1 - 30.0 )	6,121	26.8	( 25.2 - 28.5 )	6,597
11th	26.8	( 25.8 - 27.9 )	12,009	28.0	( 26.4 - 29.6 )	5,943	25.8	( 24.4 - 27.2 )	5,990
12th	24.9	( 23.7 - 26.1 )	9,266	26.1	( 24.3 - 27.9 )	4,574	23.6	( 22.1 - 25.1 )	4,626
<b>Race/Ethnicity</b>									
Black*	26.0	( 25.0 - 27.0 )	10,091	27.8	( 26.3 - 29.3 )	4,819	24.3	( 22.7 - 25.9 )	5,232
Hispanic/Latino	26.1	( 24.7 - 27.6 )	5,606	27.3	( 25.4 - 29.3 )	2,670	25.1	( 23.1 - 27.2 )	2,831
White*	26.8	( 25.8 - 27.9 )	23,998	27.1	( 25.9 - 28.2 )	11,755	26.4	( 25.0 - 27.8 )	12,137
All other races*	29.9	( 28.4 - 31.4 )	3,312	31.1	( 28.2 - 34.1 )	1,674	28.7	( 26.1 - 31.5 )	1,608
Multiple races*	28.2	( 26.3 - 30.2 )	3,336	30.4	( 27.4 - 33.7 )	1,448	26.4	( 24.0 - 28.9 )	1,871

Note: 3,222 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	15.8	( 15.4 - 16.3 )	47,865	17.4	( 16.7 - 18.1 )	23,146	14.2	( 13.6 - 14.8 )	24,209
15 or younger	16.0	( 15.4 - 16.7 )	22,654	17.9	( 17.1 - 18.8 )	10,560	14.2	( 13.4 - 15.1 )	11,801
16 or 17	15.5	( 14.9 - 16.1 )	23,147	16.8	( 15.9 - 17.8 )	11,427	14.1	( 13.2 - 15.0 )	11,570
18 or older	17.1	( 15.4 - 18.9 )	1,987	18.2	( 15.9 - 20.7 )	1,140	15.5	( 13.0 - 18.4 )	826
<b>Grade</b>									
9th	16.5	( 15.6 - 17.5 )	13,127	17.8	( 16.6 - 19.0 )	6,227	15.2	( 13.9 - 16.5 )	6,802
10th	16.0	( 15.2 - 17.0 )	12,828	18.0	( 16.8 - 19.4 )	6,121	13.9	( 12.8 - 15.1 )	6,597
11th	15.9	( 15.2 - 16.7 )	12,009	17.2	( 16.1 - 18.4 )	5,943	14.7	( 13.6 - 15.8 )	5,990
12th	14.5	( 13.6 - 15.5 )	9,266	16.0	( 14.7 - 17.5 )	4,574	13.0	( 11.7 - 14.4 )	4,626
<b>Race/Ethnicity</b>									
Black*	17.5	( 16.6 - 18.4 )	10,091	19.4	( 18.1 - 20.7 )	4,819	15.7	( 14.3 - 17.1 )	5,232
Hispanic/Latino	17.3	( 16.0 - 18.6 )	5,606	19.0	( 17.1 - 21.0 )	2,670	15.6	( 14.1 - 17.2 )	2,831
White*	14.0	( 13.3 - 14.8 )	23,998	15.3	( 14.4 - 16.2 )	11,755	12.8	( 12.0 - 13.6 )	12,137
All other races*	14.8	( 13.7 - 15.9 )	3,312	15.5	( 14.0 - 17.2 )	1,674	14.0	( 12.4 - 15.7 )	1,608
Multiple races*	16.4	( 15.0 - 17.9 )	3,336	19.8	( 17.4 - 22.4 )	1,448	13.5	( 11.9 - 15.4 )	1,871

Note: 3,222 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN72: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)

	Percentage	Total		Percentage	Male		Percentage	Female	
		95% confidence interval	N		95% confidence interval	N		95% confidence interval	N
<b>Total</b>	44.8	( 44.1 - 45.6 )	47,750	48.5	( 47.7 - 49.4 )	23,056	41.3	( 40.2 - 42.4 )	24,181
<b>Age</b>									
15 or younger	46.2	( 45.0 - 47.4 )	22,611	49.7	( 48.3 - 51.2 )	10,519	43.0	( 41.5 - 44.5 )	11,803
16 or 17	43.9	( 43.0 - 44.8 )	23,078	47.9	( 46.8 - 49.1 )	11,379	40.0	( 38.6 - 41.3 )	11,546
18 or older	42.2	( 39.4 - 45.1 )	1,982	44.6	( 41.1 - 48.2 )	1,140	39.2	( 35.3 - 43.1 )	819
<b>Grade</b>									
9th	46.4	( 45.0 - 47.7 )	13,098	49.5	( 47.4 - 51.6 )	6,202	43.3	( 41.6 - 45.1 )	6,800
10th	45.7	( 44.2 - 47.2 )	12,805	50.5	( 48.7 - 52.2 )	6,091	41.2	( 39.1 - 43.3 )	6,602
11th	43.2	( 41.8 - 44.6 )	11,960	47.0	( 45.3 - 48.6 )	5,910	39.6	( 37.6 - 41.7 )	5,975
12th	43.6	( 42.1 - 45.2 )	9,247	46.9	( 44.8 - 48.9 )	4,567	40.5	( 38.4 - 42.7 )	4,611
<b>Race/Ethnicity</b>									
Black*	55.2	( 53.9 - 56.4 )	10,057	57.7	( 56.0 - 59.4 )	4,785	52.8	( 51.0 - 54.6 )	5,230
Hispanic/Latino	44.5	( 42.8 - 46.3 )	5,588	47.5	( 44.8 - 50.3 )	2,656	41.8	( 39.5 - 44.1 )	2,831
White*	37.6	( 36.5 - 38.6 )	23,943	43.2	( 42.0 - 44.5 )	11,729	31.8	( 30.6 - 33.1 )	12,112
All other races*	42.4	( 40.1 - 44.8 )	3,297	44.5	( 41.5 - 47.7 )	1,667	40.2	( 37.3 - 43.1 )	1,599
Multiple races*	45.0	( 42.8 - 47.2 )	3,329	46.3	( 43.3 - 49.4 )	1,439	44.0	( 40.9 - 47.1 )	1,872

Note: 3,337 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN73: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	38.9	( 38.0 - 39.7 )	48,064	37.8	( 36.9 - 38.7 )	23,234	39.9	( 38.8 - 41.0 )	24,307
<b>Age</b>									
15 or younger	40.2	( 39.0 - 41.4 )	22,748	39.5	( 38.0 - 41.0 )	10,596	40.9	( 39.5 - 42.3 )	11,850
16 or 17	38.0	( 37.0 - 39.0 )	23,237	36.8	( 35.7 - 37.9 )	11,464	39.0	( 37.5 - 40.5 )	11,621
18 or older	35.9	( 33.2 - 38.8 )	2,001	33.4	( 30.0 - 36.9 )	1,153	39.3	( 35.3 - 43.5 )	825
<b>Grade</b>									
9th	41.5	( 40.1 - 43.0 )	13,172	40.9	( 39.1 - 42.8 )	6,250	42.2	( 40.3 - 44.0 )	6,821
10th	38.7	( 37.3 - 40.0 )	12,896	38.1	( 36.3 - 39.9 )	6,152	39.3	( 37.7 - 40.9 )	6,634
11th	37.9	( 36.5 - 39.3 )	12,030	37.5	( 35.9 - 39.1 )	5,945	38.3	( 36.3 - 40.3 )	6,005
12th	36.8	( 35.5 - 38.2 )	9,309	33.9	( 32.2 - 35.7 )	4,599	39.6	( 37.4 - 41.8 )	4,646
<b>Race/Ethnicity</b>									
Black*	48.1	( 46.8 - 49.3 )	10,148	47.0	( 45.5 - 48.5 )	4,843	49.1	( 47.1 - 51.0 )	5,265
Hispanic/Latino	41.1	( 39.2 - 42.9 )	5,648	39.1	( 36.8 - 41.4 )	2,686	42.6	( 40.2 - 45.0 )	2,855
White*	31.6	( 30.7 - 32.6 )	24,039	31.1	( 30.1 - 32.2 )	11,774	32.1	( 30.7 - 33.4 )	12,159
All other races*	34.1	( 31.8 - 36.4 )	3,327	33.5	( 30.2 - 36.9 )	1,686	35.0	( 32.4 - 37.6 )	1,609
Multiple races*	40.8	( 38.9 - 42.8 )	3,361	39.2	( 36.3 - 42.2 )	1,461	42.2	( 39.4 - 45.0 )	1,882

Note: 3,023 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN74: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	55.0	( 54.1 - 55.8 )	47,964	53.6	( 52.6 - 54.6 )	23,177	56.7	( 55.6 - 57.7 )	24,264
<b>Age</b>									
15 or younger	55.4	( 54.1 - 56.7 )	22,694	53.7	( 52.3 - 55.2 )	10,564	57.7	( 56.0 - 59.3 )	11,828
16 or 17	54.8	( 53.8 - 55.8 )	23,198	53.7	( 52.3 - 55.0 )	11,448	55.9	( 54.7 - 57.2 )	11,600
18 or older	52.7	( 50.0 - 55.4 )	1,993	51.6	( 48.5 - 54.7 )	1,146	55.0	( 50.7 - 59.3 )	823
<b>Grade</b>									
9th	55.8	( 54.2 - 57.5 )	13,141	53.8	( 51.8 - 55.8 )	6,231	58.1	( 56.2 - 60.0 )	6,810
10th	55.4	( 53.9 - 56.9 )	12,864	54.2	( 52.5 - 55.9 )	6,137	56.9	( 54.9 - 58.9 )	6,617
11th	54.6	( 53.3 - 55.9 )	12,024	53.4	( 51.6 - 55.1 )	5,939	55.8	( 53.9 - 57.7 )	6,002
12th	54.3	( 52.6 - 56.1 )	9,280	53.2	( 51.0 - 55.4 )	4,582	55.7	( 53.5 - 57.8 )	4,634
<b>Race/Ethnicity</b>									
Black*	68.2	( 67.0 - 69.4 )	10,102	65.3	( 63.4 - 67.1 )	4,816	71.1	( 69.6 - 72.6 )	5,248
Hispanic/Latino	52.0	( 50.2 - 53.7 )	5,633	49.0	( 46.9 - 51.1 )	2,679	55.4	( 52.8 - 58.0 )	2,850
White*	47.7	( 46.6 - 48.8 )	24,015	47.7	( 46.4 - 49.1 )	11,762	47.6	( 46.4 - 48.8 )	12,149
All other races*	45.2	( 43.1 - 47.2 )	3,321	46.4	( 43.8 - 49.1 )	1,683	44.0	( 41.3 - 46.8 )	1,605
Multiple races*	55.3	( 53.1 - 57.4 )	3,345	52.4	( 49.5 - 55.4 )	1,451	57.7	( 55.0 - 60.3 )	1,876

Note: 3,123 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN75: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	20.1	( 19.3 - 20.8 )	47,262	22.4	( 21.4 - 23.3 )	22,836	17.6	( 16.7 - 18.5 )	23,914
15 or younger	20.2	( 19.0 - 21.4 )	22,349	22.4	( 20.9 - 24.1 )	10,412	17.7	( 16.4 - 19.0 )	11,636
16 or 17	19.7	( 18.9 - 20.5 )	22,883	22.1	( 21.1 - 23.1 )	11,272	17.3	( 16.3 - 18.4 )	11,465
18 or older	22.4	( 20.0 - 25.1 )	1,957	23.6	( 20.6 - 26.9 )	1,133	20.7	( 16.9 - 25.2 )	801
<b>Grade</b>									
9th	20.5	( 19.2 - 21.9 )	12,928	22.3	( 20.4 - 24.4 )	6,132	18.6	( 17.0 - 20.2 )	6,698
10th	20.2	( 18.9 - 21.6 )	12,683	23.1	( 21.4 - 25.0 )	6,052	17.3	( 15.7 - 19.0 )	6,521
11th	19.9	( 18.9 - 20.9 )	11,856	22.4	( 21.1 - 23.8 )	5,854	17.2	( 15.9 - 18.6 )	5,925
12th	18.8	( 17.6 - 20.0 )	9,162	20.8	( 19.2 - 22.5 )	4,519	16.8	( 15.3 - 18.4 )	4,577
<b>Race/Ethnicity</b>									
Black*	27.0	( 25.9 - 28.1 )	9,893	29.7	( 28.1 - 31.2 )	4,715	24.4	( 22.9 - 26.0 )	5,139
Hispanic/Latino	24.4	( 22.9 - 26.0 )	5,510	25.3	( 23.1 - 27.7 )	2,628	23.1	( 21.3 - 25.2 )	2,779
White*	14.8	( 14.1 - 15.5 )	23,782	17.8	( 16.9 - 18.8 )	11,640	11.7	( 10.9 - 12.5 )	12,037
All other races*	11.0	( 9.5 - 12.8 )	3,280	12.7	( 10.5 - 15.3 )	1,668	9.0	( 7.3 - 11.1 )	1,582
Multiple races*	18.5	( 16.9 - 20.1 )	3,294	20.6	( 18.1 - 23.2 )	1,427	16.7	( 14.6 - 19.0 )	1,849

Note: 3,825 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	9.0	( 8.6 - 9.5 )	46,481	10.6	( 9.9 - 11.3 )	22,395	7.4	( 6.9 - 8.0 )	23,617
<b>Age</b>									
15 or younger	9.0	( 8.3 - 9.8 )	21,966	10.6	( 9.5 - 11.9 )	10,207	7.4	( 6.7 - 8.2 )	11,491
16 or 17	9.0	( 8.5 - 9.5 )	22,541	10.7	( 10.0 - 11.5 )	11,073	7.4	( 6.7 - 8.1 )	11,329
18 or older	9.3	( 7.5 - 11.4 )	1,906	9.6	( 7.5 - 12.1 )	1,098	8.8	( 6.4 - 11.8 )	786
<b>Grade</b>									
9th	9.4	( 8.5 - 10.3 )	12,717	10.7	( 9.3 - 12.3 )	6,016	8.0	( 7.1 - 9.1 )	6,610
10th	9.1	( 8.3 - 9.9 )	12,488	11.3	( 10.1 - 12.5 )	5,929	7.0	( 6.0 - 8.2 )	6,453
11th	8.9	( 8.2 - 9.7 )	11,675	10.9	( 9.9 - 12.1 )	5,745	6.9	( 6.1 - 7.9 )	5,860
12th	8.2	( 7.4 - 9.0 )	9,005	9.1	( 8.1 - 10.3 )	4,437	7.3	( 6.3 - 8.5 )	4,512
<b>Race/Ethnicity</b>									
Black*	12.9	( 12.1 - 13.8 )	9,681	14.8	( 13.2 - 16.4 )	4,586	11.3	( 10.3 - 12.5 )	5,059
Hispanic/Latino	11.5	( 10.3 - 12.8 )	5,385	12.5	( 10.3 - 15.0 )	2,565	10.3	( 9.0 - 11.8 )	2,723
White*	5.9	( 5.5 - 6.4 )	23,522	7.7	( 7.1 - 8.4 )	11,492	4.1	( 3.7 - 4.6 )	11,931
All other races*	4.9	( 4.0 - 6.0 )	3,231	6.3	( 4.9 - 8.2 )	1,636	3.3	( 2.5 - 4.4 )	1,567
Multiple races*	8.8	( 7.7 - 10.1 )	3,237	10.8	( 8.9 - 13.1 )	1,392	7.0	( 5.7 - 8.6 )	1,829

Note: 4,606 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	57.4	( 56.4 - 58.4 )	46,481	58.0	( 56.9 - 59.1 )	22,395	56.5	( 55.3 - 57.8 )	23,617
<b>Age</b>									
15 or younger	57.0	( 55.5 - 58.5 )	21,966	57.4	( 55.6 - 59.3 )	10,207	56.2	( 54.4 - 58.0 )	11,491
16 or 17	57.5	( 56.5 - 58.5 )	22,541	58.2	( 56.9 - 59.5 )	11,073	56.8	( 55.4 - 58.2 )	11,329
18 or older	59.0	( 56.1 - 61.9 )	1,906	60.7	( 56.8 - 64.4 )	1,098	56.7	( 52.1 - 61.1 )	786
<b>Grade</b>									
9th	56.0	( 54.2 - 57.7 )	12,717	56.4	( 54.3 - 58.5 )	6,016	55.3	( 53.2 - 57.3 )	6,610
10th	57.1	( 55.3 - 59.0 )	12,488	57.0	( 54.9 - 59.1 )	5,929	57.0	( 54.7 - 59.3 )	6,453
11th	57.7	( 56.4 - 59.0 )	11,675	58.4	( 56.7 - 60.0 )	5,745	57.0	( 55.2 - 58.7 )	5,860
12th	58.7	( 57.1 - 60.3 )	9,005	60.4	( 58.3 - 62.4 )	4,437	57.0	( 55.1 - 59.0 )	4,512
<b>Race/Ethnicity</b>									
Black*	46.3	( 45.2 - 47.4 )	9,681	48.7	( 47.0 - 50.5 )	4,586	43.9	( 42.3 - 45.4 )	5,059
Hispanic/Latino	52.7	( 50.8 - 54.7 )	5,385	54.4	( 51.6 - 57.2 )	2,565	50.9	( 48.9 - 53.0 )	2,723
White*	64.1	( 62.9 - 65.3 )	23,522	62.7	( 61.4 - 64.1 )	11,492	65.5	( 63.9 - 67.0 )	11,931
All other races*	72.6	( 69.8 - 75.3 )	3,231	72.7	( 69.6 - 75.6 )	1,636	72.5	( 68.3 - 76.3 )	1,567
Multiple races*	57.6	( 55.5 - 59.6 )	3,237	60.1	( 57.1 - 63.0 )	1,392	55.8	( 52.9 - 58.7 )	1,829

Note: 4,606 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	24.0	( 23.2 - 24.8 )	46,481	25.1	( 24.4 - 25.8 )	22,395	22.5	( 21.4 - 23.7 )	23,617
<b>Age</b>									
15 or younger	23.6	( 22.5 - 24.7 )	21,966	24.2	( 23.2 - 25.3 )	10,207	22.4	( 20.8 - 24.0 )	11,491
16 or 17	23.8	( 22.9 - 24.7 )	22,541	25.1	( 24.2 - 26.1 )	11,073	22.4	( 21.2 - 23.7 )	11,329
18 or older	28.7	( 26.2 - 31.4 )	1,906	30.9	( 27.9 - 34.1 )	1,098	24.9	( 21.4 - 28.8 )	786
<b>Grade</b>									
9th	23.2	( 22.0 - 24.4 )	12,717	24.0	( 22.5 - 25.6 )	6,016	22.1	( 20.5 - 23.7 )	6,610
10th	23.5	( 22.0 - 25.1 )	12,488	23.7	( 22.1 - 25.4 )	5,929	22.8	( 20.9 - 24.8 )	6,453
11th	24.7	( 23.6 - 25.8 )	11,675	25.9	( 24.6 - 27.2 )	5,745	23.3	( 21.5 - 25.1 )	5,860
12th	24.2	( 23.0 - 25.4 )	9,005	26.6	( 25.0 - 28.2 )	4,437	21.7	( 20.1 - 23.4 )	4,512
<b>Race/Ethnicity</b>									
Black*	17.9	( 17.0 - 18.8 )	9,681	20.2	( 18.9 - 21.6 )	4,586	15.5	( 14.4 - 16.7 )	5,059
Hispanic/Latino	23.4	( 21.8 - 25.2 )	5,385	25.0	( 22.9 - 27.2 )	2,565	21.7	( 19.2 - 24.4 )	2,723
White*	26.1	( 25.0 - 27.3 )	23,522	26.2	( 25.0 - 27.5 )	11,492	26.0	( 24.5 - 27.4 )	11,931
All other races*	35.8	( 33.4 - 38.3 )	3,231	35.8	( 33.5 - 38.2 )	1,636	35.8	( 32.6 - 39.1 )	1,567
Multiple races*	24.3	( 22.5 - 26.2 )	3,237	26.7	( 24.0 - 29.5 )	1,392	22.4	( 20.2 - 24.9 )	1,829

Note: 4,606 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	12.0	( 11.6 - 12.4 )	46,481	12.7	( 12.2 - 13.2 )	22,395	11.1	( 10.4 - 11.8 )	23,617
<b>Age</b>									
15 or younger	12.1	( 11.5 - 12.7 )	21,966	12.7	( 12.0 - 13.4 )	10,207	11.1	( 10.1 - 12.1 )	11,491
16 or 17	11.5	( 11.0 - 12.1 )	22,541	12.1	( 11.3 - 12.8 )	11,073	10.9	( 10.1 - 11.7 )	11,329
18 or older	16.4	( 14.5 - 18.3 )	1,906	18.0	( 15.7 - 20.7 )	1,098	13.2	( 10.7 - 16.1 )	786
<b>Grade</b>									
9th	12.1	( 11.4 - 12.8 )	12,717	12.9	( 11.9 - 13.9 )	6,016	11.2	( 10.1 - 12.3 )	6,610
10th	11.5	( 10.6 - 12.5 )	12,488	11.8	( 10.8 - 12.9 )	5,929	10.9	( 9.7 - 12.3 )	6,453
11th	12.0	( 11.3 - 12.9 )	11,675	13.0	( 11.9 - 14.1 )	5,745	11.1	( 10.0 - 12.2 )	5,860
12th	12.0	( 11.1 - 13.0 )	9,005	13.1	( 11.8 - 14.4 )	4,437	10.8	( 9.6 - 12.0 )	4,512
<b>Race/Ethnicity</b>									
Black*	9.7	( 9.1 - 10.5 )	9,681	11.4	( 10.3 - 12.5 )	4,586	8.2	( 7.3 - 9.2 )	5,059
Hispanic/Latino	13.3	( 12.3 - 14.3 )	5,385	14.5	( 12.9 - 16.3 )	2,565	11.7	( 10.4 - 13.2 )	2,723
White*	11.7	( 11.0 - 12.4 )	23,522	11.7	( 10.9 - 12.6 )	11,492	11.6	( 10.7 - 12.5 )	11,931
All other races*	18.3	( 16.6 - 20.1 )	3,231	19.0	( 16.7 - 21.6 )	1,636	17.4	( 15.2 - 19.8 )	1,567
Multiple races*	13.7	( 12.2 - 15.2 )	3,237	13.8	( 11.8 - 16.0 )	1,392	13.5	( 11.7 - 15.6 )	1,829

Note: 4,606 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN76: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	31.8	( 31.2 - 32.5 )	47,735	29.8	( 28.9 - 30.8 )	23,065	33.8	( 32.8 - 34.7 )	24,151
<b>Age</b>									
15 or younger	31.7	( 30.5 - 32.8 )	22,566	29.8	( 28.3 - 31.4 )	10,515	33.6	( 32.2 - 35.0 )	11,750
16 or 17	32.1	( 31.2 - 33.1 )	23,102	30.2	( 28.9 - 31.5 )	11,382	33.8	( 32.6 - 35.1 )	11,568
18 or older	30.5	( 28.2 - 33.0 )	1,988	27.1	( 23.9 - 30.6 )	1,148	34.6	( 30.9 - 38.4 )	820
<b>Grade</b>									
9th	30.7	( 29.5 - 32.0 )	13,047	28.9	( 27.3 - 30.7 )	6,196	32.7	( 31.1 - 34.3 )	6,754
10th	32.0	( 30.7 - 33.3 )	12,807	30.1	( 28.5 - 31.8 )	6,108	33.8	( 32.0 - 35.5 )	6,588
11th	32.0	( 30.7 - 33.4 )	11,958	29.8	( 28.2 - 31.6 )	5,900	33.9	( 32.2 - 35.7 )	5,977
12th	32.6	( 31.3 - 33.9 )	9,269	30.2	( 28.4 - 32.2 )	4,572	34.7	( 32.8 - 36.6 )	4,633
<b>Race/Ethnicity</b>									
Black*	30.4	( 29.1 - 31.7 )	10,044	31.5	( 29.6 - 33.5 )	4,785	29.4	( 27.9 - 31.0 )	5,218
Hispanic/Latino	29.5	( 28.0 - 31.1 )	5,574	28.4	( 25.3 - 31.8 )	2,656	30.4	( 28.3 - 32.7 )	2,816
White*	31.4	( 30.5 - 32.4 )	23,940	26.9	( 25.9 - 27.9 )	11,720	36.0	( 34.7 - 37.4 )	12,117
All other races*	44.0	( 41.9 - 46.2 )	3,316	40.2	( 37.5 - 42.9 )	1,680	48.2	( 44.8 - 51.7 )	1,605
Multiple races*	31.2	( 29.3 - 33.1 )	3,323	29.9	( 27.4 - 32.6 )	1,448	32.2	( 29.8 - 34.7 )	1,858

Note: 3,352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	14.0	( 13.5 - 14.4 )	47,735	15.7	( 15.0 - 16.3 )	23,065	12.1	( 11.5 - 12.7 )	24,151
<b>Age</b>									
15 or younger	13.4	( 12.7 - 14.1 )	22,566	14.6	( 13.6 - 15.7 )	10,515	11.8	( 10.9 - 12.6 )	11,750
16 or 17	14.1	( 13.5 - 14.8 )	23,102	16.1	( 15.2 - 17.0 )	11,382	12.2	( 11.4 - 13.0 )	11,568
18 or older	17.4	( 15.5 - 19.4 )	1,988	19.7	( 17.1 - 22.6 )	1,148	13.8	( 11.0 - 17.2 )	820
<b>Grade</b>									
9th	13.6	( 12.7 - 14.6 )	13,047	14.9	( 13.6 - 16.3 )	6,196	12.0	( 10.9 - 13.2 )	6,754
10th	13.7	( 12.8 - 14.6 )	12,807	15.1	( 13.9 - 16.3 )	6,108	12.1	( 11.1 - 13.2 )	6,588
11th	13.9	( 13.0 - 14.8 )	11,958	16.8	( 15.4 - 18.2 )	5,900	11.0	( 10.0 - 12.1 )	5,977
12th	14.3	( 13.3 - 15.3 )	9,269	15.8	( 14.5 - 17.1 )	4,572	12.8	( 11.7 - 14.0 )	4,633
<b>Race/Ethnicity</b>									
Black*	15.0	( 14.2 - 15.9 )	10,044	15.7	( 14.4 - 17.0 )	4,785	14.3	( 13.2 - 15.4 )	5,218
Hispanic/Latino	13.3	( 12.3 - 14.3 )	5,574	14.5	( 12.8 - 16.3 )	2,656	11.8	( 10.3 - 13.4 )	2,816
White*	14.2	( 13.4 - 14.9 )	23,940	16.9	( 16.0 - 17.9 )	11,720	11.3	( 10.5 - 12.2 )	12,117
All other races*	7.4	( 6.3 - 8.5 )	3,316	9.3	( 7.8 - 11.0 )	1,680	5.1	( 4.2 - 6.3 )	1,605
Multiple races*	14.1	( 12.7 - 15.6 )	3,323	15.6	( 13.5 - 18.0 )	1,448	12.6	( 10.8 - 14.6 )	1,858

Note: 3,352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	8.9	( 8.5 - 9.3 )	47,735	9.9	( 9.4 - 10.5 )	23,065	7.7	( 7.2 - 8.2 )	24,151
<b>Age</b>									
15 or younger	8.5	( 7.9 - 9.0 )	22,566	9.2	( 8.4 - 10.0 )	10,515	7.5	( 6.8 - 8.2 )	11,750
16 or 17	9.1	( 8.5 - 9.7 )	23,102	10.2	( 9.4 - 11.0 )	11,382	7.9	( 7.3 - 8.6 )	11,568
18 or older	10.9	( 9.4 - 12.7 )	1,988	12.8	( 10.5 - 15.5 )	1,148	7.8	( 5.9 - 10.3 )	820
<b>Grade</b>									
9th	8.6	( 7.9 - 9.4 )	13,047	9.4	( 8.4 - 10.5 )	6,196	7.6	( 6.8 - 8.6 )	6,754
10th	8.7	( 8.1 - 9.4 )	12,807	9.6	( 8.7 - 10.6 )	6,108	7.7	( 6.8 - 8.6 )	6,588
11th	8.8	( 7.9 - 9.6 )	11,958	10.5	( 9.4 - 11.8 )	5,900	7.0	( 6.1 - 8.0 )	5,977
12th	9.2	( 8.4 - 10.1 )	9,269	10.1	( 9.0 - 11.4 )	4,572	8.3	( 7.3 - 9.4 )	4,633
<b>Race/Ethnicity</b>									
Black*	10.3	( 9.6 - 11.1 )	10,044	10.8	( 9.6 - 12.0 )	4,785	9.8	( 8.8 - 10.8 )	5,218
Hispanic/Latino	8.2	( 7.4 - 9.0 )	5,574	8.4	( 7.3 - 9.7 )	2,656	7.7	( 6.4 - 9.1 )	2,816
White*	8.6	( 8.0 - 9.1 )	23,940	10.3	( 9.5 - 11.2 )	11,720	6.8	( 6.2 - 7.4 )	12,117
All other races*	4.0	( 3.3 - 4.8 )	3,316	5.1	( 4.1 - 6.4 )	1,680	2.7	( 2.0 - 3.6 )	1,605
Multiple races*	9.5	( 8.3 - 10.7 )	3,323	11.0	( 9.2 - 13.0 )	1,448	8.1	( 6.7 - 9.7 )	1,858

Note: 3,352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	5.1	( 4.8 - 5.4 )	47,735	5.8	( 5.4 - 6.2 )	23,065	4.2	( 3.9 - 4.6 )	24,151
<b>Age</b>									
15 or younger	4.8	( 4.4 - 5.2 )	22,566	5.2	( 4.7 - 5.9 )	10,515	4.2	( 3.7 - 4.7 )	11,750
16 or 17	5.0	( 4.6 - 5.5 )	23,102	5.9	( 5.3 - 6.5 )	11,382	4.2	( 3.7 - 4.7 )	11,568
18 or older	7.4	( 6.1 - 9.0 )	1,988	8.6	( 6.6 - 11.1 )	1,148	5.4	( 3.7 - 7.6 )	820
<b>Grade</b>									
9th	4.9	( 4.4 - 5.5 )	13,047	5.4	( 4.6 - 6.3 )	6,196	4.4	( 3.7 - 5.2 )	6,754
10th	5.0	( 4.4 - 5.6 )	12,807	5.7	( 4.9 - 6.6 )	6,108	4.2	( 3.6 - 5.0 )	6,588
11th	4.9	( 4.4 - 5.6 )	11,958	6.2	( 5.3 - 7.2 )	5,900	3.7	( 3.0 - 4.6 )	5,977
12th	5.0	( 4.4 - 5.6 )	9,269	5.8	( 5.0 - 6.7 )	4,572	4.2	( 3.6 - 4.9 )	4,633
<b>Race/Ethnicity</b>									
Black*	6.6	( 6.0 - 7.3 )	10,044	6.9	( 6.0 - 7.9 )	4,785	6.2	( 5.5 - 7.0 )	5,218
Hispanic/Latino	4.3	( 3.8 - 4.9 )	5,574	4.9	( 4.1 - 5.9 )	2,656	3.5	( 2.8 - 4.5 )	2,816
White*	4.3	( 3.9 - 4.7 )	23,940	5.4	( 4.9 - 6.0 )	11,720	3.1	( 2.8 - 3.5 )	12,117
All other races*	2.6	( 2.0 - 3.3 )	3,316	3.0	( 2.3 - 4.0 )	1,680	2.1	( 1.5 - 2.9 )	1,605
Multiple races*	5.4	( 4.5 - 6.5 )	3,323	6.4	( 5.0 - 8.2 )	1,448	4.4	( 3.3 - 5.7 )	1,858

Note: 3,352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN79: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	35.2	( 34.4 - 36.0 )	47,558	42.2	( 41.1 - 43.3 )	22,988	28.4	( 27.5 - 29.4 )	24,048
<b>Age</b>									
15 or younger	38.3	( 37.2 - 39.5 )	22,479	45.1	( 43.3 - 46.9 )	10,477	32.1	( 30.8 - 33.4 )	11,702
16 or 17	33.2	( 32.3 - 34.1 )	23,028	40.6	( 39.4 - 41.8 )	11,356	26.0	( 24.9 - 27.2 )	11,522
18 or older	27.6	( 25.3 - 30.1 )	1,971	33.9	( 30.5 - 37.4 )	1,136	18.9	( 15.9 - 22.4 )	813
<b>Grade</b>									
9th	39.7	( 38.2 - 41.1 )	12,980	46.0	( 44.0 - 48.1 )	6,164	33.3	( 31.7 - 35.0 )	6,715
10th	36.2	( 34.7 - 37.6 )	12,757	42.9	( 41.0 - 44.9 )	6,088	29.8	( 28.2 - 31.4 )	6,558
11th	32.9	( 31.7 - 34.1 )	11,935	40.1	( 38.6 - 41.7 )	5,891	25.9	( 24.5 - 27.4 )	5,966
12th	31.6	( 30.4 - 33.0 )	9,241	39.5	( 37.4 - 41.7 )	4,561	24.2	( 22.6 - 25.9 )	4,613
<b>Race/Ethnicity</b>									
Black*	30.5	( 29.3 - 31.8 )	9,973	36.7	( 34.9 - 38.4 )	4,746	24.7	( 23.2 - 26.3 )	5,190
Hispanic/Latino	26.8	( 25.4 - 28.3 )	5,545	32.9	( 30.3 - 35.6 )	2,644	20.8	( 19.0 - 22.8 )	2,795
White*	42.1	( 41.1 - 43.2 )	23,902	49.8	( 48.4 - 51.2 )	11,716	34.6	( 33.2 - 35.9 )	12,079
All other races*	30.9	( 28.7 - 33.2 )	3,299	38.4	( 35.3 - 41.5 )	1,675	22.8	( 20.0 - 25.8 )	1,594
Multiple races*	37.7	( 35.8 - 39.6 )	3,310	48.1	( 45.0 - 51.2 )	1,438	29.5	( 27.2 - 31.9 )	1,854

Note: 3,529 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	21.6	( 20.9 - 22.3 )	47,558	17.8	( 17.0 - 18.6 )	22,988	25.4	( 24.4 - 26.4 )	24,048
<b>Age</b>									
15 or younger	18.7	( 17.9 - 19.6 )	22,479	15.8	( 14.7 - 17.0 )	10,477	21.5	( 20.3 - 22.6 )	11,702
16 or 17	23.5	( 22.6 - 24.3 )	23,028	18.8	( 17.8 - 19.8 )	11,356	28.0	( 26.7 - 29.4 )	11,522
18 or older	28.6	( 26.1 - 31.1 )	1,971	24.3	( 21.0 - 27.8 )	1,136	34.7	( 30.8 - 38.8 )	813
<b>Grade</b>									
9th	16.9	( 15.8 - 18.0 )	12,980	14.8	( 13.4 - 16.3 )	6,164	18.8	( 17.4 - 20.2 )	6,715
10th	21.8	( 20.5 - 23.0 )	12,757	18.1	( 16.7 - 19.6 )	6,088	25.4	( 23.7 - 27.2 )	6,558
11th	23.5	( 22.4 - 24.6 )	11,935	19.6	( 18.3 - 21.0 )	5,891	27.3	( 25.8 - 29.0 )	5,966
12th	24.7	( 23.4 - 26.1 )	9,241	18.9	( 17.2 - 20.6 )	4,561	30.3	( 28.3 - 32.4 )	4,613
<b>Race/Ethnicity</b>									
Black*	27.4	( 26.2 - 28.7 )	9,973	22.9	( 21.2 - 24.7 )	4,746	31.6	( 30.0 - 33.3 )	5,190
Hispanic/Latino	26.6	( 24.8 - 28.5 )	5,545	21.2	( 18.8 - 23.8 )	2,644	31.9	( 29.4 - 34.5 )	2,795
White*	15.7	( 15.1 - 16.4 )	23,902	13.3	( 12.5 - 14.1 )	11,716	18.0	( 17.1 - 19.0 )	12,079
All other races*	22.5	( 21.0 - 24.1 )	3,299	17.4	( 15.1 - 19.9 )	1,675	28.0	( 25.2 - 31.0 )	1,594
Multiple races*	20.2	( 18.6 - 22.0 )	3,310	13.5	( 11.5 - 15.8 )	1,438	25.5	( 23.3 - 27.8 )	1,854

Note: 3,529 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	17.9	( 17.4 - 18.4 )	47,558	23.4	( 22.7 - 24.2 )	22,988	12.6	( 12.0 - 13.2 )	24,048
<b>Age</b>									
15 or younger	19.4	( 18.7 - 20.2 )	22,479	25.0	( 23.7 - 26.2 )	10,477	14.3	( 13.5 - 15.1 )	11,702
16 or 17	16.9	( 16.3 - 17.5 )	23,028	22.5	( 21.6 - 23.5 )	11,356	11.5	( 10.8 - 12.3 )	11,522
18 or older	14.9	( 13.0 - 17.0 )	1,971	19.3	( 16.7 - 22.1 )	1,136	8.9	( 6.7 - 11.7 )	813
<b>Grade</b>									
9th	20.4	( 19.4 - 21.4 )	12,980	26.2	( 24.6 - 27.9 )	6,164	14.4	( 13.4 - 15.5 )	6,715
10th	18.7	( 17.9 - 19.5 )	12,757	23.5	( 22.3 - 24.8 )	6,088	14.1	( 13.0 - 15.2 )	6,558
11th	16.8	( 15.9 - 17.7 )	11,935	22.2	( 21.0 - 23.5 )	5,891	11.5	( 10.5 - 12.6 )	5,966
12th	15.8	( 14.9 - 16.7 )	9,241	21.6	( 20.2 - 23.2 )	4,561	10.3	( 9.4 - 11.3 )	4,613
<b>Race/Ethnicity</b>									
Black*	16.1	( 15.3 - 17.0 )	9,973	20.8	( 19.5 - 22.0 )	4,746	11.8	( 10.7 - 13.0 )	5,190
Hispanic/Latino	13.5	( 12.3 - 14.7 )	5,545	17.8	( 15.5 - 20.3 )	2,644	9.2	( 8.1 - 10.4 )	2,795
White*	21.5	( 20.8 - 22.2 )	23,902	28.1	( 27.0 - 29.2 )	11,716	14.9	( 14.1 - 15.8 )	12,079
All other races*	13.9	( 12.5 - 15.5 )	3,299	18.4	( 16.4 - 20.6 )	1,675	9.1	( 7.6 - 11.0 )	1,594
Multiple races*	19.1	( 17.7 - 20.7 )	3,310	26.6	( 23.9 - 29.4 )	1,438	13.2	( 11.7 - 15.0 )	1,854

Note: 3,529 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN80: Percentage of students who watched television 3 or more hours per day (on an average school day)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	22.1	( 21.4 - 22.8 )	47,202	21.2	( 20.2 - 22.2 )	22,776	23.0	( 22.2 - 23.7 )	23,925
<b>Age</b>									
15 or younger	22.2	( 21.2 - 23.2 )	22,289	21.2	( 19.8 - 22.6 )	10,366	23.3	( 22.2 - 24.4 )	11,633
16 or 17	21.9	( 21.0 - 22.8 )	22,873	21.0	( 19.9 - 22.2 )	11,260	22.8	( 21.8 - 23.8 )	11,467
18 or older	22.5	( 20.5 - 24.6 )	1,964	22.7	( 20.1 - 25.5 )	1,131	21.9	( 18.6 - 25.5 )	812
<b>Grade</b>									
9th	22.1	( 20.9 - 23.5 )	12,886	21.3	( 19.5 - 23.2 )	6,112	23.1	( 21.7 - 24.4 )	6,675
10th	22.6	( 21.3 - 24.0 )	12,656	21.3	( 19.7 - 22.9 )	6,018	24.0	( 22.4 - 25.6 )	6,530
11th	21.2	( 20.1 - 22.4 )	11,865	20.9	( 19.4 - 22.5 )	5,849	21.6	( 20.2 - 23.0 )	5,941
12th	22.1	( 21.0 - 23.3 )	9,174	21.1	( 19.5 - 22.8 )	4,524	23.2	( 21.6 - 24.8 )	4,587
<b>Race/Ethnicity</b>									
Black*	29.9	( 28.5 - 31.2 )	9,872	28.7	( 26.9 - 30.6 )	4,686	30.9	( 29.3 - 32.5 )	5,148
Hispanic/Latino	20.2	( 19.0 - 21.6 )	5,499	20.6	( 19.0 - 22.3 )	2,628	19.8	( 17.6 - 22.1 )	2,772
White*	18.2	( 17.4 - 19.1 )	23,790	17.5	( 16.5 - 18.6 )	11,640	19.0	( 18.0 - 20.0 )	12,045
All other races*	12.3	( 10.5 - 14.4 )	3,280	11.1	( 9.3 - 13.2 )	1,660	13.5	( 10.8 - 16.7 )	1,591
Multiple races*	21.9	( 20.2 - 23.7 )	3,275	20.5	( 17.9 - 23.4 )	1,415	23.0	( 20.7 - 25.5 )	1,843

Note: 3,885 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN81: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	38.0	( 37.2 - 38.8 )	47,511	39.8	( 38.9 - 40.7 )	22,984	36.3	( 35.2 - 37.4 )	24,014
<b>Age</b>									
15 or younger	39.3	( 38.2 - 40.4 )	22,425	40.4	( 39.1 - 41.8 )	10,456	38.5	( 37.1 - 40.0 )	11,670
16 or 17	37.3	( 36.3 - 38.3 )	23,034	39.8	( 38.6 - 41.1 )	11,367	34.8	( 33.5 - 36.2 )	11,521
18 or older	32.8	( 30.2 - 35.5 )	1,979	34.7	( 31.3 - 38.3 )	1,143	30.1	( 26.1 - 34.5 )	813
<b>Grade</b>									
9th	40.3	( 38.9 - 41.7 )	12,945	40.5	( 38.6 - 42.4 )	6,151	40.2	( 38.4 - 42.0 )	6,693
10th	37.8	( 36.5 - 39.2 )	12,749	40.0	( 38.3 - 41.6 )	6,087	35.8	( 33.9 - 37.7 )	6,554
11th	37.8	( 36.3 - 39.3 )	11,945	40.1	( 38.2 - 42.1 )	5,900	35.6	( 33.7 - 37.5 )	5,972
12th	35.9	( 34.6 - 37.3 )	9,227	38.6	( 36.7 - 40.6 )	4,560	33.3	( 31.6 - 35.1 )	4,601
<b>Race/Ethnicity</b>									
Black*	39.3	( 37.9 - 40.7 )	9,955	40.5	( 38.6 - 42.5 )	4,745	38.1	( 36.5 - 39.8 )	5,171
Hispanic/Latino	38.5	( 36.7 - 40.3 )	5,552	39.2	( 36.7 - 41.6 )	2,653	38.0	( 35.8 - 40.3 )	2,796
White*	36.8	( 35.8 - 37.9 )	23,879	39.8	( 38.6 - 41.0 )	11,699	33.7	( 32.4 - 35.1 )	12,075
All other races*	39.2	( 36.4 - 42.0 )	3,297	40.5	( 37.5 - 43.7 )	1,674	37.8	( 33.7 - 42.1 )	1,594
Multiple races*	42.2	( 40.0 - 44.5 )	3,304	41.6	( 38.5 - 44.7 )	1,437	42.8	( 40.0 - 45.7 )	1,849

Note: 3,576 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN82: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	36.4	( 35.4 - 37.5 )	47,194	43.3	( 42.1 - 44.6 )	22,785	29.1	( 27.8 - 30.4 )	23,909
15 or younger	46.0	( 44.4 - 47.6 )	22,261	50.4	( 48.6 - 52.2 )	10,357	41.1	( 39.2 - 42.9 )	11,614
16 or 17	28.0	( 26.9 - 29.2 )	22,900	37.1	( 35.6 - 38.6 )	11,279	19.0	( 17.7 - 20.4 )	11,478
18 or older	34.4	( 31.5 - 37.4 )	1,958	41.9	( 38.0 - 45.9 )	1,130	23.8	( 20.2 - 27.7 )	807
<b>Grade</b>									
9th	58.1	( 55.9 - 60.2 )	12,812	60.3	( 57.9 - 62.7 )	6,084	55.8	( 53.2 - 58.3 )	6,633
10th	30.8	( 29.0 - 32.6 )	12,701	38.2	( 36.1 - 40.2 )	6,050	23.0	( 21.0 - 25.1 )	6,547
11th	25.9	( 24.5 - 27.4 )	11,861	34.4	( 32.6 - 36.3 )	5,849	17.2	( 15.7 - 18.9 )	5,939
12th	28.5	( 27.0 - 30.0 )	9,179	38.2	( 36.1 - 40.3 )	4,518	18.9	( 17.1 - 20.7 )	4,596
<b>Race/Ethnicity</b>									
Black*	36.7	( 35.0 - 38.5 )	9,875	44.9	( 42.5 - 47.3 )	4,694	28.9	( 27.1 - 30.9 )	5,142
Hispanic/Latino	38.6	( 36.3 - 40.9 )	5,500	44.8	( 41.9 - 47.7 )	2,625	31.9	( 28.9 - 35.1 )	2,775
White*	34.9	( 33.6 - 36.3 )	23,776	41.7	( 40.2 - 43.2 )	11,629	28.1	( 26.4 - 29.7 )	12,043
All other races*	35.8	( 32.7 - 39.2 )	3,275	41.5	( 38.7 - 44.4 )	1,662	29.3	( 25.2 - 33.9 )	1,585
Multiple races*	36.4	( 34.3 - 38.5 )	3,280	42.5	( 39.2 - 45.7 )	1,421	31.4	( 28.8 - 34.1 )	1,840

Note: 3,893 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	15.3	( 14.5 - 16.1 )	47,194	18.3	( 17.3 - 19.3 )	22,785	12.3	( 11.2 - 13.4 )	23,909
<b>Age</b>									
15 or younger	20.4	( 19.1 - 21.7 )	22,261	22.1	( 20.7 - 23.7 )	10,357	18.9	( 17.4 - 20.6 )	11,614
16 or 17	10.9	( 10.0 - 11.9 )	22,900	15.2	( 13.9 - 16.6 )	11,279	6.6	( 5.7 - 7.7 )	11,478
18 or older	12.8	( 10.3 - 15.7 )	1,958	15.0	( 12.1 - 18.5 )	1,130	9.6	( 6.5 - 13.9 )	807
<b>Grade</b>									
9th	27.3	( 25.1 - 29.7 )	12,812	28.1	( 25.6 - 30.7 )	6,084	26.6	( 24.0 - 29.3 )	6,633
10th	11.5	( 10.4 - 12.7 )	12,701	14.1	( 13.0 - 15.3 )	6,050	8.9	( 7.4 - 10.6 )	6,547
11th	9.6	( 8.8 - 10.6 )	11,861	13.6	( 12.2 - 15.0 )	5,849	5.7	( 4.9 - 6.8 )	5,939
12th	11.7	( 10.3 - 13.3 )	9,179	16.4	( 14.2 - 18.8 )	4,518	7.3	( 5.8 - 9.1 )	4,596
<b>Race/Ethnicity</b>									
Black*	12.0	( 10.9 - 13.2 )	9,875	14.3	( 12.7 - 16.1 )	4,694	9.8	( 8.4 - 11.3 )	5,142
Hispanic/Latino	17.3	( 14.6 - 20.3 )	5,500	19.1	( 15.8 - 23.0 )	2,625	15.5	( 12.7 - 18.9 )	2,775
White*	16.4	( 15.3 - 17.6 )	23,776	20.1	( 18.8 - 21.5 )	11,629	12.6	( 11.4 - 14.0 )	12,043
All other races*	20.4	( 17.7 - 23.4 )	3,275	23.5	( 20.5 - 26.7 )	1,662	17.0	( 13.9 - 20.7 )	1,585
Multiple races*	14.6	( 13.4 - 15.9 )	3,280	17.2	( 14.9 - 19.8 )	1,421	12.6	( 10.9 - 14.7 )	1,840

Note: 3,893 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN84: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	16.8	( 16.2 - 17.4 )	46,824	18.6	( 17.8 - 19.4 )	22,589	14.4	( 13.8 - 15.1 )	23,754
<b>Age</b>									
15 or younger	17.3	( 16.4 - 18.3 )	22,094	18.4	( 17.2 - 19.7 )	10,267	15.3	( 14.2 - 16.4 )	11,550
16 or 17	15.5	( 14.8 - 16.2 )	22,724	17.9	( 17.0 - 18.9 )	11,191	13.1	( 12.2 - 13.9 )	11,396
18 or older	23.6	( 21.2 - 26.3 )	1,933	24.8	( 22.0 - 27.8 )	1,113	20.9	( 17.3 - 25.0 )	799
<b>Grade</b>									
9th	17.5	( 16.4 - 18.6 )	12,729	19.0	( 17.6 - 20.5 )	6,039	15.6	( 14.3 - 16.9 )	6,599
10th	17.3	( 16.1 - 18.4 )	12,586	18.3	( 16.9 - 19.8 )	5,984	15.8	( 14.4 - 17.3 )	6,503
11th	15.3	( 14.4 - 16.2 )	11,789	17.9	( 16.6 - 19.3 )	5,805	12.4	( 11.3 - 13.6 )	5,911
12th	15.8	( 14.8 - 16.8 )	9,098	18.1	( 16.7 - 19.6 )	4,485	13.2	( 12.0 - 14.4 )	4,551
<b>Race/Ethnicity</b>									
Black*	17.1	( 16.1 - 18.2 )	9,738	20.4	( 18.9 - 22.0 )	4,628	14.1	( 12.9 - 15.4 )	5,074
Hispanic/Latino	19.0	( 17.8 - 20.3 )	5,441	20.2	( 18.5 - 22.0 )	2,589	16.8	( 14.8 - 19.0 )	2,753
White*	15.1	( 14.4 - 15.8 )	23,685	16.2	( 15.3 - 17.1 )	11,570	13.8	( 13.0 - 14.7 )	12,011
All other races*	13.1	( 11.5 - 15.0 )	3,249	15.8	( 13.3 - 18.6 )	1,645	9.8	( 7.9 - 12.2 )	1,576
Multiple races*	17.2	( 15.7 - 18.8 )	3,250	18.4	( 16.3 - 20.6 )	1,412	16.3	( 14.4 - 18.5 )	1,823

Note: 4,263 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN85: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	15.2	( 14.6 - 15.9 )	46,815	16.1	( 15.3 - 17.0 )	22,544	14.0	( 13.2 - 14.8 )	23,812
15 or younger	13.0	( 12.2 - 13.8 )	22,088	14.1	( 12.9 - 15.4 )	10,250	11.3	( 10.4 - 12.2 )	11,574
16 or 17	16.1	( 15.4 - 16.7 )	22,739	16.9	( 16.0 - 17.8 )	11,176	15.1	( 14.1 - 16.1 )	11,432
18 or older	26.2	( 23.6 - 28.9 )	1,918	24.4	( 21.2 - 28.0 )	1,101	28.0	( 24.0 - 32.4 )	795
<b>Grade</b>									
9th	12.9	( 11.9 - 14.0 )	12,729	14.3	( 12.8 - 15.9 )	6,019	11.4	( 10.2 - 12.6 )	6,625
10th	13.4	( 12.3 - 14.6 )	12,601	15.1	( 13.6 - 16.8 )	5,986	11.2	( 10.1 - 12.5 )	6,513
11th	15.0	( 14.0 - 16.1 )	11,787	15.8	( 14.4 - 17.3 )	5,799	14.0	( 12.8 - 15.3 )	5,920
12th	19.3	( 18.1 - 20.6 )	9,099	19.1	( 17.6 - 20.7 )	4,472	19.3	( 17.5 - 21.3 )	4,568
<b>Race/Ethnicity</b>									
Black*	20.4	( 19.1 - 21.7 )	9,783	22.3	( 20.7 - 23.9 )	4,637	18.6	( 16.9 - 20.4 )	5,112
Hispanic/Latino	17.3	( 16.2 - 18.5 )	5,415	17.3	( 15.6 - 19.0 )	2,580	16.7	( 15.3 - 18.3 )	2,741
White*	10.9	( 10.3 - 11.5 )	23,697	11.5	( 10.7 - 12.2 )	11,574	10.1	( 9.4 - 10.9 )	12,021
All other races*	10.6	( 9.3 - 12.0 )	3,239	11.6	( 9.8 - 13.8 )	1,628	9.2	( 7.8 - 10.8 )	1,585
Multiple races*	13.7	( 12.5 - 15.0 )	3,260	14.4	( 12.5 - 16.5 )	1,406	13.2	( 11.5 - 15.2 )	1,837

Note: 4,272 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	76.6	( 75.8 - 77.4 )	47,259	75.6	( 74.6 - 76.6 )	22,791	78.3	( 77.4 - 79.2 )	23,967
15 or younger	77.8	( 76.6 - 78.9 )	22,296	76.9	( 75.4 - 78.4 )	10,352	79.7	( 78.4 - 80.9 )	11,655
16 or 17	77.1	( 76.2 - 77.9 )	22,932	76.2	( 75.0 - 77.3 )	11,290	78.1	( 77.0 - 79.2 )	11,499
18 or older	63.5	( 60.9 - 66.0 )	1,956	61.0	( 57.8 - 64.1 )	1,130	67.2	( 62.8 - 71.4 )	804
<b>Grade</b>									
9th	77.7	( 76.2 - 79.1 )	12,831	76.3	( 74.3 - 78.1 )	6,067	79.6	( 77.9 - 81.2 )	6,667
10th	77.0	( 75.6 - 78.3 )	12,706	76.5	( 74.9 - 78.1 )	6,047	78.0	( 76.2 - 79.6 )	6,554
11th	77.5	( 76.3 - 78.6 )	11,888	75.8	( 74.2 - 77.4 )	5,856	79.3	( 77.9 - 80.7 )	5,955
12th	75.3	( 74.1 - 76.5 )	9,203	74.2	( 72.6 - 75.7 )	4,538	76.8	( 75.3 - 78.3 )	4,599
<b>Race/Ethnicity</b>									
Black*	69.7	( 68.3 - 71.1 )	9,895	68.4	( 66.6 - 70.1 )	4,694	71.2	( 69.5 - 72.8 )	5,162
Hispanic/Latino	72.4	( 70.7 - 74.1 )	5,495	70.8	( 68.7 - 72.8 )	2,618	74.5	( 72.3 - 76.7 )	2,778
White*	84.2	( 83.3 - 84.9 )	23,808	83.3	( 82.2 - 84.3 )	11,638	85.2	( 84.3 - 86.1 )	12,064
All other races*	78.5	( 75.6 - 81.1 )	3,276	77.1	( 73.2 - 80.6 )	1,658	80.6	( 78.2 - 82.9 )	1,589
Multiple races*	77.4	( 75.7 - 79.1 )	3,295	77.4	( 74.8 - 79.9 )	1,432	77.7	( 75.4 - 79.8 )	1,845

Note: 3,828 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	2.1	( 1.9 - 2.2 )	47,259	2.5	( 2.3 - 2.9 )	22,791	1.4	( 1.2 - 1.6 )	23,967
15 or younger	1.8	( 1.6 - 2.1 )	22,296	2.2	( 1.8 - 2.7 )	10,352	1.2	( 0.9 - 1.5 )	11,655
16 or 17	1.9	( 1.7 - 2.1 )	22,932	2.3	( 2.0 - 2.7 )	11,290	1.4	( 1.2 - 1.8 )	11,499
18 or older	5.4	( 4.3 - 6.8 )	1,956	6.4	( 4.6 - 8.8 )	1,130	3.4	( 2.3 - 5.0 )	804
<b>Grade</b>									
9th	1.8	( 1.5 - 2.2 )	12,831	2.3	( 1.8 - 3.0 )	6,067	1.1	( 0.8 - 1.5 )	6,667
10th	2.2	( 1.8 - 2.6 )	12,706	2.8	( 2.3 - 3.4 )	6,047	1.5	( 1.1 - 2.1 )	6,554
11th	1.5	( 1.2 - 1.8 )	11,888	1.9	( 1.5 - 2.4 )	5,856	1.1	( 0.7 - 1.6 )	5,955
12th	2.2	( 1.8 - 2.5 )	9,203	2.7	( 2.1 - 3.3 )	4,538	1.6	( 1.3 - 2.1 )	4,599
<b>Race/Ethnicity</b>									
Black*	2.7	( 2.3 - 3.1 )	9,895	3.2	( 2.7 - 3.9 )	4,694	2.1	( 1.7 - 2.7 )	5,162
Hispanic/Latino	3.4	( 2.8 - 4.0 )	5,495	4.2	( 3.2 - 5.5 )	2,618	2.5	( 2.0 - 3.3 )	2,778
White*	0.9	( 0.7 - 1.1 )	23,808	1.3	( 1.0 - 1.5 )	11,638	0.5	( 0.4 - 0.7 )	12,064
All other races*	2.2	( 1.8 - 2.8 )	3,276	2.5	( 1.8 - 3.4 )	1,658	1.8	( 1.2 - 2.6 )	1,589
Multiple races*	1.8	( 1.3 - 2.4 )	3,295	2.6	( 1.8 - 3.8 )	1,432	0.9	( 0.5 - 1.6 )	1,845

Note: 3,828 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	26.4	( 25.9 - 27.0 )	46,570	27.7	( 26.8 - 28.5 )	22,386	25.1	( 24.4 - 25.8 )	23,755
15 or younger	26.5	( 25.7 - 27.3 )	21,981	28.0	( 26.7 - 29.3 )	10,185	24.8	( 23.8 - 25.8 )	11,556
16 or 17	26.5	( 25.8 - 27.2 )	22,614	27.8	( 26.7 - 28.9 )	11,087	25.2	( 24.3 - 26.2 )	11,396
18 or older	25.0	( 22.8 - 27.2 )	1,908	23.9	( 21.2 - 26.8 )	1,098	26.0	( 22.1 - 30.2 )	793
<b>Grade</b>									
9th	26.2	( 25.2 - 27.3 )	12,668	27.1	( 25.5 - 28.8 )	5,981	25.3	( 24.1 - 26.5 )	6,601
10th	26.3	( 25.2 - 27.3 )	12,530	27.8	( 26.3 - 29.4 )	5,933	24.4	( 23.1 - 25.8 )	6,504
11th	26.0	( 24.9 - 27.1 )	11,733	27.0	( 25.5 - 28.5 )	5,757	25.0	( 23.5 - 26.6 )	5,911
12th	26.6	( 25.5 - 27.8 )	9,065	28.0	( 26.4 - 29.7 )	4,457	25.3	( 23.8 - 27.0 )	4,555
<b>Race/Ethnicity</b>									
Black*	30.9	( 29.8 - 32.0 )	9,726	33.6	( 31.9 - 35.2 )	4,586	28.5	( 27.1 - 30.0 )	5,104
Hispanic/Latino	26.7	( 25.4 - 28.0 )	5,380	28.0	( 26.2 - 29.9 )	2,548	25.2	( 23.2 - 27.5 )	2,741
White*	23.0	( 22.4 - 23.7 )	23,605	23.4	( 22.3 - 24.5 )	11,516	22.7	( 21.7 - 23.6 )	11,990
All other races*	21.0	( 19.4 - 22.8 )	3,225	22.5	( 19.9 - 25.4 )	1,621	19.3	( 17.1 - 21.8 )	1,579
Multiple races*	30.7	( 28.9 - 32.7 )	3,249	32.7	( 29.8 - 35.9 )	1,406	29.0	( 26.7 - 31.4 )	1,827

Note: 4,517 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN90: Percentage of students who report that their parents or guardians own the home or place where they live

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	65.4	( 64.3 - 66.5 )	50,338	67.1	( 65.8 - 68.3 )	24,663	64.0	( 62.7 - 65.2 )	25,203
<b>Age</b>									
15 or younger	66.6	( 65.1 - 68.0 )	23,881	68.2	( 66.5 - 69.9 )	11,288	65.4	( 63.7 - 67.1 )	12,326
16 or 17	65.5	( 64.3 - 66.7 )	24,231	67.5	( 66.1 - 68.8 )	12,090	63.8	( 62.3 - 65.3 )	11,988
18 or older	54.8	( 51.9 - 57.5 )	2,160	56.4	( 52.8 - 59.9 )	1,263	52.6	( 48.0 - 57.1 )	877
<b>Grade</b>									
9th	65.3	( 63.2 - 67.2 )	14,017	66.7	( 64.2 - 69.1 )	6,754	63.9	( 61.7 - 66.1 )	7,167
10th	65.1	( 63.5 - 66.7 )	13,509	67.1	( 65.2 - 68.9 )	6,543	63.4	( 61.4 - 65.4 )	6,862
11th	65.9	( 64.3 - 67.5 )	12,474	68.1	( 66.3 - 69.9 )	6,227	63.9	( 61.9 - 65.8 )	6,171
12th	66.1	( 64.6 - 67.6 )	9,685	67.3	( 65.3 - 69.3 )	4,837	65.1	( 63.2 - 67.0 )	4,788
<b>Race/Ethnicity</b>									
Black*	50.8	( 49.2 - 52.4 )	11,118	55.1	( 52.8 - 57.3 )	5,447	46.6	( 44.9 - 48.3 )	5,633
Hispanic/Latino	51.0	( 48.7 - 53.3 )	6,137	50.1	( 47.6 - 52.7 )	2,956	52.0	( 49.0 - 54.9 )	3,082
White*	81.8	( 81.1 - 82.5 )	24,564	82.3	( 81.4 - 83.3 )	12,121	81.4	( 80.4 - 82.4 )	12,338
All other races*	74.4	( 71.6 - 77.0 )	3,429	74.4	( 71.5 - 77.1 )	1,749	74.8	( 71.4 - 78.0 )	1,650
Multiple races*	65.4	( 63.3 - 67.4 )	3,505	67.1	( 64.1 - 70.0 )	1,547	64.1	( 61.4 - 66.7 )	1,938

Note: 749 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN91: Percentage of students who missed school one or more days for any reason, with or without permission (during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	59.3	( 58.4 - 60.3 )	49,223	54.7	( 53.6 - 55.8 )	24,065	63.9	( 62.7 - 65.0 )	24,734
15 or younger	54.8	( 53.6 - 56.0 )	23,402	51.6	( 50.3 - 53.0 )	11,049	57.7	( 56.2 - 59.3 )	12,121
16 or 17	62.4	( 61.2 - 63.5 )	23,692	56.4	( 54.9 - 57.9 )	11,795	68.3	( 66.9 - 69.6 )	11,761
18 or older	69.5	( 67.0 - 71.8 )	2,056	64.2	( 60.9 - 67.3 )	1,196	76.5	( 72.7 - 79.9 )	841
<b>Grade</b>									
9th	53.7	( 52.2 - 55.2 )	13,773	51.2	( 49.6 - 52.9 )	6,633	56.3	( 54.2 - 58.3 )	7,055
10th	57.5	( 56.0 - 59.0 )	13,233	52.7	( 50.8 - 54.6 )	6,406	62.2	( 60.3 - 64.0 )	6,738
11th	59.3	( 57.8 - 60.9 )	12,190	53.9	( 51.8 - 55.9 )	6,068	64.8	( 62.9 - 66.7 )	6,054
12th	67.7	( 66.3 - 69.0 )	9,428	62.1	( 60.2 - 64.0 )	4,681	73.0	( 71.1 - 74.9 )	4,689
<b>Race/Ethnicity</b>									
Black*	57.9	( 56.4 - 59.4 )	10,772	53.2	( 51.5 - 55.0 )	5,254	62.5	( 60.5 - 64.5 )	5,485
Hispanic/Latino	66.3	( 64.3 - 68.2 )	5,898	62.4	( 60.0 - 64.6 )	2,830	70.3	( 67.9 - 72.7 )	2,984
White*	59.6	( 58.6 - 60.6 )	24,280	54.7	( 53.4 - 56.0 )	11,963	64.6	( 63.4 - 65.8 )	12,214
All other races*	48.0	( 45.7 - 50.2 )	3,341	44.7	( 41.1 - 48.3 )	1,705	51.5	( 48.2 - 54.8 )	1,612
Multiple races*	61.5	( 59.3 - 63.6 )	3,440	57.4	( 54.3 - 60.4 )	1,517	64.8	( 61.8 - 67.7 )	1,905

Note: 1,864 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN92: Percentage of students who missed school one or more days for any reason, without permission (during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	16.1	( 15.2 - 17.1 )	49,130	16.2	( 15.3 - 17.2 )	24,013	15.7	( 14.6 - 17.0 )	24,701
15 or younger	12.1	( 11.3 - 13.1 )	23,351	12.0	( 11.1 - 13.0 )	11,026	11.7	( 10.5 - 12.9 )	12,099
16 or 17	18.2	( 17.1 - 19.3 )	23,659	18.0	( 16.9 - 19.2 )	11,769	18.2	( 16.9 - 19.6 )	11,756
18 or older	30.8	( 28.2 - 33.4 )	2,050	32.4	( 29.4 - 35.5 )	1,195	28.4	( 24.2 - 33.0 )	836
<b>Grade</b>									
9th	12.1	( 11.0 - 13.4 )	13,743	12.2	( 11.0 - 13.5 )	6,613	11.8	( 10.3 - 13.4 )	7,045
10th	14.5	( 13.3 - 15.8 )	13,224	14.3	( 12.9 - 15.8 )	6,404	14.3	( 12.7 - 16.0 )	6,730
11th	15.6	( 14.5 - 16.8 )	12,176	16.2	( 15.0 - 17.6 )	6,056	14.8	( 13.4 - 16.4 )	6,053
12th	22.4	( 21.0 - 23.8 )	9,400	22.7	( 20.8 - 24.6 )	4,665	22.0	( 20.2 - 23.8 )	4,680
<b>Race/Ethnicity</b>									
Black*	17.8	( 16.5 - 19.2 )	10,752	17.7	( 16.1 - 19.4 )	5,243	17.9	( 16.3 - 19.7 )	5,473
Hispanic/Latino	27.3	( 25.1 - 29.7 )	5,865	26.9	( 24.7 - 29.2 )	2,820	27.3	( 24.2 - 30.7 )	2,963
White*	11.4	( 10.7 - 12.1 )	24,262	11.9	( 11.2 - 12.7 )	11,950	10.8	( 9.9 - 11.8 )	12,212
All other races*	12.0	( 10.6 - 13.6 )	3,335	12.4	( 10.4 - 14.6 )	1,698	11.3	( 9.5 - 13.5 )	1,611
Multiple races*	16.1	( 14.6 - 17.8 )	3,439	17.0	( 14.8 - 19.4 )	1,512	15.3	( 13.2 - 17.6 )	1,909

Note: 1,957 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN93: Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	28.8	( 27.7 - 29.9 )	22,280	29.6	( 28.3 - 30.9 )	11,404	27.0	( 25.4 - 28.5 )	10,576
<b>Age</b>									
15 or younger	18.0	( 16.7 - 19.5 )	5,550	19.5	( 17.6 - 21.6 )	2,834	12.7	( 11.2 - 14.5 )	2,547
16 or 17	31.2	( 30.0 - 32.4 )	15,196	32.0	( 30.5 - 33.6 )	7,650	30.3	( 28.6 - 31.9 )	7,451
18 or older	40.7	( 37.4 - 44.0 )	1,495	39.2	( 35.1 - 43.4 )	907	41.4	( 36.5 - 46.4 )	571
<b>Grade</b>									
9th	16.5	( 14.6 - 18.5 )	2,871	19.0	( 16.5 - 21.7 )	1,555	12.0	( 10.1 - 14.3 )	1,274
10th	13.5	( 12.0 - 15.0 )	4,413	15.8	( 13.8 - 17.9 )	2,259	9.4	( 7.9 - 11.3 )	2,094
11th	21.9	( 20.8 - 22.9 )	7,535	23.6	( 22.1 - 25.2 )	3,839	19.5	( 18.1 - 21.0 )	3,644
12th	45.7	( 44.0 - 47.5 )	7,079	45.7	( 43.1 - 48.2 )	3,578	45.5	( 43.1 - 47.9 )	3,449
<b>Race/Ethnicity</b>									
Black*	22.2	( 20.5 - 24.0 )	4,451	23.2	( 21.0 - 25.6 )	2,308	21.0	( 18.8 - 23.4 )	2,120
Hispanic/Latino	29.3	( 26.6 - 32.1 )	2,644	30.6	( 27.7 - 33.6 )	1,372	27.1	( 22.7 - 32.1 )	1,223
White*	32.1	( 30.6 - 33.6 )	11,661	33.1	( 31.4 - 34.9 )	5,907	31.0	( 28.7 - 33.3 )	5,705
All other races*	27.2	( 23.6 - 31.2 )	1,329	30.0	( 25.5 - 34.8 )	698	23.8	( 19.3 - 28.9 )	613
Multiple races*	27.8	( 24.7 - 31.1 )	1,369	29.2	( 24.9 - 33.9 )	680	25.7	( 21.7 - 30.2 )	681

Note: 28,807 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN94: Percentage of students who who smoked a whole cigarette before age 13 years (for the first time)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	7.1	( 6.7 - 7.6 )	49,850	8.6	( 8.0 - 9.1 )	24,385	5.1	( 4.8 - 5.5 )	24,936
15 or younger	6.9	( 6.3 - 7.5 )	23,616	7.9	( 7.2 - 8.7 )	11,145	5.0	( 4.5 - 5.5 )	12,183
16 or 17	6.9	( 6.5 - 7.4 )	24,002	8.8	( 8.1 - 9.5 )	11,969	4.9	( 4.4 - 5.4 )	11,874
18 or older	11.0	( 9.4 - 12.8 )	2,138	11.6	( 9.8 - 13.7 )	1,246	9.0	( 6.5 - 12.3 )	866
<b>Grade</b>									
9th	6.5	( 5.8 - 7.2 )	13,826	7.8	( 6.9 - 8.8 )	6,654	4.8	( 4.1 - 5.5 )	7,070
10th	6.4	( 5.8 - 7.0 )	13,381	7.3	( 6.4 - 8.2 )	6,468	5.1	( 4.5 - 5.8 )	6,805
11th	6.6	( 6.0 - 7.3 )	12,355	8.4	( 7.5 - 9.4 )	6,161	4.6	( 4.0 - 5.3 )	6,113
12th	7.8	( 7.1 - 8.7 )	9,602	9.8	( 8.7 - 11.0 )	4,794	5.4	( 4.6 - 6.4 )	4,739
<b>Race/Ethnicity</b>									
Black*	7.1	( 6.4 - 7.9 )	10,959	8.7	( 7.7 - 9.8 )	5,365	5.4	( 4.7 - 6.3 )	5,553
Hispanic/Latino	9.7	( 8.9 - 10.5 )	6,029	11.7	( 10.5 - 13.1 )	2,912	7.0	( 6.0 - 8.1 )	3,015
White*	5.5	( 5.1 - 5.9 )	24,339	6.5	( 5.9 - 7.1 )	11,986	4.3	( 3.9 - 4.8 )	12,246
All other races*	6.2	( 5.1 - 7.7 )	3,382	8.3	( 6.8 - 10.1 )	1,722	3.4	( 2.3 - 4.9 )	1,629
Multiple races*	7.1	( 6.2 - 8.2 )	3,474	8.6	( 7.1 - 10.5 )	1,532	5.5	( 4.4 - 6.7 )	1,923

Note: 1,237 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN95: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	17.5	( 15.9 - 19.1 )	3,607	21.3	( 19.2 - 23.6 )	1,913	11.4	( 9.5 - 13.6 )	1,530
15 or younger	16.3	( 13.7 - 19.2 )	1,416	18.1	( 14.6 - 22.2 )	668	12.0	( 8.6 - 16.4 )	617
16 or 17	18.2	( 16.2 - 20.3 )	2,191	23.2	( 20.4 - 26.2 )	1,245	11.0	( 8.7 - 14.0 )	913
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	13.4	( 10.0 - 17.9 )	680	14.9	( 10.4 - 20.9 )	336	10.3	( 6.3 - 16.3 )	319
10th	19.3	( 15.6 - 23.6 )	808	23.5	( 18.5 - 29.5 )	415	13.1	( 8.7 - 19.2 )	363
11th	16.2	( 13.7 - 19.1 )	1,059	20.6	( 17.0 - 24.7 )	604	8.4	( 5.8 - 12.1 )	423
12th	18.9	( 16.0 - 22.2 )	891	23.8	( 19.5 - 28.7 )	482	12.4	( 9.0 - 16.8 )	386
<b>Race/Ethnicity</b>									
Black*	25.8	( 21.5 - 30.7 )	433	27.8	( 22.3 - 34.1 )	266	21.7	( 15.6 - 29.2 )	156
Hispanic/Latino	17.7	( 13.3 - 23.1 )	487	20.5	( 14.8 - 27.7 )	246	11.2	( 7.1 - 17.1 )	210
White*	12.8	( 11.0 - 14.9 )	1,972	18.0	( 15.1 - 21.3 )	1,029	7.1	( 5.2 - 9.6 )	928
All other races*	19.5	( 13.6 - 27.0 )	188	18.4	( 11.3 - 28.6 )	109	-	-	66
Multiple races*	17.3	( 12.0 - 24.3 )	256	25.1	( 17.1 - 35.3 )	130	10.1	( 4.8 - 20.0 )	122

Note: 47,480 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN96: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes at a store during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	45.2	( 42.1 - 48.3 )	1,904	45.0	( 41.5 - 48.6 )	1,231	45.0	( 39.3 - 50.8 )	571
15 or younger	40.9	( 35.7 - 46.3 )	611	40.6	( 34.0 - 47.7 )	357	36.7	( 28.2 - 46.0 )	186
16 or 17	40.9	( 36.8 - 45.1 )	969	40.5	( 35.9 - 45.3 )	668	40.9	( 33.4 - 48.9 )	279
18 or older	62.6	( 55.2 - 69.5 )	314	64.2	( 54.8 - 72.5 )	203	64.1	( 49.7 - 76.4 )	103
<b>Grade</b>									
9th	34.8	( 27.8 - 42.6 )	288	34.6	( 24.9 - 45.8 )	177	-	-	95
10th	39.9	( 33.3 - 47.0 )	348	39.2	( 32.1 - 46.7 )	228	39.1	( 26.8 - 53.1 )	105
11th	42.0	( 36.1 - 48.2 )	441	40.8	( 34.1 - 47.9 )	310	43.8	( 33.0 - 55.3 )	117
12th	55.4	( 50.8 - 59.9 )	673	55.3	( 50.0 - 60.6 )	456	56.2	( 47.2 - 64.7 )	208
<b>Race/Ethnicity</b>									
Black*	46.9	( 39.6 - 54.3 )	327	44.6	( 36.0 - 53.6 )	213	50.3	( 37.7 - 62.8 )	105
Hispanic/Latino	40.1	( 33.6 - 46.9 )	386	41.5	( 34.1 - 49.4 )	224	36.8	( 26.8 - 47.9 )	136
White*	45.8	( 41.3 - 50.3 )	781	45.1	( 39.7 - 50.6 )	538	46.6	( 38.9 - 54.5 )	235
All other races*	48.9	( 38.6 - 59.4 )	129	-	-	83	-	-	40
Multiple races*	38.6	( 28.1 - 50.2 )	109	-	-	78	-	-	25

Note: 49,183 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN97: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	31.4	( 29.5 - 33.4 )	3,707	34.0	( 31.3 - 36.9 )	2,232	25.3	( 22.3 - 28.6 )	1,335
15 or younger	35.3	( 31.8 - 38.9 )	1,347	37.5	( 32.6 - 42.8 )	738	28.3	( 23.2 - 34.0 )	512
16 or 17	34.3	( 31.4 - 37.3 )	1,853	38.6	( 34.5 - 42.8 )	1,170	26.1	( 21.7 - 31.0 )	655
18 or older	13.8	( 10.6 - 17.6 )	488	12.7	( 9.1 - 17.4 )	317	15.7	( 10.1 - 23.6 )	164
<b>Grade</b>									
9th	33.6	( 28.9 - 38.8 )	781	35.5	( 28.9 - 42.8 )	433	29.1	( 22.6 - 36.6 )	325
10th	30.5	( 27.2 - 34.1 )	784	33.1	( 28.5 - 37.9 )	467	24.1	( 18.3 - 31.1 )	288
11th	29.4	( 25.7 - 33.4 )	893	32.9	( 27.8 - 38.5 )	575	21.3	( 15.9 - 27.9 )	296
12th	30.4	( 27.0 - 33.9 )	1,040	33.2	( 29.2 - 37.5 )	666	24.7	( 19.1 - 31.3 )	361
<b>Race/Ethnicity</b>									
Black*	35.7	( 32.2 - 39.4 )	860	39.1	( 34.1 - 44.3 )	523	29.6	( 24.4 - 35.5 )	325
Hispanic/Latino	27.0	( 22.7 - 31.7 )	754	28.3	( 22.8 - 34.6 )	421	22.3	( 16.0 - 30.0 )	299
White*	26.7	( 24.0 - 29.5 )	1,349	29.5	( 25.6 - 33.7 )	839	21.8	( 17.4 - 27.0 )	494
All other races*	29.5	( 22.1 - 38.2 )	244	37.5	( 28.8 - 47.2 )	149	-	-	89
Multiple races*	30.1	( 23.0 - 38.4 )	197	31.6	( 22.9 - 41.7 )	124	-	-	67

Note: 47,380 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN98: Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	5.6	( 5.3 - 5.9 )	48,984	6.0	( 5.6 - 6.5 )	23,973	4.4	( 4.1 - 4.8 )	24,522
15 or younger	5.3	( 4.8 - 5.8 )	23,235	5.3	( 4.6 - 6.1 )	10,966	4.1	( 3.6 - 4.6 )	11,998
16 or 17	5.4	( 5.1 - 5.8 )	23,614	6.2	( 5.7 - 6.8 )	11,784	4.5	( 4.0 - 5.0 )	11,684
18 or older	9.5	( 8.1 - 11.2 )	2,047	9.6	( 7.9 - 11.6 )	1,197	7.7	( 5.7 - 10.2 )	828
<b>Grade</b>									
9th	4.6	( 4.0 - 5.2 )	13,614	5.0	( 4.2 - 5.9 )	6,552	3.8	( 3.2 - 4.5 )	6,964
10th	4.7	( 4.2 - 5.2 )	13,174	4.5	( 3.9 - 5.2 )	6,382	4.2	( 3.6 - 4.9 )	6,694
11th	5.3	( 4.8 - 5.8 )	12,178	6.3	( 5.6 - 7.1 )	6,072	3.8	( 3.3 - 4.4 )	6,026
12th	6.8	( 6.1 - 7.5 )	9,386	7.6	( 6.7 - 8.6 )	4,674	5.5	( 4.6 - 6.5 )	4,649
<b>Race/Ethnicity</b>									
Black*	5.7	( 5.2 - 6.3 )	10,640	6.4	( 5.7 - 7.2 )	5,207	5.0	( 4.3 - 5.7 )	5,395
Hispanic/Latino	7.8	( 6.8 - 8.8 )	5,838	8.5	( 7.0 - 10.4 )	2,808	6.4	( 5.3 - 7.6 )	2,938
White*	3.7	( 3.4 - 4.1 )	24,173	4.1	( 3.6 - 4.7 )	11,940	3.2	( 2.8 - 3.6 )	12,130
All other races*	4.1	( 3.3 - 5.0 )	3,320	4.9	( 3.8 - 6.2 )	1,684	2.8	( 2.0 - 3.9 )	1,606
Multiple races*	5.6	( 4.7 - 6.6 )	3,427	5.4	( 4.1 - 6.9 )	1,510	5.4	( 4.4 - 6.7 )	1,899

Note: 2,103 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN99: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	95.2	( 94.6 - 95.7 )	14,924	94.1	( 93.2 - 95.0 )	7,271	97.0	( 96.4 - 97.5 )	7,429
<b>Age</b>									
15 or younger	94.0	( 93.1 - 94.8 )	5,833	92.8	( 91.2 - 94.2 )	2,665	96.6	( 95.6 - 97.4 )	3,026
16 or 17	96.2	( 95.6 - 96.7 )	8,303	95.3	( 94.3 - 96.1 )	4,142	97.2	( 96.4 - 97.8 )	4,106
18 or older	93.9	( 91.1 - 95.8 )	761	92.0	( 87.9 - 94.7 )	456	97.4	( 94.6 - 98.8 )	291
<b>Grade</b>									
9th	94.0	( 92.6 - 95.2 )	3,057	92.2	( 89.8 - 94.0 )	1,465	96.7	( 95.2 - 97.7 )	1,555
10th	95.0	( 93.9 - 95.9 )	3,731	93.8	( 92.1 - 95.2 )	1,728	97.1	( 95.8 - 97.9 )	1,960
11th	95.8	( 94.9 - 96.5 )	4,168	95.0	( 93.7 - 96.1 )	2,096	96.9	( 95.7 - 97.7 )	2,038
12th	96.3	( 95.3 - 97.1 )	3,649	95.1	( 93.3 - 96.4 )	1,844	97.7	( 96.6 - 98.5 )	1,779
<b>Race/Ethnicity</b>									
Black*	94.0	( 92.7 - 95.1 )	2,909	92.4	( 90.3 - 94.0 )	1,388	95.7	( 94.2 - 96.9 )	1,506
Hispanic/Latino	93.5	( 91.4 - 95.1 )	1,904	91.1	( 87.0 - 94.1 )	926	96.6	( 95.2 - 97.6 )	936
White*	97.4	( 96.9 - 97.9 )	7,690	96.8	( 95.9 - 97.5 )	3,823	98.2	( 97.6 - 98.7 )	3,834
All other races*	94.0	( 91.3 - 95.9 )	718	93.7	( 90.2 - 96.0 )	396	95.1	( 91.5 - 97.3 )	311
Multiple races*	97.3	( 95.9 - 98.2 )	1,135	96.2	( 93.5 - 97.8 )	452	98.3	( 96.6 - 99.1 )	676

Note: 36,163 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN100: Percentage of students who have ever used an electronic vapor product to smoke marijuana, THC or hash oil, or THC wax

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	8.3	( 7.8 - 8.7 )	46,183	9.0	( 8.4 - 9.6 )	22,287	7.3	( 6.8 - 7.8 )	23,493
15 or younger	5.5	( 5.1 - 5.9 )	22,097	5.8	( 5.2 - 6.4 )	10,324	4.9	( 4.4 - 5.4 )	11,565
16 or 17	10.1	( 9.5 - 10.7 )	22,180	11.1	( 10.3 - 12.0 )	10,882	9.1	( 8.4 - 9.9 )	11,165
18 or older	14.6	( 12.5 - 16.8 )	1,829	16.4	( 13.7 - 19.6 )	1,060	11.6	( 8.5 - 15.7 )	752
<b>Grade</b>									
9th	4.6	( 4.2 - 5.2 )	13,017	4.7	( 4.1 - 5.5 )	6,204	4.4	( 3.7 - 5.1 )	6,729
10th	6.5	( 5.9 - 7.1 )	12,412	7.0	( 6.3 - 7.8 )	5,911	5.9	( 5.1 - 6.9 )	6,419
11th	9.4	( 8.7 - 10.1 )	11,483	10.1	( 9.1 - 11.2 )	5,654	8.6	( 7.7 - 9.5 )	5,768
12th	12.7	( 11.5 - 14.1 )	8,714	15.0	( 13.3 - 16.9 )	4,270	10.5	( 9.1 - 12.1 )	4,397
<b>Race/Ethnicity</b>									
Black*	6.1	( 5.6 - 6.6 )	9,805	6.5	( 5.8 - 7.2 )	4,713	5.7	( 5.0 - 6.4 )	5,060
Hispanic/Latino	10.0	( 8.9 - 11.3 )	5,417	10.3	( 8.9 - 11.8 )	2,555	9.3	( 7.6 - 11.2 )	2,783
White*	9.5	( 8.9 - 10.2 )	23,219	10.7	( 9.8 - 11.7 )	11,340	8.2	( 7.5 - 9.0 )	11,785
All other races*	5.4	( 4.2 - 6.9 )	3,163	6.8	( 5.1 - 9.0 )	1,587	3.9	( 2.8 - 5.4 )	1,556
Multiple races*	9.6	( 8.4 - 11.0 )	3,238	9.6	( 7.9 - 11.6 )	1,402	9.4	( 7.9 - 11.2 )	1,820

Note: 4,904 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN101: Percentage of students who think they definitely or probably will smoke a cigarette, cigar, cigarillo, or little cigar in the next year

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	17.4	( 16.8 - 18.0 )	49,793	19.5	( 18.8 - 20.3 )	24,320	14.6	( 13.9 - 15.4 )	24,963
<b>Age</b>									
15 or younger	14.7	( 13.8 - 15.5 )	23,636	15.3	( 14.2 - 16.4 )	11,141	13.1	( 12.1 - 14.0 )	12,203
16 or 17	19.0	( 18.2 - 19.7 )	23,970	22.2	( 21.2 - 23.3 )	11,933	15.6	( 14.7 - 16.5 )	11,889
18 or older	25.1	( 23.0 - 27.3 )	2,100	28.8	( 25.8 - 32.0 )	1,221	19.8	( 16.8 - 23.2 )	858
<b>Grade</b>									
9th	13.7	( 12.7 - 14.7 )	13,826	14.0	( 12.7 - 15.5 )	6,643	12.9	( 11.8 - 14.0 )	7,081
10th	14.9	( 14.0 - 15.9 )	13,359	16.5	( 15.3 - 17.8 )	6,448	12.8	( 11.7 - 13.9 )	6,804
11th	17.8	( 16.9 - 18.7 )	12,386	20.2	( 19.0 - 21.5 )	6,165	15.1	( 13.9 - 16.4 )	6,146
12th	22.8	( 21.7 - 24.0 )	9,554	28.0	( 26.4 - 29.6 )	4,762	17.5	( 15.9 - 19.2 )	4,731
<b>Race/Ethnicity</b>									
Black*	16.2	( 15.1 - 17.2 )	10,834	18.7	( 17.3 - 20.2 )	5,282	13.5	( 12.1 - 15.0 )	5,513
Hispanic/Latino	19.2	( 17.7 - 20.8 )	6,008	20.5	( 18.3 - 22.9 )	2,892	17.1	( 15.6 - 18.7 )	3,017
White*	17.4	( 16.7 - 18.2 )	24,453	20.1	( 19.1 - 21.2 )	12,047	14.6	( 13.8 - 15.6 )	12,299
All other races*	12.1	( 10.6 - 13.7 )	3,404	13.1	( 11.4 - 15.1 )	1,729	10.4	( 8.4 - 12.9 )	1,643
Multiple races*	17.7	( 16.1 - 19.3 )	3,475	19.6	( 17.2 - 22.2 )	1,526	15.8	( 14.0 - 17.8 )	1,930

Note: 1,294 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN102: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, excluding menthol cigarettes, during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	7.4	( 7.0 - 7.8 )	48,437	9.1	( 8.6 - 9.6 )	23,531	5.1	( 4.7 - 5.6 )	24,455
<b>Age</b>									
15 or younger	5.9	( 5.4 - 6.4 )	23,042	6.7	( 6.0 - 7.4 )	10,818	4.2	( 3.7 - 4.7 )	11,966
16 or 17	8.1	( 7.7 - 8.6 )	23,310	10.5	( 9.9 - 11.2 )	11,533	5.7	( 5.1 - 6.3 )	11,644
18 or older	12.8	( 11.1 - 14.7 )	2,009	15.6	( 13.4 - 18.2 )	1,162	8.4	( 6.3 - 11.0 )	831
<b>Grade</b>									
9th	5.0	( 4.4 - 5.6 )	13,475	5.9	( 5.1 - 6.7 )	6,454	3.7	( 3.2 - 4.3 )	6,926
10th	6.5	( 5.9 - 7.2 )	13,016	7.8	( 7.0 - 8.7 )	6,245	4.8	( 4.1 - 5.5 )	6,678
11th	7.6	( 7.0 - 8.2 )	12,063	9.7	( 8.8 - 10.7 )	5,975	5.2	( 4.5 - 5.9 )	6,018
12th	10.0	( 9.2 - 10.8 )	9,275	13.1	( 11.9 - 14.4 )	4,580	6.7	( 5.8 - 7.7 )	4,639
<b>Race/Ethnicity</b>									
Black*	6.2	( 5.5 - 7.0 )	10,461	7.5	( 6.6 - 8.5 )	5,073	4.8	( 4.1 - 5.7 )	5,356
Hispanic/Latino	7.9	( 6.7 - 9.3 )	5,736	9.4	( 7.7 - 11.5 )	2,738	5.8	( 4.8 - 7.0 )	2,913
White*	7.7	( 7.1 - 8.2 )	24,033	10.1	( 9.3 - 10.9 )	11,798	5.2	( 4.6 - 5.8 )	12,134
All other races*	4.5	( 3.7 - 5.3 )	3,301	6.2	( 5.1 - 7.6 )	1,666	2.1	( 1.6 - 2.9 )	1,606
Multiple races*	7.4	( 6.3 - 8.7 )	3,404	8.4	( 6.6 - 10.5 )	1,481	6.5	( 5.3 - 8.0 )	1,905

Note: 2,650 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN103: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	7.7	( 7.4 - 8.0 )	46,912	7.6	( 7.1 - 8.0 )	22,677	7.7	( 7.2 - 8.1 )	23,870
15 or younger	6.7	( 6.3 - 7.2 )	22,235	6.2	( 5.6 - 6.8 )	10,411	7.0	( 6.3 - 7.7 )	11,634
16 or 17	8.4	( 8.0 - 8.8 )	22,680	8.5	( 7.9 - 9.1 )	11,144	8.2	( 7.5 - 8.8 )	11,414
18 or older	9.6	( 7.8 - 11.8 )	1,924	9.7	( 7.5 - 12.4 )	1,102	9.2	( 6.9 - 12.1 )	810
<b>Grade</b>									
9th	6.2	( 5.6 - 6.8 )	13,033	5.5	( 4.8 - 6.3 )	6,233	6.8	( 6.0 - 7.8 )	6,724
10th	7.3	( 6.7 - 7.9 )	12,671	7.2	( 6.5 - 8.0 )	6,050	7.2	( 6.4 - 8.1 )	6,539
11th	8.2	( 7.6 - 8.8 )	11,709	8.3	( 7.5 - 9.2 )	5,750	8.1	( 7.3 - 8.9 )	5,902
12th	9.1	( 8.3 - 9.8 )	8,987	9.5	( 8.5 - 10.6 )	4,407	8.5	( 7.4 - 9.7 )	4,536
<b>Race/Ethnicity</b>									
Black*	6.3	( 5.7 - 7.0 )	10,019	6.7	( 5.8 - 7.8 )	4,768	5.8	( 5.1 - 6.6 )	5,222
Hispanic/Latino	8.2	( 7.4 - 9.0 )	5,462	7.7	( 6.6 - 9.1 )	2,628	8.6	( 7.7 - 9.7 )	2,763
White*	8.8	( 8.3 - 9.3 )	23,596	8.6	( 7.9 - 9.3 )	11,546	9.0	( 8.3 - 9.8 )	11,957
All other races*	4.7	( 3.9 - 5.6 )	3,191	4.9	( 3.9 - 6.2 )	1,596	4.0	( 3.1 - 5.1 )	1,572
Multiple races*	8.3	( 7.3 - 9.5 )	3,300	6.4	( 5.0 - 8.1 )	1,428	9.9	( 8.4 - 11.7 )	1,857

Note: 4,175 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Summary Tables - Weighted Data

QN104: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	41.6	( 40.0 - 43.3 )	9,160	41.6	( 39.6 - 43.5 )	4,809	41.2	( 39.1 - 43.3 )	4,176
<b>Age</b>									
15 or younger	47.7	( 45.5 - 49.9 )	3,446	49.5	( 46.4 - 52.7 )	1,620	45.6	( 42.6 - 48.6 )	1,708
16 or 17	38.7	( 36.8 - 40.7 )	5,122	38.3	( 36.2 - 40.5 )	2,819	39.2	( 36.2 - 42.2 )	2,266
18 or older	34.4	( 28.8 - 40.5 )	573	33.4	( 27.9 - 39.4 )	363	33.9	( 25.4 - 43.7 )	200
<b>Grade</b>									
9th	48.6	( 45.2 - 52.0 )	1,837	48.7	( 44.0 - 53.3 )	882	48.3	( 43.6 - 53.1 )	924
10th	46.4	( 43.6 - 49.3 )	2,173	47.4	( 43.6 - 51.1 )	1,116	45.2	( 41.1 - 49.4 )	1,024
11th	40.6	( 38.0 - 43.3 )	2,557	41.3	( 38.0 - 44.7 )	1,392	39.5	( 35.7 - 43.4 )	1,136
12th	33.9	( 30.8 - 37.2 )	2,369	33.2	( 30.0 - 36.6 )	1,321	34.6	( 30.2 - 39.4 )	1,024
<b>Race/Ethnicity</b>									
Black*	49.6	( 46.5 - 52.8 )	1,518	52.1	( 48.1 - 56.1 )	803	46.5	( 42.0 - 51.1 )	704
Hispanic/Latino	45.9	( 42.7 - 49.1 )	1,171	48.2	( 44.3 - 52.1 )	595	43.7	( 37.9 - 49.7 )	540
White*	34.2	( 32.3 - 36.2 )	4,974	32.2	( 29.9 - 34.6 )	2,663	36.1	( 33.4 - 38.9 )	2,278
All other races*	56.7	( 50.8 - 62.4 )	448	58.4	( 50.9 - 65.5 )	253	55.0	( 46.9 - 62.8 )	181
Multiple races*	36.1	( 32.3 - 40.2 )	673	36.1	( 30.3 - 42.5 )	300	36.5	( 31.2 - 42.2 )	368

Note: 41,927 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN105: Percentage of students who live with someone who now smokes cigarettes or cigars

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	30.4	( 29.7 - 31.1 )	48,954	29.5	( 28.5 - 30.5 )	23,800	31.1	( 30.2 - 31.9 )	24,738
<b>Age</b>									
15 or younger	30.6	( 29.5 - 31.8 )	23,227	29.3	( 27.8 - 30.7 )	10,894	31.6	( 30.3 - 32.9 )	12,107
16 or 17	29.9	( 29.0 - 30.9 )	23,602	29.3	( 28.1 - 30.6 )	11,695	30.6	( 29.4 - 31.8 )	11,780
18 or older	32.2	( 29.7 - 34.8 )	2,044	32.3	( 29.4 - 35.4 )	1,190	31.4	( 27.8 - 35.2 )	839
<b>Grade</b>									
9th	31.1	( 29.8 - 32.5 )	13,616	29.2	( 27.5 - 31.0 )	6,506	33.1	( 31.5 - 34.7 )	7,024
10th	29.9	( 28.8 - 31.1 )	13,170	29.5	( 27.9 - 31.2 )	6,320	30.1	( 28.6 - 31.7 )	6,754
11th	29.7	( 28.4 - 31.0 )	12,199	28.8	( 27.2 - 30.5 )	6,047	30.5	( 28.8 - 32.2 )	6,092
12th	30.2	( 28.7 - 31.7 )	9,372	30.1	( 28.2 - 32.0 )	4,654	30.0	( 28.0 - 32.1 )	4,672
<b>Race/Ethnicity</b>									
Black*	31.2	( 29.9 - 32.4 )	10,585	30.3	( 28.7 - 32.0 )	5,108	31.9	( 30.3 - 33.7 )	5,447
Hispanic/Latino	26.9	( 25.3 - 28.5 )	5,855	25.7	( 23.4 - 28.2 )	2,800	27.7	( 25.5 - 30.0 )	2,969
White*	31.2	( 30.0 - 32.4 )	24,294	30.6	( 29.2 - 32.0 )	11,947	31.8	( 30.4 - 33.2 )	12,246
All other races*	23.6	( 21.4 - 25.8 )	3,341	23.7	( 20.8 - 26.8 )	1,690	23.3	( 20.9 - 25.8 )	1,626
Multiple races*	32.2	( 30.3 - 34.2 )	3,425	29.5	( 26.7 - 32.6 )	1,494	34.2	( 31.6 - 36.9 )	1,914

Note: 2,133 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN106: Percentage of students who report the rule about smoking inside their home is that smoking is not allowed anywhere inside their home (not counting decks, garages, or porches)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	80.7	( 80.1 - 81.2 )	49,224	81.1	( 80.4 - 81.8 )	23,989	80.7	( 79.9 - 81.4 )	24,762
<b>Age</b>									
15 or younger	80.7	( 79.9 - 81.5 )	23,354	81.5	( 80.5 - 82.5 )	10,983	80.7	( 79.6 - 81.7 )	12,105
16 or 17	81.1	( 80.3 - 81.8 )	23,712	81.3	( 80.3 - 82.3 )	11,773	80.9	( 79.9 - 81.9 )	11,798
18 or older	76.7	( 74.3 - 79.0 )	2,075	76.4	( 73.4 - 79.1 )	1,209	77.8	( 74.2 - 81.0 )	846
<b>Grade</b>									
9th	80.6	( 79.4 - 81.8 )	13,668	81.6	( 79.9 - 83.1 )	6,550	79.8	( 78.4 - 81.2 )	7,022
10th	81.3	( 80.3 - 82.2 )	13,173	81.8	( 80.6 - 83.0 )	6,334	81.0	( 79.7 - 82.3 )	6,738
11th	81.6	( 80.5 - 82.6 )	12,280	81.7	( 80.1 - 83.2 )	6,107	81.8	( 80.5 - 83.0 )	6,102
12th	80.1	( 78.9 - 81.2 )	9,466	80.0	( 78.3 - 81.5 )	4,708	80.6	( 78.9 - 82.1 )	4,700
<b>Race/Ethnicity</b>									
Black*	77.3	( 76.2 - 78.4 )	10,661	78.6	( 77.1 - 80.0 )	5,168	76.2	( 74.6 - 77.6 )	5,460
Hispanic/Latino	83.4	( 82.2 - 84.5 )	5,889	83.5	( 81.5 - 85.3 )	2,824	84.1	( 82.5 - 85.5 )	2,968
White*	83.2	( 82.5 - 83.8 )	24,333	83.2	( 82.3 - 84.0 )	11,984	83.3	( 82.5 - 84.1 )	12,246
All other races*	82.9	( 81.2 - 84.5 )	3,359	82.0	( 79.5 - 84.2 )	1,703	84.0	( 81.4 - 86.4 )	1,627
Multiple races*	79.8	( 78.3 - 81.3 )	3,433	81.9	( 79.5 - 84.1 )	1,499	78.5	( 76.3 - 80.5 )	1,915

Note: 1,863 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN107: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	25.8	( 25.2 - 26.5 )	49,703	23.9	( 23.1 - 24.7 )	24,226	27.2	( 26.4 - 28.0 )	24,931
<b>Age</b>									
15 or younger	24.1	( 23.2 - 25.0 )	23,574	21.3	( 20.2 - 22.4 )	11,075	25.8	( 24.6 - 27.0 )	12,184
16 or 17	27.1	( 26.2 - 28.0 )	23,926	25.5	( 24.3 - 26.7 )	11,896	28.6	( 27.4 - 29.8 )	11,874
18 or older	28.7	( 26.2 - 31.3 )	2,115	30.4	( 27.2 - 33.7 )	1,231	25.3	( 21.4 - 29.6 )	861
<b>Grade</b>									
9th	23.3	( 22.1 - 24.6 )	13,755	20.6	( 19.1 - 22.0 )	6,590	25.8	( 24.2 - 27.4 )	7,060
10th	23.8	( 22.9 - 24.8 )	13,320	21.7	( 20.4 - 23.0 )	6,411	25.7	( 24.3 - 27.1 )	6,796
11th	26.2	( 25.0 - 27.5 )	12,373	24.4	( 22.8 - 26.0 )	6,157	27.7	( 26.3 - 29.2 )	6,136
12th	29.6	( 28.2 - 30.9 )	9,560	29.4	( 27.7 - 31.1 )	4,759	29.2	( 27.3 - 31.2 )	4,730
<b>Race/Ethnicity</b>									
Black*	24.1	( 22.9 - 25.4 )	10,756	22.0	( 20.4 - 23.6 )	5,214	26.2	( 24.5 - 27.9 )	5,501
Hispanic/Latino	20.3	( 18.7 - 22.0 )	5,983	20.1	( 18.1 - 22.2 )	2,873	19.6	( 17.6 - 21.8 )	3,001
White*	29.1	( 28.2 - 30.0 )	24,444	26.9	( 25.8 - 28.0 )	12,041	31.1	( 29.8 - 32.4 )	12,296
All other races*	17.5	( 15.4 - 19.9 )	3,403	16.6	( 14.0 - 19.7 )	1,730	18.0	( 15.7 - 20.6 )	1,640
Multiple races*	28.1	( 26.5 - 29.8 )	3,466	25.9	( 23.6 - 28.3 )	1,519	29.7	( 27.4 - 32.1 )	1,928

Note: 1,384 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN108: Percentage of students who think other people at school would describe them as equally feminine and masculine

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	10.1	( 9.7 - 10.6 )	47,454	8.0	( 7.5 - 8.5 )	22,823	12.1	( 11.5 - 12.8 )	24,123
15 or younger	10.6	( 10.1 - 11.1 )	22,366	8.4	( 7.7 - 9.1 )	10,331	12.7	( 11.8 - 13.6 )	11,737
16 or 17	9.6	( 9.0 - 10.2 )	23,022	7.5	( 6.8 - 8.3 )	11,332	11.6	( 10.8 - 12.5 )	11,547
18 or older	10.8	( 9.2 - 12.7 )	1,990	9.2	( 7.3 - 11.5 )	1,142	12.5	( 9.6 - 16.1 )	826
<b>Grade</b>									
9th	11.2	( 10.4 - 12.0 )	12,885	8.8	( 7.9 - 9.8 )	6,042	13.4	( 12.3 - 14.7 )	6,747
10th	10.3	( 9.6 - 11.1 )	12,721	8.4	( 7.5 - 9.4 )	6,031	12.2	( 11.1 - 13.3 )	6,584
11th	9.9	( 9.0 - 10.7 )	11,935	7.9	( 6.9 - 9.1 )	5,892	11.7	( 10.6 - 12.8 )	5,965
12th	9.0	( 8.2 - 9.9 )	9,260	6.8	( 5.9 - 7.8 )	4,568	11.1	( 9.9 - 12.4 )	4,631
<b>Race/Ethnicity</b>									
Black*	11.2	( 10.5 - 12.0 )	10,081	8.1	( 7.3 - 9.0 )	4,791	14.1	( 12.9 - 15.4 )	5,249
Hispanic/Latino	10.8	( 9.9 - 11.8 )	5,595	8.7	( 7.5 - 10.0 )	2,638	13.0	( 11.5 - 14.6 )	2,856
White*	8.7	( 8.2 - 9.3 )	23,718	7.3	( 6.7 - 7.9 )	11,570	10.1	( 9.2 - 11.0 )	12,045
All other races*	11.0	( 10.1 - 12.1 )	3,264	9.6	( 8.1 - 11.4 )	1,641	12.5	( 10.6 - 14.6 )	1,593
Multiple races*	12.3	( 10.8 - 13.9 )	3,331	9.5	( 7.4 - 12.0 )	1,443	14.3	( 12.5 - 16.4 )	1,871

Note: 3,633 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN109: Percentage of students who are transgender

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	3.3	( 3.0 - 3.6 )	48,084	3.9	( 3.5 - 4.4 )	23,251	2.2	( 2.0 - 2.5 )	24,344
<b>Age</b>									
15 or younger	3.5	( 3.1 - 3.9 )	22,787	4.2	( 3.5 - 4.9 )	10,614	2.2	( 1.9 - 2.6 )	11,888
16 or 17	2.9	( 2.7 - 3.2 )	23,233	3.6	( 3.2 - 4.1 )	11,472	2.0	( 1.7 - 2.3 )	11,618
18 or older	4.6	( 3.6 - 5.8 )	1,989	4.5	( 3.3 - 6.2 )	1,146	4.6	( 3.1 - 6.6 )	825
<b>Grade</b>									
9th	3.2	( 2.6 - 3.8 )	13,212	3.9	( 3.0 - 5.0 )	6,265	2.2	( 1.8 - 2.7 )	6,855
10th	3.1	( 2.7 - 3.5 )	12,910	3.8	( 3.2 - 4.4 )	6,152	2.1	( 1.7 - 2.5 )	6,653
11th	2.7	( 2.3 - 3.0 )	12,023	3.3	( 2.7 - 4.0 )	5,943	1.6	( 1.3 - 2.1 )	6,006
12th	3.6	( 3.2 - 4.2 )	9,302	4.3	( 3.6 - 5.1 )	4,603	2.6	( 2.0 - 3.3 )	4,634
<b>Race/Ethnicity</b>									
Black*	3.9	( 3.4 - 4.4 )	10,205	5.0	( 4.3 - 5.9 )	4,876	2.6	( 2.1 - 3.3 )	5,289
Hispanic/Latino	4.2	( 3.6 - 5.1 )	5,632	5.4	( 4.0 - 7.1 )	2,676	2.5	( 2.0 - 3.2 )	2,857
White*	2.2	( 2.0 - 2.5 )	24,081	2.4	( 2.1 - 2.8 )	11,808	1.7	( 1.5 - 2.1 )	12,171
All other races*	1.9	( 1.4 - 2.6 )	3,307	2.5	( 1.7 - 3.7 )	1,667	1.1	( 0.7 - 1.7 )	1,612
Multiple races*	3.0	( 2.4 - 3.8 )	3,370	3.8	( 2.8 - 5.1 )	1,460	2.1	( 1.5 - 2.9 )	1,893

Note: 3,003 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN110: Percentage of students who used an indoor tanning device (such as a sunlamp, sunbed, or tanning booth [not including getting a spray-on tan], one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	7.2	( 6.7 - 7.6 )	47,194	7.4	( 6.9 - 8.0 )	22,777	6.2	( 5.8 - 6.7 )	23,911
<b>Age</b>									
15 or younger	6.6	( 6.0 - 7.2 )	22,252	7.1	( 6.3 - 7.9 )	10,327	5.0	( 4.4 - 5.7 )	11,633
16 or 17	7.3	( 6.8 - 7.8 )	22,919	7.3	( 6.6 - 8.1 )	11,306	7.1	( 6.5 - 7.8 )	11,468
18 or older	10.6	( 9.1 - 12.2 )	1,950	10.7	( 8.8 - 12.9 )	1,128	9.1	( 7.0 - 11.8 )	801
<b>Grade</b>									
9th	6.0	( 5.3 - 6.8 )	12,802	7.0	( 6.0 - 8.2 )	6,054	4.6	( 3.9 - 5.5 )	6,651
10th	6.1	( 5.5 - 6.7 )	12,689	6.6	( 5.7 - 7.6 )	6,039	4.9	( 4.3 - 5.6 )	6,543
11th	6.6	( 5.9 - 7.3 )	11,869	7.1	( 6.1 - 8.2 )	5,855	5.8	( 5.1 - 6.6 )	5,934
12th	8.8	( 8.1 - 9.6 )	9,198	8.1	( 7.0 - 9.3 )	4,547	9.2	( 8.1 - 10.4 )	4,588
<b>Race/Ethnicity</b>									
Black*	7.3	( 6.6 - 8.1 )	9,849	9.4	( 8.3 - 10.6 )	4,677	5.1	( 4.4 - 6.0 )	5,133
Hispanic/Latino	9.0	( 7.8 - 10.2 )	5,489	10.8	( 8.7 - 13.3 )	2,618	6.6	( 5.6 - 7.6 )	2,773
White*	5.7	( 5.3 - 6.2 )	23,804	4.2	( 3.7 - 4.7 )	11,644	7.1	( 6.5 - 7.8 )	12,055
All other races*	4.8	( 3.8 - 6.0 )	3,267	5.7	( 4.4 - 7.4 )	1,647	3.3	( 2.4 - 4.6 )	1,589
Multiple races*	5.9	( 5.0 - 7.0 )	3,296	5.7	( 4.5 - 7.2 )	1,435	5.7	( 4.5 - 7.2 )	1,842

Note: 3,893 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN111: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	66.8	( 65.7 - 67.9 )	46,164	65.3	( 64.1 - 66.5 )	22,163	68.4	( 67.1 - 69.7 )	23,607
<b>Age</b>									
15 or younger	67.5	( 66.1 - 68.9 )	21,785	65.6	( 63.7 - 67.4 )	10,087	69.7	( 68.1 - 71.2 )	11,487
16 or 17	67.5	( 66.2 - 68.7 )	22,440	66.6	( 65.2 - 68.0 )	10,988	68.5	( 66.8 - 70.0 )	11,327
18 or older	53.4	( 49.9 - 56.8 )	1,872	52.1	( 48.1 - 56.1 )	1,071	55.1	( 50.3 - 59.8 )	784
<b>Grade</b>									
9th	65.8	( 63.9 - 67.6 )	12,598	63.9	( 61.6 - 66.2 )	5,938	67.8	( 65.6 - 69.8 )	6,576
10th	68.1	( 66.5 - 69.6 )	12,406	66.8	( 64.9 - 68.6 )	5,869	69.5	( 67.4 - 71.5 )	6,454
11th	68.1	( 66.5 - 69.8 )	11,650	66.2	( 64.0 - 68.2 )	5,707	70.1	( 68.1 - 72.0 )	5,883
12th	65.7	( 63.6 - 67.6 )	8,959	64.8	( 62.4 - 67.1 )	4,398	66.6	( 64.2 - 69.0 )	4,510
<b>Race/Ethnicity</b>									
Black*	62.7	( 61.1 - 64.3 )	9,579	62.9	( 61.0 - 64.8 )	4,509	62.6	( 60.6 - 64.6 )	5,040
Hispanic/Latino	53.6	( 51.2 - 56.0 )	5,299	51.4	( 48.4 - 54.4 )	2,515	55.6	( 52.4 - 58.8 )	2,706
White*	72.4	( 71.4 - 73.5 )	23,524	70.3	( 69.0 - 71.5 )	11,465	74.8	( 73.5 - 76.0 )	11,960
All other races*	75.1	( 71.8 - 78.2 )	3,206	70.4	( 66.3 - 74.2 )	1,607	80.2	( 77.0 - 83.0 )	1,574
Multiple races*	70.4	( 68.5 - 72.2 )	3,231	68.7	( 65.7 - 71.6 )	1,393	71.7	( 69.1 - 74.2 )	1,821

Note: 4,923 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN112: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	60.3	( 59.4 - 61.1 )	46,326	61.7	( 60.8 - 62.6 )	22,295	59.0	( 57.9 - 60.1 )	23,602
<b>Age</b>									
15 or younger	70.0	( 68.9 - 71.0 )	21,831	71.5	( 70.2 - 72.8 )	10,107	69.0	( 67.7 - 70.3 )	11,489
16 or 17	52.9	( 51.8 - 54.0 )	22,536	54.9	( 53.5 - 56.2 )	11,087	51.0	( 49.7 - 52.4 )	11,320
18 or older	47.4	( 45.0 - 49.8 )	1,889	46.8	( 43.5 - 50.1 )	1,085	48.7	( 44.3 - 53.2 )	784
<b>Grade</b>									
9th	74.4	( 72.9 - 75.8 )	12,579	75.0	( 73.0 - 76.8 )	5,926	74.1	( 72.3 - 75.9 )	6,571
10th	63.1	( 61.6 - 64.6 )	12,473	64.9	( 63.0 - 66.7 )	5,919	61.5	( 59.6 - 63.4 )	6,466
11th	55.1	( 53.5 - 56.7 )	11,675	56.5	( 54.4 - 58.7 )	5,741	53.8	( 51.9 - 55.7 )	5,868
12th	47.0	( 45.6 - 48.5 )	9,010	48.8	( 46.9 - 50.7 )	4,446	45.3	( 43.3 - 47.4 )	4,514
<b>Race/Ethnicity</b>									
Black*	57.6	( 56.1 - 59.1 )	9,638	59.7	( 58.0 - 61.5 )	4,555	55.9	( 53.9 - 57.8 )	5,050
Hispanic/Latino	58.7	( 56.7 - 60.7 )	5,332	59.6	( 57.3 - 61.9 )	2,539	58.0	( 55.3 - 60.7 )	2,706
White*	62.5	( 61.6 - 63.5 )	23,520	63.9	( 62.7 - 65.0 )	11,487	61.2	( 59.9 - 62.5 )	11,937
All other races*	63.1	( 60.6 - 65.6 )	3,214	64.5	( 61.3 - 67.6 )	1,617	61.7	( 58.2 - 65.2 )	1,571
Multiple races*	62.6	( 60.5 - 64.7 )	3,235	63.6	( 60.4 - 66.7 )	1,394	61.9	( 59.1 - 64.6 )	1,825

Note: 4,761 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN113: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	38.1	( 36.9 - 39.2 )	46,656	39.5	( 38.1 - 40.8 )	22,506	36.4	( 35.2 - 37.7 )	23,677
<b>Age</b>									
15 or younger	37.0	( 35.4 - 38.7 )	21,986	37.3	( 35.4 - 39.3 )	10,207	36.2	( 34.4 - 37.9 )	11,509
16 or 17	37.8	( 36.6 - 39.0 )	22,674	39.9	( 38.5 - 41.4 )	11,169	35.8	( 34.4 - 37.2 )	11,366
18 or older	48.6	( 45.6 - 51.6 )	1,923	50.8	( 47.3 - 54.4 )	1,114	45.8	( 40.7 - 50.8 )	791
<b>Grade</b>									
9th	36.3	( 34.4 - 38.3 )	12,639	36.6	( 34.2 - 39.2 )	5,971	35.7	( 33.7 - 37.7 )	6,574
10th	38.4	( 36.4 - 40.4 )	12,565	38.3	( 36.1 - 40.6 )	5,976	38.1	( 36.0 - 40.3 )	6,489
11th	37.3	( 35.6 - 39.1 )	11,735	39.4	( 37.3 - 41.5 )	5,790	35.2	( 33.1 - 37.4 )	5,877
12th	39.4	( 37.6 - 41.1 )	9,106	43.0	( 41.1 - 45.0 )	4,495	35.8	( 33.5 - 38.3 )	4,551
<b>Race/Ethnicity</b>									
Black*	51.9	( 50.6 - 53.3 )	9,757	53.2	( 51.4 - 54.9 )	4,629	50.8	( 49.2 - 52.4 )	5,091
Hispanic/Latino	46.5	( 44.6 - 48.3 )	5,409	47.0	( 45.0 - 49.0 )	2,579	45.6	( 42.3 - 49.0 )	2,736
White*	25.6	( 24.6 - 26.6 )	23,571	27.9	( 26.7 - 29.2 )	11,513	23.1	( 21.9 - 24.3 )	11,956
All other races*	30.9	( 27.9 - 34.0 )	3,245	30.5	( 27.4 - 33.9 )	1,647	30.9	( 27.5 - 34.6 )	1,570
Multiple races*	39.0	( 36.7 - 41.2 )	3,243	40.4	( 37.2 - 43.8 )	1,412	37.4	( 34.7 - 40.3 )	1,814

Note: 4,431 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN114: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	22.1	( 21.4 - 22.9 )	46,544	24.6	( 23.7 - 25.6 )	22,451	19.3	( 18.5 - 20.1 )	23,623
<b>Age</b>									
15 or younger	22.0	( 20.9 - 23.1 )	21,942	23.6	( 22.1 - 25.2 )	10,185	19.8	( 18.7 - 20.9 )	11,486
16 or 17	21.7	( 20.8 - 22.5 )	22,616	24.9	( 23.7 - 26.1 )	11,145	18.5	( 17.4 - 19.6 )	11,340
18 or older	27.2	( 24.7 - 30.0 )	1,914	30.0	( 26.6 - 33.6 )	1,104	23.0	( 19.5 - 27.0 )	789
<b>Grade</b>									
9th	21.8	( 20.4 - 23.2 )	12,628	23.3	( 21.4 - 25.3 )	5,976	20.0	( 18.6 - 21.5 )	6,559
10th	21.3	( 20.2 - 22.5 )	12,523	23.2	( 21.7 - 24.8 )	5,955	19.2	( 17.8 - 20.6 )	6,469
11th	21.5	( 20.3 - 22.8 )	11,707	24.4	( 22.8 - 26.0 )	5,773	18.7	( 17.2 - 20.2 )	5,864
12th	22.9	( 21.7 - 24.1 )	9,082	27.3	( 25.5 - 29.1 )	4,478	18.4	( 16.9 - 20.0 )	4,544
<b>Race/Ethnicity</b>									
Black*	28.2	( 27.1 - 29.5 )	9,705	31.6	( 30.0 - 33.3 )	4,609	25.1	( 23.5 - 26.6 )	5,061
Hispanic/Latino	24.9	( 23.4 - 26.4 )	5,385	26.6	( 24.2 - 29.2 )	2,569	22.5	( 20.4 - 24.8 )	2,719
White*	16.8	( 16.1 - 17.6 )	23,548	19.4	( 18.4 - 20.5 )	11,496	14.1	( 13.2 - 15.1 )	11,951
All other races*	16.7	( 14.8 - 18.7 )	3,228	18.0	( 15.7 - 20.7 )	1,643	14.9	( 13.1 - 17.0 )	1,557
Multiple races*	22.4	( 20.5 - 24.4 )	3,244	23.4	( 20.8 - 26.3 )	1,411	21.2	( 18.8 - 23.8 )	1,817

Note: 4,543 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.



## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN115: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	61.8	( 60.9 - 62.7 )	46,042	58.2	( 56.9 - 59.4 )	22,161	65.9	( 64.9 - 66.9 )	23,412
15 or younger	64.7	( 63.5 - 65.9 )	21,636	62.7	( 60.9 - 64.3 )	10,006	67.5	( 66.3 - 68.7 )	11,359
16 or 17	60.4	( 59.3 - 61.5 )	22,460	55.6	( 54.2 - 57.0 )	11,053	65.2	( 63.9 - 66.5 )	11,271
18 or older	51.2	( 48.5 - 53.8 )	1,875	46.4	( 43.0 - 49.8 )	1,085	57.8	( 53.6 - 61.9 )	770
<b>Grade</b>									
9th	65.7	( 64.0 - 67.3 )	12,390	63.8	( 61.7 - 66.0 )	5,844	67.9	( 66.1 - 69.7 )	6,454
10th	62.8	( 61.4 - 64.1 )	12,366	59.4	( 57.6 - 61.2 )	5,849	66.4	( 64.8 - 67.9 )	6,420
11th	61.5	( 60.2 - 62.8 )	11,683	57.2	( 55.5 - 58.9 )	5,756	66.1	( 64.5 - 67.7 )	5,854
12th	58.0	( 56.5 - 59.5 )	8,996	52.5	( 50.5 - 54.5 )	4,440	63.6	( 61.5 - 65.7 )	4,496
<b>Race/Ethnicity</b>									
Black*	58.3	( 56.8 - 59.7 )	9,543	54.5	( 52.7 - 56.3 )	4,505	61.8	( 60.0 - 63.7 )	5,001
Hispanic/Latino	56.9	( 55.2 - 58.5 )	5,279	53.7	( 50.5 - 56.8 )	2,521	60.4	( 58.0 - 62.7 )	2,665
White*	65.4	( 64.5 - 66.4 )	23,394	61.4	( 60.0 - 62.7 )	11,413	69.7	( 68.6 - 70.7 )	11,882
All other races*	71.1	( 68.5 - 73.6 )	3,204	67.7	( 65.1 - 70.2 )	1,622	75.2	( 71.9 - 78.3 )	1,554
Multiple races*	60.9	( 58.9 - 62.9 )	3,203	56.8	( 53.4 - 60.1 )	1,380	64.6	( 61.6 - 67.5 )	1,807

Note: 5,045 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN116: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (such as beer, wine, or liquor)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	75.3	( 74.3 - 76.2 )	45,944	70.8	( 69.6 - 72.0 )	22,175	80.1	( 79.1 - 81.1 )	23,309
<b>Age</b>									
15 or younger	76.7	( 75.4 - 78.0 )	21,574	73.9	( 72.1 - 75.7 )	10,009	80.4	( 79.2 - 81.6 )	11,297
16 or 17	75.2	( 74.3 - 76.2 )	22,426	69.4	( 68.2 - 70.7 )	11,060	81.0	( 79.9 - 82.1 )	11,233
18 or older	62.8	( 59.8 - 65.7 )	1,878	59.5	( 55.3 - 63.6 )	1,089	67.6	( 62.7 - 72.1 )	770
<b>Grade</b>									
9th	76.7	( 75.0 - 78.4 )	12,355	73.9	( 71.6 - 76.1 )	5,840	79.9	( 78.1 - 81.5 )	6,431
10th	76.0	( 74.5 - 77.5 )	12,354	72.2	( 70.3 - 74.0 )	5,870	80.3	( 78.7 - 81.8 )	6,386
11th	76.2	( 74.9 - 77.4 )	11,639	70.2	( 68.5 - 71.8 )	5,753	82.4	( 80.9 - 83.8 )	5,817
12th	73.1	( 71.7 - 74.5 )	8,992	67.3	( 65.4 - 69.1 )	4,440	78.8	( 77.0 - 80.6 )	4,495
<b>Race/Ethnicity</b>									
Black*	72.4	( 70.8 - 74.0 )	9,526	66.7	( 64.5 - 68.8 )	4,524	78.0	( 76.2 - 79.7 )	4,966
Hispanic/Latino	71.5	( 69.5 - 73.5 )	5,269	68.9	( 66.0 - 71.6 )	2,529	74.7	( 72.5 - 76.7 )	2,651
White*	78.1	( 77.2 - 79.0 )	23,352	73.7	( 72.4 - 75.0 )	11,408	82.7	( 81.6 - 83.8 )	11,845
All other races*	82.4	( 80.2 - 84.4 )	3,200	79.7	( 76.9 - 82.2 )	1,616	85.9	( 82.7 - 88.6 )	1,555
Multiple races*	77.7	( 75.8 - 79.5 )	3,211	73.3	( 70.2 - 76.2 )	1,393	81.6	( 79.2 - 83.7 )	1,802

Note: 5,143 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN117: Percentage of students who have an adult outside of school they can talk to about things that are important to them

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	83.7	( 83.1 - 84.3 )	45,174	84.1	( 83.3 - 84.8 )	21,657	83.6	( 82.9 - 84.3 )	23,147
<b>Age</b>									
15 or younger	84.6	( 83.7 - 85.5 )	21,249	85.4	( 84.1 - 86.6 )	9,813	84.3	( 83.3 - 85.3 )	11,233
16 or 17	83.6	( 82.8 - 84.2 )	22,026	83.9	( 83.0 - 84.8 )	10,774	83.2	( 82.2 - 84.2 )	11,139
18 or older	77.8	( 75.3 - 80.1 )	1,836	75.3	( 72.0 - 78.4 )	1,055	81.2	( 77.4 - 84.6 )	766
<b>Grade</b>									
9th	84.5	( 83.3 - 85.6 )	12,223	85.2	( 83.4 - 86.7 )	5,739	84.0	( 82.5 - 85.3 )	6,411
10th	84.3	( 83.3 - 85.3 )	12,175	84.7	( 83.2 - 86.1 )	5,761	84.2	( 82.9 - 85.3 )	6,341
11th	83.8	( 82.9 - 84.6 )	11,426	84.4	( 83.2 - 85.6 )	5,591	83.2	( 81.8 - 84.6 )	5,778
12th	82.8	( 81.7 - 83.9 )	8,812	82.4	( 80.8 - 83.9 )	4,320	83.5	( 82.1 - 84.9 )	4,443
<b>Race/Ethnicity</b>									
Black*	82.0	( 81.0 - 83.0 )	9,301	82.5	( 81.3 - 83.7 )	4,368	81.5	( 80.0 - 83.0 )	4,900
Hispanic/Latino	77.9	( 76.1 - 79.6 )	5,152	77.6	( 74.9 - 80.1 )	2,453	78.3	( 76.4 - 80.1 )	2,627
White*	87.8	( 87.1 - 88.4 )	23,154	88.0	( 87.1 - 88.8 )	11,261	87.7	( 86.8 - 88.5 )	11,801
All other races*	80.9	( 78.9 - 82.8 )	3,144	81.2	( 78.2 - 83.8 )	1,577	80.8	( 78.2 - 83.2 )	1,545
Multiple races*	82.8	( 81.1 - 84.3 )	3,156	83.3	( 80.6 - 85.7 )	1,356	82.5	( 80.2 - 84.6 )	1,785

Note: 5,913 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN118: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	77.0	( 76.5 - 77.6 )	46,471	75.6	( 74.8 - 76.4 )	22,388	78.6	( 77.9 - 79.4 )	23,583
<b>Age</b>									
15 or younger	76.3	( 75.5 - 77.2 )	21,841	75.4	( 74.1 - 76.7 )	10,106	77.4	( 76.2 - 78.4 )	11,439
16 or 17	78.2	( 77.5 - 78.9 )	22,636	76.4	( 75.4 - 77.4 )	11,148	80.2	( 79.2 - 81.1 )	11,349
18 or older	71.8	( 69.3 - 74.2 )	1,925	70.4	( 67.1 - 73.4 )	1,115	73.5	( 69.8 - 77.0 )	788
<b>Grade</b>									
9th	75.9	( 74.7 - 77.1 )	12,502	75.4	( 73.7 - 77.2 )	5,888	76.5	( 75.0 - 77.9 )	6,519
10th	76.9	( 75.9 - 77.9 )	12,473	75.1	( 73.8 - 76.3 )	5,920	78.8	( 77.3 - 80.2 )	6,447
11th	77.9	( 76.8 - 78.9 )	11,770	76.3	( 74.8 - 77.7 )	5,805	79.5	( 77.8 - 81.1 )	5,888
12th	78.2	( 77.0 - 79.4 )	9,090	76.1	( 74.5 - 77.7 )	4,492	80.5	( 79.1 - 81.8 )	4,534
<b>Race/Ethnicity</b>									
Black*	74.7	( 73.6 - 75.8 )	9,662	73.0	( 71.3 - 74.7 )	4,588	76.5	( 74.9 - 77.9 )	5,038
Hispanic/Latino	71.4	( 69.8 - 73.0 )	5,368	71.3	( 69.2 - 73.4 )	2,567	71.4	( 68.9 - 73.7 )	2,704
White*	81.9	( 81.2 - 82.5 )	23,491	80.0	( 79.1 - 80.9 )	11,458	83.9	( 83.1 - 84.8 )	11,929
All other races*	71.7	( 69.4 - 73.9 )	3,236	70.7	( 67.8 - 73.4 )	1,630	72.9	( 70.2 - 75.4 )	1,575
Multiple races*	76.4	( 74.3 - 78.3 )	3,242	76.8	( 73.8 - 79.6 )	1,408	76.0	( 73.1 - 78.7 )	1,817

Note: 4,616 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey  
Summary Tables - Weighted Data

QN119: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

	Percentage	Total		Percentage	Male		Percentage	Female	
		95% confidence interval	N		95% confidence interval	N		95% confidence interval	N
<b>Total</b>	36.0	( 35.3 - 36.8 )	45,631	32.3	( 31.2 - 33.4 )	21,890	39.6	( 38.7 - 40.5 )	23,330
<b>Age</b>									
15 or younger	32.8	( 31.7 - 33.9 )	21,476	29.8	( 28.2 - 31.3 )	9,920	35.6	( 34.5 - 36.7 )	11,324
16 or 17	38.0	( 37.1 - 39.0 )	22,229	33.7	( 32.5 - 35.0 )	10,887	42.2	( 40.9 - 43.5 )	11,220
18 or older	44.0	( 41.3 - 46.7 )	1,861	39.5	( 36.1 - 43.1 )	1,066	49.2	( 44.7 - 53.6 )	778
<b>Grade</b>									
9th	32.2	( 30.8 - 33.6 )	12,350	29.9	( 27.9 - 32.1 )	5,800	34.4	( 33.0 - 35.9 )	6,469
10th	34.5	( 33.5 - 35.6 )	12,279	30.8	( 29.4 - 32.2 )	5,813	38.2	( 36.7 - 39.8 )	6,383
11th	36.6	( 35.4 - 37.8 )	11,548	32.5	( 31.0 - 34.1 )	5,661	40.4	( 38.8 - 42.0 )	5,826
12th	41.1	( 39.6 - 42.7 )	8,900	36.4	( 34.1 - 38.8 )	4,366	45.7	( 43.8 - 47.6 )	4,476
<b>Race/Ethnicity</b>									
Black*	37.2	( 35.8 - 38.7 )	9,439	35.2	( 33.2 - 37.2 )	4,438	39.3	( 37.7 - 40.9 )	4,965
Hispanic/Latino	36.2	( 34.1 - 38.3 )	5,215	30.9	( 28.2 - 33.7 )	2,480	40.8	( 38.3 - 43.3 )	2,654
White*	35.6	( 34.8 - 36.5 )	23,287	31.1	( 30.0 - 32.2 )	11,333	40.2	( 39.1 - 41.4 )	11,855
All other races*	28.1	( 26.5 - 29.8 )	3,170	25.8	( 23.4 - 28.4 )	1,590	30.5	( 28.1 - 33.0 )	1,558
Multiple races*	38.9	( 37.1 - 40.8 )	3,196	33.6	( 30.5 - 36.7 )	1,385	43.2	( 40.4 - 46.0 )	1,794

Note: 5,456 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

## 2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey Summary Tables - Weighted Data

QN120: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

	Percentage	Total		Percentage	Male		Percentage	Female	
		95% confidence interval	N		95% confidence interval	N		95% confidence interval	N
<b>Total</b>	55.1	( 54.3 - 56.0 )	46,521	58.2	( 57.3 - 59.1 )	22,433	52.1	( 51.1 - 53.2 )	23,603
<b>Age</b>									
15 or younger	53.5	( 52.4 - 54.7 )	21,879	57.4	( 56.0 - 58.9 )	10,147	49.7	( 48.4 - 51.1 )	11,448
16 or 17	56.0	( 55.1 - 57.0 )	22,647	58.8	( 57.6 - 59.9 )	11,161	53.4	( 52.1 - 54.7 )	11,353
18 or older	59.8	( 57.0 - 62.5 )	1,923	59.2	( 55.4 - 62.8 )	1,106	61.0	( 57.1 - 64.8 )	795
<b>Grade</b>									
9th	54.5	( 53.1 - 55.9 )	12,561	58.5	( 56.7 - 60.3 )	5,937	50.6	( 48.8 - 52.3 )	6,526
10th	52.7	( 51.2 - 54.2 )	12,492	56.2	( 54.5 - 57.9 )	5,937	49.3	( 47.3 - 51.2 )	6,456
11th	54.5	( 53.3 - 55.7 )	11,771	57.9	( 56.3 - 59.5 )	5,807	51.2	( 49.5 - 52.9 )	5,892
12th	59.4	( 57.9 - 60.8 )	9,080	60.9	( 58.9 - 62.8 )	4,476	58.1	( 56.1 - 60.0 )	4,543
<b>Race/Ethnicity</b>									
Black*	52.4	( 51.0 - 53.9 )	9,715	56.9	( 54.9 - 58.8 )	4,611	48.3	( 46.7 - 50.0 )	5,068
Hispanic/Latino	52.8	( 51.2 - 54.4 )	5,364	55.9	( 53.7 - 58.1 )	2,565	49.6	( 47.3 - 51.8 )	2,702
White*	57.7	( 56.8 - 58.7 )	23,514	59.6	( 58.4 - 60.8 )	11,482	56.0	( 54.7 - 57.3 )	11,928
All other races*	58.2	( 54.8 - 61.5 )	3,230	61.3	( 57.5 - 64.9 )	1,628	55.0	( 50.2 - 59.8 )	1,575
Multiple races*	51.7	( 49.5 - 53.9 )	3,248	57.5	( 54.2 - 60.8 )	1,413	47.0	( 44.0 - 50.0 )	1,817

Note: 4,566 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.