

# Seasonal Influenza Vaccine

## 2020-2021 Reference Guide

**CHOICE** - With FFF's MyFluVaccine<sup>®</sup>, you can select from a broad portfolio of products.

**CONVENIENCE** - Plan your flu clinics with confidence, knowing your order will arrive when you need it.

**SAFETY** - Guaranteed Channel Integrity<sup>®</sup> is our commitment to a secure pharmaceutical supply chain.



PATIENT SAFETY • PRODUCT EFFICACY • FAIR PRICING



# 2020-2021 Flu Vaccines

Product	Manufacturer	Size	Indication	Latex Content	Thimerosal Content	CPT	Medicare
<b>Trivalent Vaccines</b>							
Fluad®	Seqirus	0.5 mL PFS 10-bx	65 years and older	Latex-free	Preservative-free	90653	90653
<b>Quadrivalent Vaccines</b>							
Fluad®	Seqirus	0.5 mL PFS 10-bx	65 years and older	Latex-free	Preservative-free	90694	90654
Flucelvax®	Seqirus	0.5 mL PFS 10-bx	4 years and older	Latex-free	Preservative-free	90674	90674
Flucelvax®	Seqirus	5 mL MDV	4 years and older	Latex-free	25 mcg/dose	90756 <sup>1</sup>	90756 <sup>1</sup>
Afluria® Pediatric	Seqirus	0.25 mL PFS 10-bx	6 to 35 months	Latex-free	Preservative-free	90685	90685
Afluria®	Seqirus	0.5 mL PFS 10-bx	3 years and older	Latex-free	Preservative-free	90686	90686
Afluria®	Seqirus	5 mL MDV	6 months and older	Latex-free	24.5 mcg/dose	90688	90688
Fluzone®	Sanofi Pasteur	0.5 mL PFS 10-bx	6 months and older	Latex-free	Preservative-free	90686	90686
Fluzone®	Sanofi Pasteur	0.5 mL SDV 10-bx	6 months and older	Latex-free	Preservative-free	90686	90686
Fluzone®	Sanofi Pasteur	5 mL MDV	6 months and older	Latex-free	25 mcg/dose	90688	90688
Fluzone® High-Dose	Sanofi Pasteur	0.7 mL PFS 10-bx	65 years and older	Latex-free	Preservative-free	90662	90662
Flublok®	Sanofi Pasteur	0.5 mL PFS 10-bx	18 years and older	Latex-free	Preservative-free	90682	90682
FLULAVAL®	GSK	0.5 mL PFS 10-bx	6 months and older	Latex-free	Preservative-free	90686	90686
FLUARIX®	GSK	0.5 mL PFS 10-bx	6 months and older	Latex-free	Preservative-free	90686	90686
FluMist®	AstraZeneca	0.2 mL spray 10-bx	2 to 49 years	Latex-free	Preservative-free	90672	90672

<sup>1</sup> Providers should check with their respective payers to verify which code they are recognizing for Flucelvax Quadrivalent 5 mL MDV product reimbursement for this season.

The World Health Organization recommends that **trivalent vaccines** for use in the 2020 - 2021 northern hemisphere influenza season contain the following:\*

#### Egg-based Vaccines

- an A/Guangdong-Maonan/SWL1536/2019 (H1N1)pdm09-like virus;
- an A/Hong Kong/2671/2019 (H3N2)-like virus; and
- a B/Washington/02/2019 (B/Victoria lineage)-like virus.

#### Cell- or recombinant-based Vaccines

- an A/Hawaii/70/2019 (H1N1)pdm09-like virus;
- an A/Hong Kong/45/2019 (H3N2)-like virus; and
- a B/Washington/02/2019 (B/Victoria lineage)-like virus.

The World Health Organization recommends that **quadrivalent vaccines** for use in the 2020 - 2021 northern hemisphere influenza season contain the following:\*

#### Egg-based Vaccines

- an A/Guangdong-Maonan/SWL1536/2019 (H1N1)pdm09-like virus;
- an A/Hong Kong/2671/2019 (H3N2)-like virus;
- a B/Washington/02/2019 (B/Victoria lineage)-like virus; and
- a B/Phuket/3073/2013 (B/Yamagata lineage)-like virus.

#### Cell- or recombinant-based Vaccines

- an A/Hawaii/70/2019 (H1N1)pdm09-like virus;
- an A/Hong Kong/45/2019 (H3N2)-like virus;
- a B/Washington/02/2019 (B/Victoria lineage)-like virus; and
- a B/Phuket/3073/2013 (B/Yamagata lineage)-like virus.

\*The components were recommended on 28 February 2020.

**You pick the preferred date • You pick the quantity • We deliver**

# Dosing Guide

Product	Manufacturer	Size	Indication	Doses	Route
<b>Trivalent Vaccines</b>					
Fluad®	Seqirus	0.5 mL PFS 10-bx	65 years and older	1	Intramuscular <sup>5</sup>
<b>Quadrivalent Vaccines</b>					
Fluad®	Seqirus	0.5 mL PFS 10-bx	65 years and older	1	Intramuscular <sup>5</sup>
Flucelvax®	Seqirus	0.5 mL PFS 10-bx	4 years and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Flucelvax®	Seqirus	5 mL MDV	4 years and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Afluria® Pediatric	Seqirus	0.25 mL PFS 10-bx	6 to 35 months <sup>2</sup>	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Afluria®	Seqirus	0.5 mL PFS 10-bx	3 years and older	1 or 2 <sup>4</sup>	Intramuscular <sup>5</sup>
Afluria®	Seqirus	5 mL MDV	6 months and older	1	Intramuscular <sup>5</sup>
Fluzone®	Sanofi Pasteur	0.5 mL PFS 10-bx	6 months and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Fluzone®	Sanofi Pasteur	0.5 mL SDV 10-bx	6 months and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Fluzone®	Sanofi Pasteur	5 mL MDV	6 months and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Fluzone® High-Dose	Sanofi Pasteur	0.7 mL PFS 10-bx	65 years and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
Flublok®	Sanofi Pasteur	0.5 mL PFS 10-bx	18 years and older	1	Intramuscular <sup>5</sup>
FLULAVAL®	GSK	0.5 mL PFS 10-bx	6 months and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
FLUARIX®	GSK	0.5 mL PFS 10-bx	6 months and older	1 or 2 <sup>3</sup>	Intramuscular <sup>5</sup>
FluMist®	AstraZeneca	0.2 mL spray 10-bx	2 to 49 years	1 or 2 <sup>3</sup>	Intranasal

<sup>2</sup> Children aged 6-35 months should receive 0.25 mL vaccine per dose. Ages 36 months through adult should receive 0.5 mL vaccine per dose. See footnote 4 for number of doses.

<sup>3</sup> Children aged 6 months through 8 years who are receiving influenza vaccine for the first time, and some in this age group who have previously been vaccinated, require two doses of vaccine administered at least 4 weeks apart. One or two doses depends on vaccination history as per Advisory Committee on Immunization Practices annual recommendations on prevention and control of influenza with vaccines.

<sup>4</sup> Children aged 36 months through 8 years who are receiving influenza vaccine for the first time, and some in this age group who have previously been vaccinated, require two doses of vaccine administered at least 4 weeks apart. One or two doses depends on vaccination history as per Advisory Committee on Immunization Practices annual recommendations on prevention and control of influenza with vaccines.

<sup>5</sup> For adults and older children, the recommended site of vaccination is the deltoid muscle. The preferred site for infants and young children is the anterolateral aspect of the thigh.

**You pick the preferred date • You pick the quantity • We deliver**

# Free Flu Vaccine Resources

We Provide Free Resources to Help You Plan and Promote Your Flu Clinics



**FFF Enterprises, Inc.** is the nation's most trusted distributor of flu vaccines, plasma products, biosimilars and specialty pharmaceuticals. Our partners include all manufacturers of influenza vaccines, over 80 percent of U.S. hospitals and the nation's leading non-acute GPO members.

FFF Enterprises is committed to improving and stabilizing the supply of specialty pharmaceuticals through our **Guaranteed Channel Integrity®**, our commitment to purchase product directly from the manufacturer, and ship it only to a licensed healthcare professional.

FFF Enterprises has a robust, nationwide salesforce of professionals, as well as access to infusion, pharmacy and reimbursement advisors. Our skilled professionals are experienced with every drug we carry and can provide answers to your questions 24/7 at **(800) 843-7477**.



Emergency Ordering 24/7 | MyFluVaccine.com | FFFenterprises.com | (800) 843-7477 | FAX (800) 418-4333