Maryland Department of Health Laboratories Administration 1770 Ashland Ave., Baltimore, MD 21205 Robert A. Myers, Ph. D., Director

Division of Environmental Sciences RADIATION LABORATORY

| Lab ID(s) | | | |
|-----------|--|--|--|
| | | | |
| | | | |

ANALYSIS REQUEST FORM

| Agency Name: | | | | Pres. | | | | | | | | | | | |
|----------------------|----------|-------|------------|-------|-------------------|---------------------------------|-------|--------------|-----------------------------|-------------------------------|----|-----|--|--|--|
| Address: | | | | Pr | | | | | | | | | | | |
| City: State: | | Zip: | | | | | | | | | | | | | |
| Sample Source: | | | | | | | | | | | | | | | |
| Sampler Name: Phone: | | | | | Test | | | | | | | | | | |
| Signature: Fax: | | | | | I | | | | | | | | | | |
| Lab ID Field ID | | C | Collection | | Sample | | | | | | | | | | |
| Lau ID | riciu iD | Date | T | ime | Type | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Received By: Date: | | Time: | | | Preservation Code | | | Lab Use Only | | Yes | No | N/A | | | |
| | | | | | Α | Nitric Acid (HNO ₃) | | 3) | Sample Intact upon arrival? | | | | | | |
| Approved By: | | Date: | Time: | | В | None | | | Sample properly preserved? | | | | | | |
| | | | | | | С | Other | | | Received within holding time? | | | | | |

DES-FORM-RAL-048 09/18 SAMPLES TESTED AS RECEIVED

Telephone: (443) 681-3766

Fax: (443) 681-4507