



MARYLAND
VITAL STATISTICS PROFILE
2007

Martin O'Malley, Governor
Anthony G. Brown, Lt. Governor

John M. Colmers, Secretary
Dept. of Health and Mental Hygiene

TABLE OF CONTENTS

List of 113 Selected Causes of Death, Injury by Firearms, Drug-induced Deaths, and Alcohol-induced Deaths iv

MAPS

Comparison of County Birth Rates with the Maryland State Average, 2007 1

Comparison of Percentages of Births to Adolescents (under 18) with the Maryland State Average, 2007 2

Comparison of Percentages of Births to Unmarried Women with the Maryland State Average, 2007 3

Comparison of Percentages of Births to Women with Prenatal Care in the First Trimester with the Maryland State Average, 2007 4

Comparison of Percentages of Births to Women with Late or No Prenatal Care with the Maryland State Average, 2007 5

Comparison of Percentages of Low Birth Weight Birth with the Maryland State Average, 2007 6

Comparison of Percentages of Very Low Birth Weight Birth with the Maryland State Average, 2007 7

Comparison of Percentages of Infants Born at Less than 37 Weeks Gestation with the Maryland State Average, 2007 8

Comparison of Percentages of Births by Cesarean Section with the Maryland State Average, 2007 9

Comparison of Percentages of Births to Infants with Five-Minute Apgar Scores under 7 with the Maryland State Average, 2007 10

Comparison of County Infant Mortality Rates with the Maryland State Average, 2007 11

Comparison of County Neonatal Mortality Rates with the Maryland State Average, 2007 12

Comparison of County Postneonatal Mortality Rates with the Maryland State Average, 2007 13

Comparison of County Age-adjusted Death Rates for All Causes with the Maryland State Average, 2005-2007 14

Comparison of County Age-adjusted Death Rates for Heart Disease with the Maryland State Average, 2005-2007 15

Comparison of County Age-adjusted Death Rates for Malignant Neoplasms with the Maryland State Average, 2005-2007 16

Comparison of County Age-adjusted Death Rates for Cerebrovascular Diseases with the Maryland State Average, 2005-2007 17

Comparison of County Age-adjusted Death Rates for Chronic Lower Respiratory Diseases with the Maryland State Average, 2005-2007 18

Comparison of County Age-adjusted Death Rates for Diabetes Mellitus with the Maryland State Average, 2005-2007	19
Comparison of County Age-adjusted Death Rates for Accidents with the Maryland State Average, 2005-2007.....	20
Comparison of County Age-adjusted Death Rates for Influenza and Pneumonia with the Maryland State Average, 2005-2007.....	21
Comparison of County Age-adjusted Death Rates for Septicemia with the Maryland State Average, 2005-2007.....	22
Comparison of County Age-adjusted Death Rates for Alzheimer's Disease with the Maryland State Average, 2005-2007	23
Comparison of County Age-adjusted Death Rates for Nephritis, Nephrosis and Nephrotic Syndrome with the Maryland State Average, 2005-2007	24
Comparison of County Age-adjusted Death Rates for Human Immunodeficiency Virus (HIV) with the Maryland State Average, 2005-2007.....	25
Comparison of County Age-adjusted Death Rates for Assault (Homicide) with the Maryland State Average, 2005-2007.....	26
Comparison of County Age-adjusted Death Rates for Intentional Self-Harm (Suicide) with the Maryland State Average, 2005-2007	27

TABLES

Table 1. Live Births by Maternal Race, Hispanic Origin, Infant Sex and Month of Birth, 2007.....	28
Table 2. Live Births by Birth Order, Maternal Race, Hispanic Origin and Maternal Age, 2007	29
Table 3. Live Births by Maternal Age, Race, Hispanic Origin and Marital Status, 2007	31
Table 4. Live Births by Plurality, Maternal Age, Race, and Hispanic Origin, 2007	33
Table 5. Live Births by Maternal Age, Race, Hispanic Origin and Years of Education, 2007	35
Table 6. Live Births by Maternal Age, Race, Hispanic Origin and Trimester of First Prenatal Visit, 2007	37
Table 7. Live Births by Maternal Age, Race, Hispanic Origin and Length of Gestation, 2007.....	39
Table 8. Live Births by Maternal Age, Race, Hispanic Origin and Infant Birth Weight, 2007	41
Table 9. Live Births by Maternal Marital Status, Race, Hispanic Origin and Infant Birth Weight, 2007	43
Table 10. Live Births by Maternal Education, Race, Hispanic Origin and Infant Birth Weight, 2007	44
Table 11. Live Births by Trimester of First Prenatal Visit, Maternal Race, Hispanic Origin and Infant Birth Weight, 2007.....	46

Table 12. Live Births by Maternal Race, Hispanic Origin and Place of Occurrence, 2007	48
Table 12a. Selected Natality Characteristics by Political Subdivision, Maryland , 2007	49
Table 13. Deaths by Race, Sex and Month of Death, 2007	50
Table 14. Deaths by Race, Sex and Age, 2007.....	51
Table 15. Leading Causes of Death by Race and Sex, 2007	52
Table 16. Leading Causes of Death by Age Group, 2007	53
Table 16A. Leading Causes of Death Among Whites by Sex and Age Group, 2007	54
Table 16B. Leading Causes of Death Among Blacks by Sex and Age Group, 2007	56
Table 16C. Leading Causes of Death Among Asians or Pacific Islanders by Sex and Age Group, 2007.....	58
Table 16D. Leading Causes of Death Among Hispanics by Sex and Age Group, 2007	60
Table 17. Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Age Group, 2007	62
Table 18. Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Race, Hispanic Origin and Sex, 2007	69
Table 19. Accidental Deaths by Type of Accident, Sex, Age, Race and Hispanic Origin, 2007	76
Table 19A. Accidental Deaths among Whites by Type of Accident, Sex, Age, Race and Hispanic Origin, 2007	77
Table 19B. Accidental Deaths among Blacks by Type of Accident, Sex, Age, Race and Hispanic Origin, 2007	78
Table 19C. Accidental Deaths among Asian or Pacific Islanders by Type of Accident, Sex, Age, Race and Hispanic Origin, 2007	79
Table 19D. Accidental Deaths among Hispanics by Type of Accident, Sex, Age, Race and Hispanic Origin, 2007.....	80
Table 20. Infant, Neonatal and Postneonatal Deaths and Mortality Rates by Maternal Race and Hispanic Origin, 2007	81
Table 21. Deaths by Area of Occurrence by Race and Hispanic Origin, 2007.....	82
Table 22. Age-adjusted Death Rates for Leading Causes by Political Subdivision, Maryland, 2005-2007	83

LIST OF 113 SELECTED CAUSES OF DEATH, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, AND ALCOHOL-INDUCED DEATHS

Cause of Death (Based on the Tenth Revision, International Classification of Diseases, 1992)

Category Codes according to the Tenth Revision (ICD-10)

Certain Infectious and Parasitic Diseases (A00-B99)

Salmonella infections.....	A01-A02
Shigellosis and amebiasis.....	A03,A06
Certain other intestinal infections.....	A04,A07-A09
Tuberculosis.....	A16-A19
Respiratory tuberculosis.....	A16
Other tuberculosis.....	A17-A19
Whooping cough.....	A37
Scarlet fever and erysipelas.....	A38,A46
Meningococcal infection.....	A39
Septicemia.....	A40-A41
Syphilis.....	A50-A53
Acute poliomyelitis.....	A80
Arthropod-borne viral encephalitis.....	A83-A84,A85.2
Measles.....	B05
Viral hepatitis.....	B15-B19
Human immunodeficiency virus (HIV) disease.....	B20-B24
Malaria.....	B50-B54
Other and unspecified infectious and parasitic diseases and their sequelae.....	A00,A05 A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99

Neoplasms (C00-D48)

Malignant neoplasms.....	C00-C97
Malignant neoplasms of lip, oral cavity and pharynx.....	C00-C14
Malignant neoplasm of esophagus.....	C15
Malignant neoplasm of stomach.....	C16
Malignant neoplasms of colon, rectum and anus.....	C18-C21
Malignant neoplasms of liver and intrahepatic bile ducts.....	C22
Malignant neoplasm of pancreas.....	C25
Malignant neoplasm of larynx.....	C32

Malignant neoplasms of trachea, bronchus and lung.....	C33-C34
Malignant melanoma of skin.....	C43
Malignant neoplasm of breast.....	C50
Malignant neoplasm of cervix uteri.....	C53
Malignant neoplasms of corpus uteri and uterus, part unspecified.....	C54-C55
Malignant neoplasm of ovary.....	C56
Malignant neoplasm of prostate.....	C61
Malignant neoplasms of kidney and renal pelvis.....	C64-C65
Malignant neoplasm of bladder.....	C67
Malignant neoplasms of meninges, brain and other parts of central nervous system.....	C70-C72
Malignant neoplasms of lymphoid, hematopoietic and related tissue.....	C81-C96
Hodgkin's disease.....	C81
Non-Hodgkin's lymphoma.....	C82-C85
Leukemia.....	C91-C95
Multiple myeloma and immunoproliferative neoplasms.....	C88,C90
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue.....	C96
All other and unspecified malignant neoplasms.....	C17,C23-C24, C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.....	D00-D48

Diseases of Blood and Blood-Forming Organs and Certain Disorders involving the Immune Mechanisms (D50-D89)

Anemias.....	D50-D64
--------------	---------

Endocrine, nutritional and metabolic diseases (E00-E90)

Diabetes mellitus.....	E10-E14
Nutritional deficiencies.....	E40-E64
Malnutrition.....	E40-E46
Other nutritional deficiencies.....	E50-E64

Diseases of the Nervous System (G00-G99)

Meningitis.....	G00,G03
Parkinson's disease.....	G20-G21
Alzheimer's disease.....	G30

Diseases of the Circulatory System (I00-I99)

Major cardiovascular diseases.....	I00-I78
Diseases of heart.....	I00-I09,I11,I13,I20-I51

Acute rheumatic fever and chronic rheumatic heart diseases.....	I00-I09
Hypertensive heart disease.....	I11
Hypertensive heart and renal disease.....	I13
Ischemic heart diseases.....	I20-I25
Acute myocardial infarction.....	I21-I22
Other acute ischemic heart diseases.....	I24
Other forms of chronic ischemic heart disease.....	I20, I25
Atherosclerotic cardiovascular disease, so described.....	I25.0
All other forms of chronic ischemic heart disease.....	I20, I25.1-I25.9
Other heart diseases.....	I26-I51
Acute and subacute endocarditis	I33
Diseases of pericardium and acute myocarditis.....	I30-I31, I40
Heart failure.....	I50
All other forms of heart disease.....	I26-I28, I34-I38, I42-I49, I51
Essential (primary) hypertension and hypertensive renal disease.....	I10, I12
Cerebrovascular diseases.....	I60-I69
Atherosclerosis.....	I70
Other diseases of circulatory system.....	I71-I78
Aortic aneurysm and dissection.....	I71
Other diseases of arteries, arterioles and capillaries.....	I72-I78
Other disorders of circulatory system.....	I80-I99

Diseases of the Respiratory System (J00-J99)

Influenza and pneumonia.....	J10-J18
Influenza.....	J10-J11
Pneumonia.....	J12-J18
Other acute lower respiratory infections.....	J20-J22
Acute bronchitis and bronchiolitis.....	J20-J21
Unspecified acute lower respiratory infection.....	J22
Chronic lower respiratory diseases.....	J40-J47
Bronchitis, chronic and unspecified.....	J40-J42
Emphysema.....	J43
Asthma.....	J45-J46
Other chronic lower respiratory diseases.....	J44, J47
Pneumoconioses and chemical effects.....	J60-J66, J68
Pneumonitis due to solids and liquids.....	J69
Other diseases of respiratory system.....	J00-J06, J30-J39, J67, J70-J98

Diseases of the Digestive System (K00-K93)

Peptic ulcer.....	K25-K28
-------------------	---------

Diseases of appendix.....	K35-K38
Hernia.....	K40-K46
Chronic liver disease and cirrhosis.....	K70,K73-K74
Alcoholic liver disease.....	K70
Other chronic liver disease and cirrhosis.....	K73-K74
Cholelithiasis and other disorders of gallbladder.....	K80-K82

Diseases of the Genitourinary System (N00-N99)

Nephritis, nephrotic syndrome and nephrosis.....	N00-N07,N17-N19,N25-N27
Acute and rapidly progressive nephritic and nephrotic syndrome.....	N00-N01,N04
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified.....	N02-N03,N05-N07,N26
Renal failure.....	N17-N19
Other disorders of kidney.....	N25,N27
Infections of kidney.....	N10-N12,N13.6,N15.1
Hyperplasia of prostate.....	N40
Inflammatory diseases of female pelvic organs.....	N70-N76

Pregnancy, Childbirth and the Puerperium (O00-O08)

Pregnancy, childbirth and the puerperium.....	O00-O99
Pregnancy with abortive outcome.....	O00-O07
Other complications of pregnancy, childbirth and the puerperium.....	O10-O99

Certain Conditions Originating in the Perinatal Period (P00-P96)

Certain conditions originating in the perinatal period.....	P00-P96
---	---------

Congenital Malformations, deformations and Chromosomal Abnormalities (Q00-Q99)

Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99
---	---------

Symptoms, Signs and Abnormal Clinical and Laboratory Findings, not Elsewhere Classified (R00-R99)

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.....	R00-R99
All other diseases (Residual).....	D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22, K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9, N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98

External Causes of Morbidity and Mortality (V01-V99)

Accidents (unintentional injuries).....V01-X59, Y85-Y86
Transport accidents.....V01-V99, Y85
Motor vehicle accidents.... V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
Other land transport accidents.....V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9
Water, air and space, and other and unspecified transport accidents and their sequelae.....V90-V99, Y85

Other External Causes of Accidental Injury (W00-X59)

Nontransport accidents.....W00-X59, Y86
Falls.....W00-W19
Accidental discharge of firearms.....W32-W34
Accidental drowning and submersion.....W65-W74
Accidental exposure to smoke, fire and flames.....X00-X09
Accidental poisoning and exposure to noxious substances.....X40-X49
Other and unspecified nontransport accidents and their sequelae
.....W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86

Intentional Self-Harm (X60-X84, U03)

Intentional self-harm (suicide).....*U03, X60-X84, Y87.0
Intentional self-harm (suicide) by discharge of firearms.....X72-X74
Intentional self-harm (suicide) by other and unspecified means and their sequelae
.....*U03, X60-X71, X75-X84, Y87.0

Assault (X85-Y09, U01-U02)

Assault (homicide).....*U01-*U02, X85-Y09, Y87.1
Assault (homicide) by discharge of firearms.....*U01.4, X93-X95
Assault (homicide) by other and unspecified means and their sequelae
.....*U01.0-*U01.3, *U01.5-*U01.9, *U02, X85-X92, X96-Y09, Y87.1

Legal Intervention and Operatios of War (Y35-Y36)

Legal intervention.....Y35, Y89.0
Operations of war and their sequelae.....Y36, Y89.1

Event of Undertermined Intent (Y10-Y34)

Events of undetermined intent.....Y10-Y34, Y87.2, Y89.9

Discharge of firearms, undetermined intent.....Y22-Y24
Other and unspecified events of undetermined intent and their sequelae
.....Y10-Y21, Y25-Y34, Y87.2, Y89.9

Complications of Medical and Surgical Care (Y40-Y84)


Complications of medical and surgical care.....Y40-Y84, Y88

Injury by Firearms.....W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0

Drug-Induced Deaths.....F11.0-F11.5, F11.7-F11.9, F12.0-F12.5,
F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5,
F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-
F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-
F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5,
F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14


Alcohol-Induced Deaths.....F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45,
X65, Y15

Comparison of County Birth Rates* with the Maryland State Average, 2007.




*Rates are shown on Table 12a.

Comparison of Percentages of Births to Adolescents (under 18)* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Unmarried Women* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Women with Prenatal Care in the First Trimester* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Women with Late or No Prenatal Care* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Low Birth Weight Birth* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Very Low Birth Weight Birth* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Infants Born at Less than 37 Weeks Gestation* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births by Cesarean Section* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births of Infants with Five-Minute Apgar Scores Under 7* with the Maryland State Average, 2007.




*Percentages are shown on Table 12a.

Comparison of County Infant Mortality Rates* with the Maryland State Average, 2007.




*Rates are shown on Table 20.

Comparison of County Neonatal Mortality Rates* with the Maryland State Average, 2007.




*Rates are shown on Table 20.

Comparison of County Postneonatal Mortality Rates* with the Maryland State Average, 2007.




*Rates are shown on Table 20.

Comparison of County Age-adjusted Death Rates* for All Causes with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Heart Disease with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Malignant Neoplasms with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Cerebrovascular Diseases with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Chronic Lower Respiratory Diseases with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Diabetes Mellitus with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Accidents with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Influenza and Pneumonia with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Septicemia with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Alzheimer's Disease with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Nephritis, Nephrosis and Nephrotic Syndrome with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Human Immunodeficiency Virus (HIV) with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Assault (Homicide) with the Maryland State Average, 2005-2007.



*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Intentional Self-Harm (Suicide) with the Maryland State Average, 2005-2007.



*Rates are shown on Table 22.

TABLE 1. LIVE BIRTHS BY MATERNAL RACE, HISPANIC ORIGIN, INFANT SEX AND MONTH OF BIRTH, 2007.

MARYLAND

RACE, HISPANIC ORIGIN, AND SEX	ALL BIRTHS	MONTH OF BIRTH											
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
ALL RACES¹													
ALL BIRTHS	78,057	6,587	6,026	6,572	6,109	6,687	6,489	6,849	6,927	6,566	6,459	6,418	6,368
MALE	39,857	3,373	3,112	3,421	3,042	3,386	3,354	3,460	3,599	3,317	3,367	3,180	3,246
FEMALE	38,200	3,214	2,914	3,151	3,067	3,301	3,135	3,389	3,328	3,249	3,092	3,238	3,122
WHITE²													
ALL BIRTHS	46,281	3,808	3,523	3,918	3,669	3,976	3,890	4,201	4,174	3,934	3,777	3,693	3,718
MALE	23,684	1,950	1,811	2,056	1,839	2,035	2,009	2,154	2,187	1,978	1,969	1,835	1,861
FEMALE	22,597	1,858	1,712	1,862	1,830	1,941	1,881	2,047	1,987	1,956	1,808	1,858	1,857
WHITE, NON-HISPANIC²													
ALL BIRTHS	36,025	2,999	2,754	3,062	2,922	3,124	3,054	3,205	3,249	3,056	2,902	2,813	2,885
MALE	18,465	1,519	1,418	1,604	1,448	1,593	1,594	1,641	1,721	1,541	1,538	1,403	1,445
FEMALE	17,560	1,480	1,336	1,458	1,474	1,531	1,460	1,564	1,528	1,515	1,364	1,410	1,440
BLACK²													
ALL BIRTHS	26,331	2,317	2,101	2,196	2,053	2,244	2,169	2,227	2,276	2,148	2,181	2,241	2,178
MALE	13,364	1,182	1,089	1,138	1,004	1,107	1,121	1,094	1,162	1,083	1,140	1,106	1,138
FEMALE	12,967	1,135	1,012	1,058	1,049	1,137	1,048	1,133	1,114	1,065	1,041	1,135	1,040
ASIAN OR PACIFIC ISLANDER²													
ALL BIRTHS	4,941	422	372	414	342	422	390	376	430	436	463	445	429
MALE	2,560	221	199	213	174	214	197	193	229	231	241	223	225
FEMALE	2,381	201	173	201	168	208	193	183	201	205	222	222	204
HISPANIC³													
ALL BIRTHS	10,607	836	796	881	773	889	863	1,019	963	907	897	916	867
MALE	5,396	441	404	470	405	459	432	525	480	446	441	453	440
FEMALE	5,211	395	392	411	368	430	431	494	483	461	456	463	427

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE, HISPANIC ORIGIN AND MATERNAL AGE, 2007.

MARYLAND

RACE, HISPANIC ORIGIN, AND BIRTH ORDER	ALL AGES	AGE OF MOTHER										PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	NOT STATED	
ALL RACES¹												
TOTAL	78,057	93	2,200	4,693	16,371	20,660	19,717	11,424	2,689	203	7	2.9
FIRST CHILD	32,855	90	1,985	3,699	8,625	8,435	6,489	2,842	624	64	2	6.3
SECOND	24,458	2	181	807	5,043	6,631	7,021	3,911	801	58	3	0.7
THIRD	12,427	0	21	145	1,923	3,461	3,687	2,578	583	29	0	0.2
FOURTH & FIFTH	6,667	0	1	21	668	1,785	2,038	1,643	477	34	0	*
SIXTH OR ABOVE	1,330	1	0	0	40	251	418	409	195	16	0	*
NOT STATED	320	0	12	21	72	97	64	41	9	2	2	3.8
WHITE²												
TOTAL	46,281	25	948	2,264	9,015	12,511	12,522	7,215	1,649	127	5	2.1
FIRST CHILD	19,418	24	862	1,828	4,954	5,314	4,200	1,826	373	35	2	4.6
SECOND	14,944	0	65	361	2,786	4,072	4,584	2,513	526	35	2	0.4
THIRD	7,316	0	8	53	940	2,010	2,313	1,629	343	20	0	0.1
FOURTH & FIFTH	3,663	0	1	4	262	958	1,156	983	275	24	0	*
SIXTH OR ABOVE	679	1	0	0	11	77	215	237	126	12	0	*
NOT STATED	261	0	12	18	62	80	54	27	6	1	1	4.6
WHITE, NON-HISPANIC²												
TOTAL	36,025	10	559	1,555	6,210	9,518	10,400	6,221	1,436	111	5	1.6
FIRST CHILD	15,575	9	514	1,300	3,521	4,452	3,746	1,653	343	35	2	3.4
SECOND	11,840	0	27	212	1,873	3,003	3,967	2,253	472	31	2	0.2
THIRD	5,411	0	5	25	598	1,354	1,743	1,365	303	18	0	0.1
FOURTH & FIFTH	2,485	0	1	2	157	583	759	744	222	17	0	*
SIXTH OR ABOVE	476	1	0	0	7	54	135	180	90	9	0	*
NOT STATED	238	0	12	16	54	72	50	26	6	1	1	5.0
BLACK²												
TOTAL	26,331	65	1,214	2,337	6,851	6,709	5,176	3,085	835	57	2	4.9
FIRST CHILD	10,819	63	1,088	1,789	3,323	2,257	1,401	679	195	24	0	10.6
SECOND	7,630	2	113	437	2,147	2,137	1,631	935	212	15	1	1.5
THIRD	4,435	0	13	91	947	1,345	1,112	729	192	6	0	0.3
FOURTH & FIFTH	2,766	0	0	17	396	785	826	564	170	8	0	*
SIXTH OR ABOVE	626	0	0	0	29	168	196	165	64	4	0	*
NOT STATED	55	0	0	3	9	17	10	13	2	0	1	*

See footnotes at end of table.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE, HISPANIC ORIGIN AND MATERNAL AGE, 2007. — Continued

MARYLAND												
RACE, HISPANIC ORIGIN, AND BIRTH ORDER	ALL AGES	AGE OF MOTHER										PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	NOT STATED	
ASIAN OR PACIFIC ISLANDER²												
TOTAL	4,941	0	11	45	369	1,307	1,934	1,061	195	19	0	0.2
FIRST CHILD	2,380	0	11	42	273	813	858	326	52	5	0	0.5
SECOND	1,746	0	0	3	75	374	778	446	62	8	0	*
THIRD	596	0	0	0	18	85	245	199	46	3	0	*
FOURTH & FIFTH	198	0	0	0	2	30	48	87	29	2	0	*
SIXTH OR ABOVE	17	0	0	0	0	5	5	2	5	0	0	*
NOT STATED	4	0	0	0	1	0	0	1	1	1	0	*
HISPANIC³												
TOTAL	10,607	15	394	731	2,905	3,085	2,209	1,031	221	16	0	3.9
FIRST CHILD	3,981	15	353	549	1,486	892	472	183	31	0	0	9.2
SECOND	3,205	0	38	150	938	1,099	651	269	56	4	0	1.2
THIRD	1,968	0	3	28	361	676	585	271	42	2	0	*
FOURTH & FIFTH	1,213	0	0	2	108	384	409	248	55	7	0	*
SIXTH OR ABOVE	214	0	0	0	4	25	88	57	37	3	0	*
NOT STATED	26	0	0	2	8	9	4	3	0	0	0	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND MARITAL STATUS, 2007.

MARYLAND					
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	MARITAL STATUS				PERCENT OF BIRTHS TO UNMARRIED WOMEN
	ALL BIRTHS	MARRIED	UNMARRIED	NOT STATED	
ALL RACES¹					
ALL AGES	78,057	46,092	31,937	28	40.9
UNDER 18	2,293	85	2,207	1	96.2
18-19	4,693	445	4,246	2	90.5
20-24	16,371	4,882	11,482	7	70.1
25-29	20,660	13,032	7,625	3	36.9
30-34	19,717	15,843	3,864	10	19.6
35-39	11,424	9,453	1,968	3	17.2
40 & OVER	2,892	2,348	542	2	18.7
NOT STATED	7	4	3	0	*
WHITE²					
ALL AGES	46,281	31,490	14,771	20	31.9
UNDER 18	973	68	905	0	93.0
18-19	2,264	350	1,912	2	84.5
20-24	9,015	3,581	5,430	4	60.2
25-29	12,511	8,951	3,557	3	28.4
30-34	12,522	10,708	1,806	8	14.4
35-39	7,215	6,290	923	2	12.8
40 & OVER	1,776	1,539	236	1	13.3
NOT STATED	5	3	2	0	*
WHITE, NON-HISPANIC²					
ALL AGES	36,025	26,876	9,131	18	25.3
UNDER 18	569	27	542	0	95.3
18-19	1,555	210	1,343	2	86.4
20-24	6,210	2,685	3,522	3	56.7
25-29	9,518	7,460	2,056	2	21.6
30-34	10,400	9,449	943	8	9.1
35-39	6,221	5,651	568	2	9.1
40 & OVER	1,547	1,391	155	1	10.0
NOT STATED	5	3	2	0	*
BLACK²					
ALL AGES	26,331	9,789	16,534	8	62.8
UNDER 18	1,279	14	1,264	1	98.8

See footnotes at end of table.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND MARITAL STATUS, 2007. — Continued

MARYLAND					
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	MARITAL STATUS				PERCENT OF BIRTHS TO UNMARRIED WOMEN
	ALL BIRTHS	MARRIED	UNMARRIED	NOT STATED	
BLACK²					
18-19	2,337	72	2,265	0	96.9
20-24	6,851	991	5,857	3	85.5
25-29	6,709	2,792	3,917	0	58.4
30-34	5,176	3,217	1,957	2	37.8
35-39	3,085	2,100	984	1	31.9
40 & OVER	892	602	289	1	32.4
NOT STATED	2	1	1	0	*
ASIAN OR PACIFIC ISLANDER²					
ALL AGES	4,941	4,548	393	0	8.0
UNDER 18	11	1	10	0	90.9
18-19	45	16	29	0	64.4
20-24	369	259	110	0	29.8
25-29	1,307	1,207	100	0	7.7
30-34	1,934	1,857	77	0	4.0
35-39	1,061	1,009	52	0	4.9
40 & OVER	214	199	15	0	7.0
HISPANIC³					
ALL AGES	10,607	4,786	5,819	2	54.9
UNDER 18	409	42	367	0	89.7
18-19	731	142	589	0	80.6
20-24	2,905	922	1,982	1	68.2
25-29	3,085	1,545	1,539	1	49.9
30-34	2,209	1,317	892	0	40.4
35-39	1,031	664	367	0	35.6
40 & OVER	237	154	83	0	35.0

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN, 2007.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	SINGLE BIRTHS	PLURAL BIRTHS	PERCENT OF PLURAL BIRTHS
ALL RACES¹				
ALL AGES	78,057	75,083	2,974	3.8
UNDER 18	2,293	2,267	26	1.1
18-19	4,693	4,602	91	1.9
20-24	16,371	15,934	437	2.7
25-29	20,660	19,973	687	3.3
30-34	19,717	18,793	924	4.7
35-39	11,424	10,810	614	5.4
40 & OVER	2,892	2,699	193	6.7
NOT STATED	7	5	2	*
WHITE²				
ALL AGES	46,281	44,580	1,701	3.7
UNDER 18	973	959	14	1.4
18-19	2,264	2,236	28	1.2
20-24	9,015	8,841	174	1.9
25-29	12,511	12,142	369	2.9
30-34	12,522	11,945	577	4.6
35-39	7,215	6,805	410	5.7
40 & OVER	1,776	1,649	127	7.2
NOT STATED	5	3	2	*
WHITE, NON-HISPANIC²				
ALL AGES	36,025	34,543	1,482	4.1
UNDER 18	569	559	10	1.8
18-19	1,555	1,535	20	1.3
20-24	6,210	6,072	138	2.2
25-29	9,518	9,201	317	3.3
30-34	10,400	9,895	505	4.9
35-39	6,221	5,843	378	6.1
40 & OVER	1,547	1,435	112	7.2
NOT STATED	5	3	2	*
BLACK²				
ALL AGES	26,331	25,222	1,109	4.2
UNDER 18	1,279	1,267	12	0.9
18-19	2,337	2,274	63	2.7
20-24	6,851	6,596	255	3.7

See footnotes at end of table.

**TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN,
2007. — Continued**

MARYLAND				
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	SINGLE BIRTHS	PLURAL BIRTHS	PERCENT OF PLURAL BIRTHS
BLACK ²				
25-29	6,709	6,419	290	4.3
30-34	5,176	4,881	295	5.7
35-39	3,085	2,940	145	4.7
40 & OVER	892	843	49	5.5
NOT STATED	2	2	0	*
ASIAN OR PACIFIC ISLANDER ²				
ALL AGES	4,941	4,796	145	2.9
UNDER 18	11	11	0	*
18-19	45	45	0	*
20-24	369	365	4	*
25-29	1,307	1,283	24	1.8
30-34	1,934	1,889	45	2.3
35-39	1,061	1,006	55	5.2
40 & OVER	214	197	17	7.9
HISPANIC ³				
ALL AGES	10,607	10,372	235	2.2
UNDER 18	409	405	4	*
18-19	731	723	8	1.1
20-24	2,905	2,865	40	1.4
25-29	3,085	3,033	52	1.7
30-34	2,209	2,131	78	3.5
35-39	1,031	993	38	3.7
40 & OVER	237	222	15	6.3

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND YEARS OF EDUCATION, 2007

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	YEARS OF EDUCATION							PERCENT WITH <12 YEARS EDUCATION
	ALL BIRTHS	0-8 YEARS	9-11 YEARS	12 YEARS	13-15 YEARS	16+ YEARS	NOT STATED	
ALL RACES¹								
ALL AGES	78,057	3,768	7,780	21,714	15,443	28,695	657	14.8
UNDER 18	2,293	268	1,558	419	11	1	36	79.6
18-19	4,693	264	1,262	2,487	626	1	53	32.5
20-24	16,371	997	2,467	7,113	4,104	1,544	146	21.2
25-29	20,660	1,013	1,422	5,716	4,872	7,461	176	11.8
30-34	19,717	749	671	3,501	3,465	11,181	150	7.2
35-39	11,424	392	329	1,905	1,863	6,857	78	6.3
40 & OVER	2,892	85	71	571	502	1,649	14	5.4
NOT STATED	7	0	0	2	0	1	4	*
WHITE²								
ALL AGES	46,281	3,274	4,174	11,462	8,388	18,663	320	16.1
UNDER 18	973	144	610	198	4	1	16	77.5
18-19	2,264	232	635	1,104	270	0	23	38.3
20-24	9,015	911	1,445	3,735	2,085	768	71	26.1
25-29	12,511	926	861	3,206	2,730	4,695	93	14.3
30-34	12,522	671	397	1,895	1,970	7,515	74	8.5
35-39	7,215	325	192	1,034	1,032	4,598	34	7.2
40 & OVER	1,776	65	34	289	297	1,085	6	5.6
NOT STATED	5	0	0	1	0	1	3	*
WHITE, NON-HISPANIC²								
ALL AGES	36,025	427	2,402	8,321	7,238	17,550	87	7.9
UNDER 18	569	48	375	135	4	1	6	74.3
18-19	1,555	44	434	850	220	0	7	30.7
20-24	6,210	115	878	2,721	1,781	694	21	16.0
25-29	9,518	67	451	2,247	2,335	4,398	20	5.4
30-34	10,400	83	161	1,344	1,732	7,063	17	2.3
35-39	6,221	58	87	802	898	4,365	11	2.3
40 & OVER	1,547	12	16	221	268	1,028	2	1.8
NOT STATED	5	0	0	1	0	1	3	*
BLACK²								
ALL AGES	26,331	404	3,428	9,387	6,159	6,658	295	14.6
UNDER 18	1,279	120	917	217	7	0	18	81.1

See footnotes at end of table.

**TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND YEARS OF EDUCATION, 2007 —
Continued**

MARYLAND								
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	YEARS OF EDUCATION							PERCENT WITH <12 YEARS EDUCATION
	ALL BIRTHS	0-8 YEARS	9-11 YEARS	12 YEARS	13-15 YEARS	16+ YEARS	NOT STATED	
BLACK²								
18-19	2,337	27	609	1,336	334	1	30	27.2
20-24	6,851	72	987	3,217	1,853	649	73	15.5
25-29	6,709	70	522	2,266	1,846	1,934	71	8.8
30-34	5,176	54	247	1,366	1,243	2,205	61	5.8
35-39	3,085	43	116	738	693	1,462	33	5.2
40 & OVER	892	18	30	246	183	407	8	5.4
NOT STATED	2	0	0	1	0	0	1	*
ASIAN OR PACIFIC ISLANDER²								
ALL AGES	4,941	67	119	725	763	3,230	37	3.8
UNDER 18	11	0	10	1	0	0	0	90.9
18-19	45	2	12	18	13	0	0	31.1
20-24	369	9	17	113	124	106	0	7.0
25-29	1,307	12	31	213	253	787	11	3.3
30-34	1,934	22	25	224	232	1,416	15	2.4
35-39	1,061	20	18	123	119	770	11	3.6
40 & OVER	214	2	6	33	22	151	0	3.7
HISPANIC³								
ALL AGES	10,607	2,865	1,806	3,268	1,243	1,187	238	44.0
UNDER 18	409	96	238	65	0	0	10	81.7
18-19	731	188	204	270	53	0	16	53.6
20-24	2,905	803	579	1,055	333	84	51	47.6
25-29	3,085	864	417	992	423	315	74	41.5
30-34	2,209	591	243	573	261	483	58	37.8
35-39	1,031	269	107	242	141	247	25	36.5
40 & OVER	237	54	18	71	32	58	4	30.4

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2007.

MARYLAND

MATERNAL AGE, RACE AND HISPANIC ORIGIN	ALL BIRTHS	TRIMESTER OF FIRST PRENATAL VISIT					PERCENT FIRST TRIMESTER CARE	PERCENT LATE OR NO CARE
		FIRST	SECOND	THIRD	NO CARE	NOT STATED		
ALL RACES¹								
ALL AGES	78,057	62,068	11,362	2,428	1209	990	79.5	4.7
UNDER 18	2,293	1,331	685	155	71	51	58.0	9.9
18-19	4,693	3,077	1,153	256	116	91	65.6	7.9
20-24	16,371	11,659	3,400	679	364	269	71.2	6.4
25-29	20,660	16,712	2,835	565	304	244	80.9	4.2
30-34	19,717	17,000	1,906	439	189	183	86.2	3.2
35-39	11,424	9,835	1,099	262	124	104	86.1	3.4
40 & OVER	2,892	2,453	284	72	40	43	84.8	3.9
NOT STATED	7	1	0	0	1	5	*	*
WHITE²								
ALL AGES	46,281	37,969	6,017	1,220	541	534	82.0	3.8
UNDER 18	973	618	242	62	29	22	63.5	9.4
18-19	2,264	1,527	512	120	60	45	67.4	8.0
20-24	9,015	6,563	1,816	322	162	152	72.8	5.4
25-29	12,511	10,342	1,588	305	142	134	82.7	3.6
30-34	12,522	11,036	1,073	228	78	107	88.1	2.4
35-39	7,215	6,338	624	148	57	48	87.8	2.8
40 & OVER	1,776	1,545	162	35	12	22	87.0	2.6
NOT STATED	5	0	0	0	1	4	*	*
WHITE, NON-HISPANIC²								
ALL AGES	36,025	31,539	3,337	650	246	253	87.5	2.5
UNDER 18	569	405	119	29	10	6	71.2	6.9
18-19	1,555	1,149	310	55	22	19	73.9	5.0
20-24	6,210	4,946	983	152	68	61	79.6	3.5
25-29	9,518	8,444	792	149	70	63	88.7	2.3
30-34	10,400	9,558	605	141	37	59	91.9	1.7
35-39	6,221	5,655	405	101	31	29	90.9	2.1
40 & OVER	1,547	1,382	123	23	7	12	89.3	1.9
NOT STATED	5	0	0	0	1	4	*	*
BLACK²								
ALL AGES	26,331	19,342	4,841	1,096	628	424	73.5	6.5
UNDER 18	1,279	685	435	93	37	29	53.6	10.2
18-19	2,337	1,486	624	131	53	43	63.6	7.9

See footnotes at end of table.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2007. — Continued

MARYLAND

MATERNAL AGE, RACE AND HISPANIC ORIGIN	ALL BIRTHS	TRIMESTER OF FIRST PRENATAL VISIT					PERCENT FIRST TRIMESTER CARE	PERCENT LATE OR NO CARE
		FIRST	SECOND	THIRD	NO CARE	NOT STATED		
BLACK²								
20-24	6,851	4,702	1,508	333	193	115	68.6	7.7
25-29	6,709	5,114	1,106	238	151	100	76.2	5.8
30-34	5,176	4,141	686	176	105	68	80.0	5.4
35-39	3,085	2,502	375	94	64	50	81.1	5.1
40 & OVER	892	711	107	31	25	18	79.7	6.3
NOT STATED	2	1	0	0	0	1	*	*
ASIAN OR PACIFIC ISLANDER²								
ALL AGES	4,941	4,357	430	100	27	27	88.2	2.6
UNDER 18	11	9	1	0	1	0	81.8	*
18-19	45	32	7	3	2	1	71.1	11.1
20-24	369	288	53	21	6	1	78.0	7.3
25-29	1,307	1,152	120	18	9	8	88.1	2.1
30-34	1,934	1,748	140	33	5	8	90.4	2.0
35-39	1,061	939	95	19	2	6	88.5	2.0
40 & OVER	214	189	14	6	2	3	88.3	3.7
HISPANIC³								
ALL AGES	10,607	6,685	2,742	590	300	290	63.0	8.4
UNDER 18	409	216	123	33	20	17	52.8	13.0
18-19	731	393	207	66	38	27	53.8	14.2
20-24	2,905	1,686	856	177	95	91	58.0	9.4
25-29	3,085	1,967	813	160	72	73	63.8	7.5
30-34	2,209	1,545	481	91	43	49	69.9	6.1
35-39	1,031	710	223	49	27	22	68.9	7.4
40 & OVER	237	168	39	14	5	11	70.9	8.0

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND LENGTH OF GESTATION, 2007.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	LENGTH OF GESTATION (WEEKS)									PERCENT OF INFANTS BORN <37 WEEKS GESTATION
	ALL BIRTHS	UNDER 20	20-27	28-31	32-36	37-39	40-41	42 OR MORE	NOT STATED	
ALL RACES¹										
ALL AGES	78,057	44	744	841	6,905	45,466	23,561	313	183	10.9
UNDER 18	2,293	1	37	33	204	1,204	785	19	10	12.0
18-19	4,693	3	48	47	413	2,447	1,696	23	16	10.9
20-24	16,371	9	150	196	1,400	9,041	5,446	80	49	10.7
25-29	20,660	13	169	193	1,727	11,947	6,497	72	42	10.2
30-34	19,717	10	163	201	1,659	11,834	5,737	77	36	10.3
35-39	11,424	6	147	126	1,146	7,142	2,797	37	23	12.5
40 & OVER	2,892	2	30	45	356	1,848	601	5	5	15.0
NOT STATED	7	0	0	0	0	3	2	0	2	*
WHITE²										
ALL AGES	46,281	12	248	376	3,735	26,747	14,837	214	112	9.4
UNDER 18	973	1	14	13	73	503	357	9	3	10.4
18-19	2,264	1	9	22	188	1,123	892	17	12	9.7
20-24	9,015	2	44	78	670	4,877	3,265	49	30	8.8
25-29	12,511	2	61	93	960	7,135	4,186	45	29	8.9
30-34	12,522	3	54	101	980	7,445	3,855	61	23	9.1
35-39	7,215	2	58	53	667	4,518	1,876	30	11	10.8
40 & OVER	1,776	1	8	16	197	1,143	405	3	3	12.5
NOT STATED	5	0	0	0	0	3	1	0	1	*
WHITE, NON-HISPANIC²										
ALL AGES	36,025	7	183	287	2,978	20,944	11,365	161	100	9.6
UNDER 18	569	1	6	6	44	291	214	5	2	10.0
18-19	1,555	0	6	15	129	756	626	12	11	9.6
20-24	6,210	1	32	62	478	3,336	2,244	31	26	9.2
25-29	9,518	0	42	67	749	5,418	3,182	33	27	9.0
30-34	10,400	2	41	77	825	6,219	3,162	55	19	9.1
35-39	6,221	2	50	44	584	3,933	1,575	22	11	10.9
40 & OVER	1,547	1	6	16	169	988	361	3	3	12.4
NOT STATED	5	0	0	0	0	3	1	0	1	*
BLACK²										
ALL AGES	26,331	27	469	420	2,754	15,231	7,282	83	65	13.9
UNDER 18	1,279	0	22	19	126	679	417	10	6	13.1
18-19	2,337	2	39	24	220	1,271	771	6	4	12.2
20-24	6,851	6	105	115	682	3,868	2,026	30	19	13.3

See footnotes at end of table.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND LENGTH OF GESTATION, 2007. — Continued

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	LENGTH OF GESTATION (WEEKS)									PERCENT OF INFANTS BORN <37 WEEKS GESTATION
	ALL BIRTHS	UNDER 20	20-27	28-31	32-36	37-39	40-41	42 OR MORE	NOT STATED	
BLACK²										
25-29	6,709	10	101	89	673	3,928	1,879	18	11	13.0
30-34	5,176	5	98	91	540	3,084	1,333	12	13	14.2
35-39	3,085	4	84	58	380	1,851	693	6	9	17.1
40 & OVER	892	0	20	24	133	550	162	1	2	19.8
NOT STATED	2	0	0	0	0	0	1	0	1	*
ASIAN OR PACIFIC ISLANDER²										
ALL AGES	4,941	4	23	43	358	3,191	1,303	15	4	8.7
UNDER 18	11	0	0	1	0	6	4	0	0	*
18-19	45	0	0	0	4	30	11	0	0	*
20-24	369	0	1	3	32	222	110	1	0	9.8
25-29	1,307	1	6	11	80	802	398	8	1	7.5
30-34	1,934	2	11	9	122	1,255	531	4	0	7.4
35-39	1,061	0	3	15	96	728	215	1	3	10.7
40 & OVER	214	1	2	4	24	148	34	1	0	14.5
HISPANIC³										
ALL AGES	10,607	5	68	93	783	6,032	3,559	55	12	8.9
UNDER 18	409	0	8	7	29	216	144	4	1	10.8
18-19	731	1	3	7	59	379	276	5	1	9.6
20-24	2,905	1	13	16	201	1,606	1,045	19	4	8.0
25-29	3,085	2	20	27	215	1,779	1,027	13	2	8.6
30-34	2,209	1	14	27	162	1,282	713	6	4	9.2
35-39	1,031	0	8	9	88	608	310	8	0	10.2
40 & OVER	237	0	2	0	29	162	44	0	0	13.1

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2007.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
ALL AGES	78,057	825	649	1,460	4,202	14,672	30,066	20,267	5,902	14	9.1	1.9
UNDER 18	2,293	36	28	55	144	634	898	423	75	0	11.5	2.8
18-19	4,693	52	40	82	299	1,101	1,921	940	258	0	10.1	2.0
20-24	16,371	161	160	320	911	3,461	6,570	3,844	940	4	9.5	2.0
25-29	20,660	195	148	333	1,034	3,795	8,067	5,516	1,570	2	8.3	1.7
30-34	19,717	183	142	349	972	3,239	7,409	5,637	1,780	6	8.3	1.6
35-39	11,424	161	101	234	650	1,924	4,133	3,163	1,057	1	10.0	2.3
40 & OVER	2,892	37	30	87	191	517	1,065	743	221	1	11.9	2.3
NOT STATED	7	0	0	0	1	1	3	1	1	0	*	*
WHITE²												
ALL AGES	46,281	277	275	688	2,036	7,368	17,594	13,696	4,338	9	7.1	1.2
UNDER 18	973	14	12	19	47	229	392	213	47	0	9.5	2.7
18-19	2,264	9	18	36	115	454	913	542	177	0	7.9	1.2
20-24	9,015	48	63	124	388	1,632	3,648	2,443	666	3	6.9	1.2
25-29	12,511	76	56	166	501	1,975	4,766	3,788	1,182	1	6.4	1.1
30-34	12,522	59	70	177	517	1,744	4,627	3,999	1,324	5	6.6	1.0
35-39	7,215	61	45	127	375	1,045	2,591	2,195	776	0	8.4	1.5
40 & OVER	1,776	10	11	39	92	288	654	516	166	0	8.6	1.2
NOT STATED	5	0	0	0	1	1	3	0	0	0	*	*
WHITE, NON-HISPANIC²												
ALL AGES	36,025	203	214	537	1,586	5,481	13,371	11,030	3,594	9	7.1	1.2
UNDER 18	569	7	8	9	23	124	230	135	33	0	8.3	2.6
18-19	1,555	5	15	21	72	293	603	400	146	0	7.3	1.3
20-24	6,210	38	50	86	266	1,059	2,439	1,759	510	3	7.1	1.4
25-29	9,518	50	38	128	387	1,462	3,522	2,991	939	1	6.3	0.9
30-34	10,400	44	59	144	427	1,425	3,794	3,376	1,126	5	6.5	1.0
35-39	6,221	50	36	114	335	873	2,215	1,913	685	0	8.6	1.4
40 & OVER	1,547	9	8	35	75	244	565	456	155	0	8.2	1.1
NOT STATED	5	0	0	0	1	1	3	0	0	0	*	*
BLACK²												
ALL AGES	26,331	511	343	683	1,868	6,097	10,168	5,351	1,305	5	12.9	3.2
UNDER 18	1,279	21	16	34	92	398	487	205	26	0	12.7	2.9
18-19	2,337	42	21	46	180	628	968	373	79	0	12.4	2.7
20-24	6,851	110	96	186	492	1,697	2,716	1,302	251	1	12.9	3.0

See footnotes at end of table.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2007. — Continued

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
BLACK²												
25-29	6,709	111	81	148	454	1,484	2,681	1,410	339	1	11.8	2.9
30-34	5,176	111	65	143	352	1,072	1,912	1,170	350	1	13.0	3.4
35-39	3,085	92	48	85	215	637	1,069	717	221	1	14.3	4.5
40 & OVER	892	24	16	41	83	181	335	173	38	1	18.4	4.5
NOT STATED	2	0	0	0	0	0	0	1	1	0	*	*
ASIAN OR PACIFIC ISLANDER²												
ALL AGES	4,941	31	31	80	264	1,103	2,105	1,096	231	0	8.2	1.3
UNDER 18	11	0	0	1	1	2	6	1	0	0	*	*
18-19	45	0	1	0	3	8	23	9	1	0	*	*
20-24	369	2	1	8	25	101	153	66	13	0	9.8	*
25-29	1,307	7	11	17	69	310	561	288	44	0	8.0	1.4
30-34	1,934	13	7	26	90	409	840	449	100	0	7.0	1.0
35-39	1,061	6	8	22	60	229	449	230	57	0	9.0	1.3
40 & OVER	214	3	3	6	16	44	73	53	16	0	13.1	2.8
HISPANIC³												
ALL AGES	10,607	77	65	160	471	1,963	4,370	2,737	764	0	7.3	1.3
UNDER 18	409	7	4	10	25	106	164	79	14	0	11.2	2.7
18-19	731	4	3	15	43	168	321	146	31	0	8.9	1.0
20-24	2,905	11	13	38	133	600	1,248	705	157	0	6.7	0.8
25-29	3,085	27	19	41	116	530	1,283	817	252	0	6.6	1.5
30-34	2,209	16	13	38	92	335	872	638	205	0	7.2	1.3
35-39	1,031	11	10	14	43	178	389	292	94	0	7.6	2.0
40 & OVER	237	1	3	4	19	46	93	60	11	0	11.4	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 9. LIVE BIRTHS BY MATERNAL MARITAL STATUS, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2007.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND MARITAL STATUS	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
ALL BIRTHS	78,057	825	649	1,460	4,202	14,672	30,066	20,267	5,902	14	9.1	1.9
MARRIED	46,092	376	301	754	2,072	7,513	17,596	13,366	4,110	4	7.6	1.5
UNMARRIED	31,937	449	347	706	2,128	7,155	12,462	6,899	1,790	1	11.4	2.5
NOT STATED	28	0	1	0	2	4	8	2	2	9	*	*
WHITE²												
ALL BIRTHS	46,281	277	275	688	2,036	7,368	17,594	13,696	4,338	9	7.1	1.2
MARRIED	31,490	169	152	446	1,247	4,501	11,793	9,917	3,262	3	6.4	1.0
UNMARRIED	14,771	108	122	242	787	2,865	5,795	3,777	1,074	1	8.5	1.6
NOT STATED	20	0	1	0	2	2	6	2	2	5	*	*
WHITE, NON-HISPANIC²												
ALL BIRTHS	36,025	203	214	537	1,586	5,481	13,371	11,030	3,594	9	7.1	1.2
MARRIED	26,876	135	128	390	1,070	3,725	9,902	8,633	2,890	3	6.4	1.0
UNMARRIED	9,131	68	85	147	514	1,754	3,465	2,395	702	1	8.9	1.7
NOT STATED	18	0	1	0	2	2	4	2	2	5	*	*
BLACK²												
ALL BIRTHS	26,331	511	343	683	1,868	6,097	10,168	5,351	1,305	5	12.9	3.2
MARRIED	9,789	174	120	230	565	1,959	3,758	2,363	619	1	11.1	3.0
UNMARRIED	16,534	337	223	453	1,303	4,136	6,408	2,988	686	0	14.0	3.4
NOT STATED	8	0	0	0	0	2	2	0	0	4	*	*
ASIAN OR PACIFIC ISLANDER²												
ALL BIRTHS	4,941	31	31	80	264	1,103	2,105	1,096	231	0	8.2	1.3
MARRIED	4,548	30	29	73	243	1,008	1,941	1,009	215	0	8.2	1.3
UNMARRIED	393	1	2	7	21	95	164	87	16	0	7.9	*
HISPANIC³												
ALL BIRTHS	10,607	77	65	160	471	1,963	4,370	2,737	764	0	7.3	1.3
MARRIED	4,786	36	27	60	186	810	1,966	1,321	380	0	6.5	1.3
UNMARRIED	5,819	41	38	100	285	1,153	2,402	1,416	384	0	8.0	1.4
NOT STATED	2	0	0	0	0	0	2	0	0	0	*	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2007.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND YEARS OF EDUCATION	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES1												
ALL BIRTHS	78,057	825	649	1,460	4,202	14,672	30,066	20,267	5,902	14	9.1	1.9
0-8 YEARS	3,768	27	26	60	168	730	1,524	988	245	0	7.5	1.4
9-11 YEARS	7,780	93	74	190	572	1,883	3,093	1,496	378	1	11.9	2.1
12 YEARS	21,714	265	229	415	1,323	4,406	8,423	5,266	1,386	1	10.3	2.3
13-15 YEARS	15,443	171	136	288	806	2,844	5,862	4,080	1,255	1	9.1	2.0
16+ YEARS	28,695	245	173	498	1,293	4,695	10,898	8,300	2,592	1	7.7	1.5
NOT STATED	657	24	11	9	40	114	266	137	46	10	12.8	5.3
WHITE2												
ALL BIRTHS	46,281	277	275	688	2,036	7,368	17,594	13,696	4,338	9	7.1	1.2
0-8 YEARS	3,274	17	22	44	136	607	1,325	899	224	0	6.7	1.2
9-11 YEARS	4,174	33	30	82	253	873	1,707	936	259	1	9.5	1.5
12 YEARS	11,462	72	81	172	555	1,974	4,392	3,265	950	1	7.7	1.3
13-15 YEARS	8,388	51	58	107	348	1,260	3,109	2,574	881	0	6.7	1.3
16+ YEARS	18,663	96	80	277	729	2,598	6,938	5,947	1,997	1	6.3	0.9
NOT STATED	320	8	4	6	15	56	123	75	27	6	10.3	3.8
WHITE, NON-HISPANIC2												
ALL BIRTHS	36,025	203	214	537	1,586	5,481	13,371	11,030	3,594	9	7.1	1.2
0-8 YEARS	427	5	6	4	20	97	140	124	31	0	8.2	2.6
9-11 YEARS	2,402	18	20	44	165	535	938	534	147	1	10.3	1.6
12 YEARS	8,321	56	64	139	412	1,390	3,094	2,442	723	1	8.1	1.4
13-15 YEARS	7,238	36	50	86	298	1,040	2,690	2,262	776	0	6.5	1.2
16+ YEARS	17,550	87	72	263	688	2,402	6,479	5,647	1,911	1	6.3	0.9
NOT STATED	87	1	2	1	3	17	30	21	6	6	8.0	*
BLACK2												
ALL BIRTHS	26,331	511	343	683	1,868	6,097	10,168	5,351	1,305	5	12.9	3.2
0-8 YEARS	404	9	4	15	30	101	161	70	14	0	14.4	3.2
9-11 YEARS	3,428	59	43	105	305	971	1,304	532	109	0	14.9	3.0
12 YEARS	9,387	186	141	230	718	2,242	3,664	1,806	400	0	13.6	3.5
13-15 YEARS	6,159	113	72	167	401	1,381	2,383	1,306	335	1	12.2	3.0
16+ YEARS	6,658	129	77	164	389	1,351	2,535	1,582	431	0	11.4	3.1
NOT STATED	295	15	6	2	25	51	121	55	16	4	16.3	7.1
ASIAN OR PACIFIC ISLANDER2												
ALL BIRTHS	4,941	31	31	80	264	1,103	2,105	1,096	231	0	8.2	1.3
0-8 YEARS	67	0	0	0	2	16	27	15	7	0	*	*
9-11 YEARS	119	0	1	1	6	29	55	21	6	0	6.7	*
12 YEARS	725	5	7	12	41	162	315	155	28	0	9.0	1.7
13-15 YEARS	763	6	6	11	48	173	322	164	33	0	9.3	1.6
16+ YEARS	3,230	19	16	55	167	716	1,368	734	155	0	8.0	1.1
NOT STATED	37	1	1	1	0	7	18	7	2	0	*	*

See footnotes at end of table.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2007. — Continued

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND YEARS OF EDUCATION	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
HISPANIC ³												
ALL BIRTHS	10,607	77	65	160	471	1,963	4,370	2,737	764	0	7.3	1.3
0-8 YEARS	2,865	12	16	41	116	512	1,196	778	194	0	6.5	1.0
9-11 YEARS	1,806	15	10	38	90	344	788	406	115	0	8.5	1.4
12 YEARS	3,268	17	18	36	148	612	1,354	852	231	0	6.7	1.1
13-15 YEARS	1,243	16	10	24	62	237	453	330	111	0	9.0	2.1
16+ YEARS	1,187	10	9	15	43	218	483	317	92	0	6.5	1.6
NOT STATED	238	7	2	6	12	40	96	54	21	0	11.3	3.8

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2007.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND TRIMESTER OF FIRST PRENATAL VISIT	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
FIRST	62,068	665	500	1,140	3,237	11,223	23,861	16,528	4,911	3	8.9	1.9
SECOND	11,362	75	91	220	642	2,426	4,453	2,739	715	1	9.0	1.5
THIRD	2,428	4	12	28	134	527	996	579	148	0	7.3	0.7
NO CARE	1,209	50	29	44	114	310	393	207	62	0	19.6	6.5
NOT STATED	990	31	17	28	75	186	363	214	66	10	15.3	4.8
WHITE²												
FIRST	37,969	223	218	545	1,619	5,846	14,356	11,458	3,702	2	6.9	1.2
SECOND	6,017	26	37	99	281	1,082	2,370	1,645	476	1	7.4	1.0
THIRD	1,220	1	3	12	50	225	503	340	86	0	5.4	*
NO CARE	541	17	10	18	51	118	181	114	32	0	17.7	5.0
NOT STATED	534	10	7	14	35	97	184	139	42	6	12.4	3.2
WHITE, NON-HISPANIC²												
FIRST	31,539	175	184	463	1,342	4,683	11,729	9,748	3,213	2	6.9	1.1
SECOND	3,337	15	24	59	172	591	1,231	957	287	1	8.1	1.2
THIRD	650	0	1	7	23	116	258	193	52	0	4.8	*
NO CARE	246	8	4	6	31	58	70	53	16	0	19.9	4.9
NOT STATED	253	5	1	2	18	33	83	79	26	6	10.3	2.4
BLACK²												
FIRST	19,342	410	257	516	1,361	4,335	7,480	3,991	991	1	13.2	3.4
SECOND	4,841	47	49	119	333	1,220	1,881	987	205	0	11.3	2.0
THIRD	1,096	3	8	13	79	275	443	217	58	0	9.4	1.0
NO CARE	628	32	19	23	59	185	198	84	28	0	21.2	8.1
NOT STATED	424	19	10	12	36	82	166	72	23	4	18.2	6.8
ASIAN OR PACIFIC ISLANDER²												
FIRST	4,357	27	25	73	233	959	1,862	979	199	0	8.2	1.2
SECOND	430	2	5	2	20	106	174	94	27	0	6.7	1.6
THIRD	100	0	1	3	5	26	46	16	3	0	9.0	*
NO CARE	27	0	0	1	2	6	11	6	1	0	*	*
NOT STATED	27	2	0	1	4	6	12	1	1	0	25.9	*

See footnotes at end of table.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2007. — Continued

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND TRIMESTER OF FIRST PRENATAL VISIT	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
HISPANIC ³												
FIRST	6,685	51	37	87	295	1,215	2,740	1,757	503	0	7.0	1.3
SECOND	2,742	11	13	41	111	512	1,155	706	193	0	6.4	0.9
THIRD	590	1	3	7	27	111	254	152	35	0	6.4	*
NO CARE	300	9	6	12	20	60	115	62	16	0	15.7	5.0
NOT STATED	290	5	6	13	18	65	106	60	17	0	14.5	3.8

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 12. LIVE BIRTHS BY MATERNAL RACE, HISPANIC ORIGIN AND PLACE OF OCCURRENCE, 2007.

MARYLAND

RACE AND HISPANIC ORIGIN	TOTAL BIRTHS	PLACE OF OCCURRENCE			PERCENT OF BIRTHS OCCURRING IN MARYLAND	PERCENT OF BIRTHS OCCURRING IN THE DISTRICT OF COLUMBIA	PERCENT OF BIRTHS OCCURRING IN OTHER STATES
		MARYLAND	DISTRICT OF COLUMBIA	OTHER STATES			
ALL RACES ¹	78,057	71,215	5,316	1,526	91.2	6.8	2.0
WHITE ²	46,281	42,446	2,847	988	91.7	6.2	2.1
WHITE, NON-HISPANIC ²	36,025	33,607	1,556	862	93.3	4.3	2.4
BLACK ²	26,331	23,611	2,305	415	89.7	8.8	1.6
ASIAN OR PACIFIC ISLANDER ²	4,941	4,685	143	113	94.8	2.9	2.3
HISPANIC ³	10,607	9,166	1,309	132	86.4	12.3	1.2

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

TABLE 12a. SELECTED NATALITY CHARACTERISTICS BY POLITICAL SUBDIVISION, MARYLAND, 2007.

REGION AND POLITICAL SUBDIVISION	BIRTH RATES	PERCENT								
		ADOLESCENT BIRTHS (UNDER 18)	UNMARRIED WOMEN	FIRST TRIMESTER PRENATAL CARE	LATE/NO PRENATAL CARE	LOW BIRTH WEIGHT BIRTHS	VERY LOW BIRTH WEIGHT BIRTHS	PRETERM BIRTHS (UNDER 37 WEEKS)	CESAREAN SECTION DELIVERIES	INFANTS 5-MINUTE APGAR UNDER 7
MARYLAND.....	13.9	2.9	40.9	79.5	4.7	9.1	1.9	10.9	33.6	1.3
NORTHWEST AREA										
GARRETT.....	10.6	2.9	34.3	81.3	2.5	6.0	*	11.4	28.6	*
ALLEGANY.....	9.4	4.1	47.8	68.9	3.8	9.8	1.5	11.1	34.2	1.2
WASHINGTON.....	13.6	3.4	43.4	79.6	5.0	7.9	1.3	10.8	30.5	1.1
FREDERICK.....	13.7	2.2	29.0	75.4	6.1	8.3	1.4	9.2	33.6	1.0
BALTIMORE METRO AREA										
BALTIMORE CITY.....	15.5	7.0	70.1	74.2	6.3	12.8	2.7	13.7	30.9	1.9
BALTIMORE COUNTY.....	12.9	2.2	38.5	81.6	4.1	8.7	1.9	11.2	34.7	1.3
ANNE ARUNDEL.....	13.9	2.1	31.8	87.4	2.5	8.2	1.5	9.8	35.5	1.1
CARROLL.....	11.0	2.0	25.8	90.2	1.5	6.3	1.0	8.9	36.4	1.0
HOWARD.....	12.8	1.1	21.6	95.0	1.3	7.7	1.8	9.6	31.0	0.7
HARFORD.....	12.6	2.2	29.4	85.1	2.8	7.7	1.6	11.1	31.8	1.6
NATIONAL CAPITAL AREA										
MONTGOMERY.....	14.9	1.4	28.1	83.3	3.7	7.8	1.3	9.4	34.7	0.6
PRINCE GEORGE'S.....	15.4	3.4	51.1	66.6	8.3	10.8	2.7	12.0	35.1	1.7
SOUTHERN AREA										
CALVERT.....	11.1	2.0	32.1	90.0	1.2	6.3	1.3	9.2	35.6	0.8
CHARLES.....	14.1	2.6	39.6	75.8	4.7	9.4	1.6	10.9	36.2	1.1
SAINT MARY'S.....	14.7	2.4	34.4	76.2	5.4	8.7	2.0	10.3	27.8	1.4
EASTERN SHORE AREA										
CECIL.....	13.3	2.3	38.3	82.4	2.3	7.0	0.8	9.6	27.7	1.8
KENT.....	8.9	*	47.2	83.7	*	10.1	*	11.8	30.9	*
QUEEN ANNE'S.....	12.0	1.6	31.1	89.2	3.2	6.6	1.6	9.9	31.4	2.2
CAROLINE.....	14.2	3.6	51.8	77.5	3.9	8.8	1.9	12.6	27.4	1.9
TALBOT.....	10.2	3.8	47.3	79.6	5.7	6.5	*	10.9	27.2	1.9
DORCHESTER.....	12.9	7.0	62.1	79.4	4.4	8.7	2.4	11.4	24.3	2.9
WICOMICO.....	14.3	4.2	49.9	85.1	2.5	9.9	2.1	12.2	36.7	1.6
SOMERSET.....	9.6	6.8	62.0	84.0	2.4	9.6	2.8	10.8	40.4	*
WORCESTER.....	10.1	2.8	49.6	83.0	5.0	9.0	2.2	12.8	35.2	2.0

*Rates and percentages based on fewer than five events in the numerator are not presented since rates based on small numbers are unstable.

TABLE 13. DEATHS BY RACE, SEX, AND MONTH OF DEATH, 2007.

MARYLAND

RACE AND SEX	ALL MONTHS	MONTH OF DEATH											
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ALL RACES ¹													
BOTH SEXES	43,597	4,029	3,621	3,942	3,707	3,657	3,458	3,359	3,436	3,463	3,542	3,528	3,855
MALE	21,487	1,965	1,787	1,887	1,860	1,826	1,737	1,709	1,687	1,695	1,742	1,701	1,891
FEMALE	22,110	2,064	1,834	2,055	1,847	1,831	1,721	1,650	1,749	1,768	1,800	1,827	1,964
WHITE													
BOTH SEXES	30,988	2,912	2,583	2,837	2,660	2,606	2,399	2,343	2,405	2,460	2,529	2,509	2,745
MALE	14,988	1,392	1,236	1,325	1,311	1,277	1,199	1,166	1,165	1,181	1,225	1,192	1,319
FEMALE	16,000	1,520	1,347	1,512	1,349	1,329	1,200	1,177	1,240	1,279	1,304	1,317	1,426
BLACK													
BOTH SEXES	11,821	1,037	974	1,037	981	984	999	965	972	939	950	937	1,046
MALE	6,073	526	523	525	513	511	500	514	494	477	487	462	541
FEMALE	5,748	511	451	512	468	473	499	451	478	462	463	475	505
ASIAN OR PACIFIC ISLANDER													
BOTH SEXES	704	76	60	66	57	57	56	43	48	54	56	74	57
MALE	379	44	27	36	30	34	35	25	21	31	25	43	28
FEMALE	325	32	33	30	27	23	21	18	27	23	31	31	29

¹ Includes races categorized as 'other'.

TABLE 14. DEATHS BY RACE, SEX, AND AGE, 2007.

MARYLAND

RACE AND SEX	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STATED
ALL RACES ¹													
BOTH SEXES	43,597	622	97	125	698	857	1,762	3,655	5,256	6,876	11,272	12,374	3
MALE	21,487	333	59	68	534	597	1,094	2,234	3,136	3,768	5,402	4,260	2
FEMALE	22,110	289	38	57	164	260	668	1,421	2,120	3,108	5,870	8,114	1
WHITE													
BOTH SEXES	30,988	213	46	69	333	421	897	2,055	3,227	4,607	8,753	10,365	2
MALE	14,988	115	29	36	237	288	588	1,284	1,934	2,565	4,273	3,637	2
FEMALE	16,000	98	17	33	96	133	309	771	1,293	2,042	4,480	6,728	0
BLACK													
BOTH SEXES	11,821	369	44	52	338	409	826	1,537	1,927	2,123	2,340	1,855	1
MALE	6,073	202	27	32	276	292	480	910	1,137	1,113	1,045	559	0
FEMALE	5,748	167	17	20	62	117	346	627	790	1,010	1,295	1,296	1
ASIAN OR PACIFIC ISLANDER													
BOTH SEXES	704	31	6	1	20	22	33	56	96	132	162	145	0
MALE	379	12	2	0	14	14	24	33	62	80	76	62	0
FEMALE	325	19	4	1	6	8	9	23	34	52	86	83	0

¹ Includes races categorized as 'other'.

TABLE 15. LEADING CAUSES OF DEATH BY RACE AND SEX, 2007.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992)	ALL RACES ¹			WHITE		BLACK		ASIAN OR PACIFIC ISLANDER	
	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
ALL CAUSES	43,597	21,487	22,110	14,988	16,000	6,073	5,748	379	325
DISEASES OF THE HEART	11,346	5,582	5,764	4,046	4,229	1,438	1,458	90	70
MALIGNANT NEOPLASMS	10,142	5,123	5,019	3,697	3,595	1,316	1,333	100	81
CEREBROVASCULAR DISEASES	2,238	906	1,332	627	985	256	326	22	20
CHRONIC LOWER RESPIRATORY DISEASE	1,898	825	1,073	697	935	118	134	10	*
ACCIDENTS	1,470	958	512	654	372	277	119	24	18
DIABETES MELLITUS	1,297	613	684	389	407	211	262	13	14
INFLUENZA AND PNEUMONIA	1,006	473	533	370	417	93	109	10	7
SEPTICEMIA	921	419	502	268	322	141	173	7	5
ALZHEIMER'S DISEASE	880	267	613	218	503	48	105	*	5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	728	363	365	233	241	123	117	7	7
ASSAULT (HOMICIDE)	576	491	85	77	34	404	51	5	*
INTENTIONAL SELF-HARM (SUICIDE)	508	397	111	320	85	65	17	9	8
CHRONIC LIVER DISEASE AND CIRRHOSIS	443	290	153	219	102	66	46	*	5
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	431	267	164	24	12	242	151	*	*
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	418	169	249	91	156	75	85	*	8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ..	401	225	176	74	56	141	111	7	8
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	369	211	158	171	123	39	34	*	*
PARKINSON'S DISEASE	325	181	144	168	122	10	22	*	*
AORTIC ANEURYSM AND DISSECTION	221	113	108	89	84	22	23	*	*

¹ Includes races categorized as 'other'.

* Deaths under 5 not reported.

TABLE 16. LEADING CAUSES OF DEATH BY AGE GROUP, 2007.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL CAUSES	43,597	622	97	125	698	857	1,762	3,655	5,256	6,876	11,272	12,374	3
DISEASES OF THE HEART	11,346	7	2	8	22	69	255	785	1,279	1,750	3,020	4,149	0
MALIGNANT NEOPLASMS	10,142	2	7	14	25	57	281	983	1,949	2,424	2,846	1,554	0
CEREBROVASCULAR DISEASES	2,238	1	0	2	4	7	51	118	173	283	666	932	1
CHRONIC LOWER RESPIRATORY DISEASE	1,898	0	3	5	4	4	19	47	154	364	744	554	0
ACCIDENTS	1,470	12	21	39	206	141	185	200	146	119	176	225	0
DIABETES MELLITUS	1,297	0	0	0	4	10	29	103	193	295	389	274	0
INFLUENZA AND PNEUMONIA	1,006	1	1	1	1	12	26	49	69	106	277	463	0
SEPTICEMIA	921	6	2	2	3	9	25	60	95	172	271	276	0
ALZHEIMER'S DISEASE	880	0	0	0	0	0	0	2	5	53	240	580	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	728	1	0	0	1	3	13	40	96	117	224	233	0
ASSAULT (HOMICIDE)	576	4	11	7	209	178	97	38	16	7	2	0	0
INTENTIONAL SELF-HARM (SUICIDE)	508	0	0	2	66	88	112	101	70	31	31	7	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	443	0	0	0	0	4	32	126	128	78	63	11	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	431	0	0	2	6	33	130	178	62	15	4	1	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	418	0	0	0	1	1	9	27	39	57	110	174	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	401	397	4	0	0	0	0	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	369	2	0	0	1	2	2	12	21	34	106	189	0
PARKINSON'S DISEASE	325	0	0	0	0	0	0	2	3	33	145	142	0
AORTIC ANEURYSM AND DISSECTION	221	0	0	0	0	2	11	18	17	40	73	60	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16A. LEADING CAUSES OF DEATH AMONG WHITES BY SEX AND AGE GROUP, 2007.

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	14,988	115	29	36	237	288	588	1,284	1,934	2,565	4,273	3,637	2
DISEASES OF THE HEART	4,046	3	1	1	5	21	100	326	531	696	1,181	1,181	0
MALIGNANT NEOPLASMS	3,697	1	2	2	8	19	70	295	680	900	1,144	576	0
CHRONIC LOWER RESPIRATORY DISEASE	697	0	0	2	0	1	6	14	56	163	265	190	0
ACCIDENTS	654	2	5	11	100	73	84	101	68	57	72	81	0
CEREBROVASCULAR DISEASES	627	0	0	0	2	0	8	27	46	76	214	253	1
DIABETES MELLITUS	389	0	0	0	2	0	11	30	52	94	124	76	0
INFLUENZA AND PNEUMONIA	370	0	1	0	0	3	7	14	24	50	120	151	0
INTENTIONAL SELF-HARM (SUICIDE)	320	0	0	0	41	54	65	66	44	20	23	7	0
SEPTICEMIA	268	0	0	1	0	2	4	11	27	49	94	80	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	233	0	0	0	0	0	0	11	26	40	77	79	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	219	0	0	0	0	2	17	59	64	40	33	3	1
ALZHEIMER'S DISEASE	218	0	0	0	0	0	0	2	2	19	72	123	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	171	0	0	0	1	2	2	9	11	10	46	90	0
PARKINSON'S DISEASE	168	0	0	0	0	0	0	1	1	21	86	59	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	91	0	0	0	0	0	1	4	7	13	31	35	0
AORTIC ANEURYSM AND DISSECTION	89	0	0	0	0	2	4	5	8	18	31	21	0
ASSAULT (HOMICIDE)	77	1	4	3	16	14	18	9	6	3	2	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	74	72	2	0	0	0	0	0	0	0	0	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	24	0	0	0	0	0	9	7	4	2	2	0	0
FEMALES													
ALL CAUSES	16,000	98	17	33	96	133	309	771	1,293	2,042	4,480	6,728	0
DISEASES OF THE HEART	4,229	1	0	3	1	9	40	125	217	432	1,132	2,269	0
MALIGNANT NEOPLASMS	3,595	0	3	5	6	17	81	316	605	784	1,083	695	0
CEREBROVASCULAR DISEASES	985	0	0	2	1	3	8	21	35	88	279	548	0
CHRONIC LOWER RESPIRATORY DISEASE	935	0	0	0	1	1	6	19	72	142	383	311	0
ALZHEIMER'S DISEASE	503	0	0	0	0	0	0	0	2	22	124	355	0
INFLUENZA AND PNEUMONIA	417	0	0	1	1	4	8	8	21	29	97	248	0
DIABETES MELLITUS	407	0	0	0	0	2	4	21	43	74	132	131	0
ACCIDENTS	372	2	1	7	34	15	26	31	26	34	72	124	0
SEPTICEMIA	322	1	0	1	1	4	8	13	22	40	101	131	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	241	0	0	0	0	1	2	4	16	36	78	104	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	156	0	0	0	0	0	0	1	6	14	38	97	0

See footnotes at end of table.

TABLE 16A. LEADING CAUSES OF DEATH AMONG WHITES BY SEX AND AGE GROUP, 2007. — Continued

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	123	0	0	0	0	0	0	0	4	11	32	76	0
PARKINSON'S DISEASE	122	0	0	0	0	0	0	1	2	4	46	69	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	102	0	0	0	0	0	6	31	17	22	20	6	0
INTENTIONAL SELF-HARM (SUICIDE)	85	0	0	0	9	11	14	20	16	10	5	0	0
AORTIC ANEURYSM AND DISSECTION	84	0	0	0	0	0	0	1	2	14	34	33	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	56	55	1	0	0	0	0	0	0	0	0	0	0
ASSAULT (HOMICIDE)	34	1	3	2	7	6	8	3	1	0	2	1	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	12	0	0	0	0	2	6	1	3	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16B. LEADING CAUSES OF DEATH AMONG BLACKS BY SEX AND AGE GROUP, 2007.

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	6,073	202	27	32	276	292	480	910	1137	1,113	1,045	559	0
DISEASES OF THE HEART	1,438	2	1	2	13	23	74	201	330	321	284	187	0
MALIGNANT NEOPLASMS	1,316	0	2	4	3	8	40	165	330	377	284	103	0
ASSAULT (HOMICIDE)	404	2	2	1	168	147	55	19	7	2	1	0	0
ACCIDENTS	277	3	7	14	49	38	52	49	31	15	15	4	0
CEREBROVASCULAR DISEASES	256	0	0	0	0	2	16	35	48	60	69	26	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	242	0	0	0	3	12	59	114	43	11	0	0	0
DIABETES MELLITUS	211	0	0	0	1	4	6	31	47	56	49	17	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	141	141	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	141	4	1	0	1	2	4	19	22	40	32	16	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	123	1	0	0	0	0	7	13	30	24	29	19	0
CHRONIC LOWER RESPIRATORY DISEASE	118	0	2	3	2	1	3	6	16	30	37	18	0
INFLUENZA AND PNEUMONIA	93	0	0	0	0	4	9	14	10	13	25	18	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	75	0	0	0	0	1	5	16	14	11	16	12	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	66	0	0	0	0	0	4	20	28	8	4	2	0
INTENTIONAL SELF-HARM (SUICIDE)	65	0	0	0	9	15	22	10	7	1	1	0	0
ALZHEIMER'S DISEASE	48	0	0	0	0	0	0	0	1	4	21	22	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	39	1	0	0	0	0	0	2	5	9	13	9	0
AORTIC ANEURYSM AND DISSECTION	22	0	0	0	0	0	5	7	6	3	1	0	0
PARKINSON'S DISEASE	10	0	0	0	0	0	0	0	0	5	0	5	0
FEMALES													
ALL CAUSES	5,748	167	17	20	62	117	346	627	790	1,010	1,295	1296	1
DISEASES OF THE HEART	1,458	0	0	2	2	15	38	124	175	267	373	462	0
MALIGNANT NEOPLASMS	1,333	1	0	1	3	11	77	182	300	311	291	156	0
CEREBROVASCULAR DISEASES	326	1	0	0	1	1	17	34	36	49	93	94	0
DIABETES MELLITUS	262	0	0	0	1	4	8	19	45	65	75	45	0
SEPTICEMIA	173	0	0	0	1	1	9	16	21	38	41	46	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	151	0	0	2	3	18	56	56	11	2	2	1	0
CHRONIC LOWER RESPIRATORY DISEASE	134	0	1	0	1	1	3	8	10	27	49	34	0
ACCIDENTS	119	4	6	6	15	9	17	15	14	11	9	13	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	117	0	0	0	1	2	4	11	22	12	39	26	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	111	110	1	0	0	0	0	0	0	0	0	0	0
INFLUENZA AND PNEUMONIA	109	1	0	0	0	1	2	9	13	12	32	39	0

See footnotes at end of table.

TABLE 16B. LEADING CAUSES OF DEATH AMONG BLACKS BY SEX AND AGE GROUP, 2007. — Continued

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
ALZHEIMER'S DISEASE	105	0	0	0	0	0	0	0	0	8	23	74	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	85	0	0	0	1	0	3	6	11	18	20	26	0
ASSAULT (HOMICIDE)	51	0	2	1	14	8	14	6	2	2	2	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	46	0	0	0	0	2	3	15	16	6	4	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	34	1	0	0	0	0	0	1	1	4	14	13	0
AORTIC ANEURYSM AND DISSECTION	23	0	0	0	0	0	2	4	1	5	7	4	0
PARKINSON'S DISEASE	22	0	0	0	0	0	0	0	0	3	10	9	0
INTENTIONAL SELF-HARM (SUICIDE)	17	0	0	2	2	4	7	1	1	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16C. LEADING CAUSES OF DEATH AMONG ASIANS OR PACIFIC ISLANDERS BY SEX AND AGE GROUP, 2007.

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	379	12	2	0	14	14	24	33	62	80	76	62	0
MALIGNANT NEOPLASMS	100	0	0	0	2	2	8	9	18	30	19	12	0
DISEASES OF THE HEART	90	0	0	0	0	1	3	5	19	22	18	22	0
ACCIDENTS	24	0	0	0	6	3	4	3	4	1	1	2	0
CEREBROVASCULAR DISEASES	22	0	0	0	0	1	1	0	4	7	4	5	0
DIABETES MELLITUS	13	0	0	0	0	0	0	1	4	1	5	2	0
INFLUENZA AND PNEUMONIA	10	0	0	0	0	0	0	3	1	2	1	3	0
CHRONIC LOWER RESPIRATORY DISEASE	10	0	0	0	0	0	1	0	0	1	8	0	0
INTENTIONAL SELF-HARM (SUICIDE)	9	0	0	0	1	3	1	2	1	0	1	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD													
SEPTICEMIA	7	7	0	0	0	0	0	0	0	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	7	0	0	0	0	0	0	1	1	2	1	2	0
ASSAULT (HOMICIDE)	5	0	0	0	3	1	1	0	0	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	0	0	0	0	1	1	0	1	0	0	0
PARKINSON'S DISEASE	3	0	0	0	0	0	0	0	0	0	3	0	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE													
AORTIC ANEURYSM AND DISSECTION	2	0	0	0	0	0	0	1	0	0	0	1	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	1	0	0	0	0	0	0	0	1	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	1	0	0	0	0	0	0	0	0	0	1	0	0
ALZHEIMER'S DISEASE	1	0	0	0	0	0	0	0	0	0	0	1	0
FEMALES													
ALL CAUSES	325	19	4	1	6	8	9	23	34	52	86	83	0
MALIGNANT NEOPLASMS	81	0	0	0	2	0	3	14	12	17	21	12	0
DISEASES OF THE HEART	70	1	0	0	0	0	0	2	6	10	27	24	0
CEREBROVASCULAR DISEASES	20	0	0	0	0	0	0	1	4	3	6	6	0
ACCIDENTS	18	1	2	0	1	2	2	1	3	1	4	1	0
DIABETES MELLITUS	14	0	0	0	0	0	0	1	2	4	4	3	0
INTENTIONAL SELF-HARM (SUICIDE)	8	0	0	0	2	1	2	1	1	0	1	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD													
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	8	8	0	0	0	0	0	0	0	0	0	0	0
INFLUENZA AND PNEUMONIA	7	0	0	0	0	0	0	1	0	0	2	4	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	7	0	0	0	0	0	0	0	1	3	0	3	0

See footnotes at end of table.

TABLE 16C. LEADING CAUSES OF DEATH AMONG ASIANS OR PACIFIC ISLANDERS BY SEX AND AGE GROUP, 2007. — Continued

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
ALZHEIMER'S DISEASE	5	0	0	0	0	0	0	0	0	0	0	5	0
SEPTICEMIA	5	1	1	0	0	0	0	1	0	0	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	0	0	0	0	0	0	0	2	1	2	0	0
CHRONIC LOWER RESPIRATORY DISEASE	2	0	0	0	0	0	0	0	0	1	1	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	1	0	0	0	0	0	0	0	0	0	0	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	0	0	0	0	0	0	0	0	0	1	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	1	0	0	0	0	1	0	0	0	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16D. LEADING CAUSES OF DEATH AMONG HISPANICS BY SEX AND AGE GROUP, 2007.

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	314	25	7	4	24	38	46	29	35	37	46	22	1
MALIGNANT NEOPLASMS	56	0	0	0	2	3	8	5	11	14	7	6	0
DISEASES OF THE HEART	48	1	0	0	2	4	2	6	8	8	13	4	0
ACCIDENTS	47	0	1	3	12	10	10	4	1	0	4	2	0
ASSAULT (HOMICIDE)	21	0	3	0	4	5	8	1	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	18	17	1	0	0	0	0	0	0	0	0	0	0
CEREBROVASCULAR DISEASES	16	0	0	0	0	0	1	1	3	3	3	5	0
INTENTIONAL SELF-HARM (SUICIDE)	15	0	0	0	1	7	3	4	0	0	0	0	0
DIABETES MELLITUS	9	0	0	0	0	0	1	1	3	2	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	0	0	0	0	0	2	2	1	1	1	0	1
SEPTICEMIA	6	0	0	0	0	0	1	0	1	4	0	0	0
CHRONIC LOWER RESPIRATORY DISEASE	4	0	0	0	0	1	0	0	0	0	3	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	4	0	0	0	0	0	0	0	1	0	1	2	0
INFLUENZA AND PNEUMONIA	3	0	0	0	0	0	0	1	0	0	2	0	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	2	0	0	0	0	0	0	0	1	0	1	0	0
AORTIC ANEURYSM AND DISSECTION	2	0	0	0	0	1	0	0	0	0	1	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	1	0	0	0	0	0	1	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	1	0	0	0	0	0	1	0	0	0	0	0	0
PARKINSON'S DISEASE	1	0	0	0	0	0	0	0	0	0	1	0	0
FEMALES													
ALL CAUSES	224	15	4	5	3	13	13	18	14	36	45	58	0
MALIGNANT NEOPLASMS	56	0	0	2	0	1	5	10	8	15	7	8	0
DISEASES OF THE HEART	44	0	0	1	0	0	0	2	2	9	11	19	0
CEREBROVASCULAR DISEASES	22	0	0	0	0	1	1	1	2	4	5	8	0
ACCIDENTS	11	0	0	1	1	0	3	2	1	0	3	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	8	8	0	0	0	0	0	0	0	0	0	0	0
INFLUENZA AND PNEUMONIA	7	0	0	0	0	1	1	0	0	0	3	2	0
DIABETES MELLITUS	6	0	0	0	0	0	0	1	0	2	3	0	0
SEPTICEMIA	5	1	0	0	0	1	0	0	0	0	0	3	0
ASSAULT (HOMICIDE)	5	0	3	1	1	0	0	0	0	0	0	0	0
ALZHEIMER'S DISEASE	4	0	0	0	0	0	0	0	0	0	0	4	0
INTENTIONAL SELF-HARM (SUICIDE)	3	0	0	0	0	1	2	0	0	0	0	0	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	3	0	0	0	0	0	0	0	0	0	1	2	0

See footnotes at end of table.

TABLE 16D. LEADING CAUSES OF DEATH AMONG HISPANICS BY SEX AND AGE GROUP, 2007. — Continued

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
CHRONIC LOWER RESPIRATORY DISEASE	2	0	0	0	0	0	0	0	0	0	2	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	2	0	0	0	0	0	0	0	0	1	0	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	0	0	0	0	0	1	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	1	0	0	0	0	0	0	0	0	0	0	1	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL CAUSES	43,597	622	97	125	698	857	1,762	3,655	5,256	6,876	11,272	12,374	3
SALMONELLA INFECTIONS	2	0	1	0	0	0	0	0	0	0	1	0	0
SHIGELLOSIS AND AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS	188	0	0	0	1	0	2	0	9	22	66	88	0
TUBERCULOSIS, ALL FORMS	8	0	0	0	0	0	0	2	1	1	1	3	0
RESPIRATORY TUBERCULOSIS	5	0	0	0	0	0	0	2	0	0	1	2	0
OTHER TUBERCULOSIS	3	0	0	0	0	0	0	0	1	1	0	1	0
WHOOPING COUGH	0	0	0	0	0	0	0	0	0	0	0	0	0
SCARLET FEVER AND ERYSIPELAS	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION	2	1	0	0	0	0	1	0	0	0	0	0	0
SEPTICEMIA	921	6	2	2	3	9	25	60	95	172	271	276	0
SYPHILIS	2	0	0	0	0	0	1	0	0	0	1	0	0
ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0	0	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0
VIRAL HEPATITIS	131	0	0	0	0	2	8	50	41	19	9	2	0
HUMAN IMMUNODEFICIENCY VIRUS	431	0	0	2	6	33	130	178	62	15	4	1	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES	123	3	5	5	1	5	3	10	21	25	25	20	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALIGNANT NEOPLASMS	10,142	2	7	14	25	57	281	983	1,949	2,424	2,846	1,554	0
LIP, ORAL CAVITY AND PHARYNX	150	0	0	1	0	1	5	22	44	29	34	14	0
ESOPHAGUS	273	0	0	0	0	0	7	31	72	72	70	21	0
STOMACH	206	0	0	0	1	0	6	20	36	49	63	31	0
COLON, RECTUM, AND ANUS	989	0	0	0	0	4	22	85	191	198	282	207	0
LIVER AND INTRAHEPATIC BILE DUCTS	307	0	0	0	0	1	13	48	87	61	64	33	0
PANCREAS	628	0	0	0	0	1	9	49	116	152	201	100	0
LARYNX	80	0	0	0	0	0	1	7	24	25	20	3	0
TRACHEA, BRONCHUS AND LUNG	2,807	0	0	0	1	1	37	242	555	829	835	307	0
MELANOMA OF SKIN	136	0	0	0	0	3	9	16	29	33	27	19	0
BREAST	810	0	0	0	0	5	67	147	170	132	158	131	0
CERVIX UTERI	75	0	0	0	0	5	8	16	13	18	10	5	0
CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED	142	0	0	0	0	1	4	16	38	36	29	18	0
OVARY	245	0	0	0	0	3	3	23	56	67	63	30	0
PROSTATE	547	0	0	0	0	0	0	7	43	125	198	174	0
KIDNEY AND RENAL PELVIS	234	0	1	0	0	1	4	28	51	56	61	32	0
BLADDER	241	0	0	0	0	1	1	12	29	47	81	70	0
MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	224	1	3	4	6	4	12	29	58	47	49	11	0
LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	942	0	1	6	9	13	32	78	146	205	290	162	0
HODGKIN'S DISEASE	15	0	0	0	0	2	4	2	1	3	2	1	0
NON-HODGKIN'S LYMPHOMA	330	0	0	1	2	4	10	25	61	78	94	55	0
LEUKEMIA	370	0	1	5	7	7	12	28	45	72	121	72	0
MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS	227	0	0	0	0	0	6	23	39	52	73	34	0
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOIDHEMATOPOIETIC AND RELATED TISSUE	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS	1,106	1	2	3	8	13	41	107	191	243	311	186	0
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR	279	2	2	2	1	4	8	8	29	48	101	74	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ANEMIAS	86	0	0	2	1	3	8	7	7	10	18	30	0
DIABETES MELLITUS	1,297	0	0	0	4	10	29	103	193	295	389	274	0
NUTRITIONAL DEFICIENCIES	45	0	0	0	0	0	0	2	3	0	13	27	0
MALNUTRITION	39	0	0	0	0	0	0	2	3	0	12	22	0
OTHER NUTRITIONAL DEFICIENCIES	6	0	0	0	0	0	0	0	0	0	1	5	0
MENINGITIS	11	0	0	0	1	1	2	1	0	2	4	0	0
PARKINSON'S DISEASE	325	0	0	0	0	0	0	2	3	33	145	142	0
ALZHEIMER'S DISEASE	880	0	0	0	0	0	0	2	5	53	240	580	0
MAJOR CARDIOVASCULAR DISEASES	14,482	8	2	10	30	81	330	956	1,531	2,162	3,950	5,421	1
DISEASES OF HEART	11,346	7	2	8	22	69	255	785	1,279	1,750	3,020	4,149	0
ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES	52	0	0	1	0	1	0	3	10	5	17	15	0
HYPERTENSIVE HEART DISEASE	817	0	0	0	1	5	48	156	157	118	132	200	0
HYPERTENSIVE HEART & RENAL DISEASE	75	0	0	0	0	1	2	7	13	17	19	16	0
ISCHEMIC HEART DISEASE	7,770	1	1	1	2	23	106	476	875	1,267	2,162	2,856	0
ACUTE MYOCARDIAL INFARCTION	2,386	0	0	0	0	10	38	160	293	447	675	763	0
OTHER ACUTE ISCHEMIC HEART DISEASE	55	0	0	0	0	0	0	4	8	16	15	12	0
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	5,329	1	1	1	2	13	68	312	574	804	1,472	2,081	0
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE	2,357	1	0	0	2	10	47	202	319	341	578	857	0
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	2,972	0	1	1	0	3	21	110	255	463	894	1,224	0
OTHER HEART DISEASES	2,632	6	1	6	19	39	99	143	224	343	690	1,062	0
ACUTE AND SUBACUTE ENDOCARDITIS	20	0	0	0	0	0	3	3	4	3	5	2	0
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS	18	0	0	0	0	1	1	2	5	2	2	5	0
HEART FAILURE	605	0	0	0	2	0	4	10	28	67	169	325	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL OTHER FORMS OF HEART DISEASE	1,989	6	1	6	17	38	91	128	187	271	514	730	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	418	0	0	0	1	1	9	27	39	57	110	174	0
CEREBROVASCULAR DISEASES	2,238	1	0	2	4	7	51	118	173	283	666	932	1
ATHEROSCLEROSIS	77	0	0	0	2	0	1	0	6	7	15	46	0
OTHER DISEASES OF CIRCULATORY SYSTEM	403	0	0	0	1	4	14	26	34	65	139	120	0
AORTIC ANEURYSM AND DISSECTION	221	0	0	0	0	2	11	18	17	40	73	60	0
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	182	0	0	0	1	2	3	8	17	25	66	60	0
OTHER DISORDERS OF CIRCULATORY SYSTEM	78	0	0	0	1	4	12	7	13	10	17	14	0
INFLUENZA AND PNEUMONIA	1,006	1	1	1	1	12	26	49	69	106	277	463	0
INFLUENZA	4	0	1	0	0	0	0	2	0	0	1	0	0
PNEUMONIA	1,002	1	0	1	1	12	26	47	69	106	276	463	0
OTHER ACUTE LOWER RESPIRATORY INFECTIONS	5	1	0	0	0	1	0	0	1	0	0	2	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	5	1	0	0	0	1	0	0	1	0	0	2	0
UNSPECIFIED ACUTE LOWER REPIRATORY INFECTION	0	0	0	0	0	0	0	0	0	0	0	0	0
CHRONIC LOWER RESPIRATORY DISEASES	1,898	0	3	5	4	4	19	47	154	364	744	554	0
BRONCHITIS, CHRONIC AND UNSPECIFIED	10	0	0	0	0	0	0	0	0	1	3	6	0
EMPHYSEMA	201	0	0	1	0	0	1	6	21	42	87	43	0
ASTHMA	73	0	3	4	3	4	9	10	10	7	9	14	0
OTHER CHRONIC LOWER RESPIRATORY DISEASES	1,614	0	0	0	1	0	9	31	123	314	645	491	0
PNEUMOCONIOSES AND CHEMICAL EFFECTS	13	0	0	0	0	0	0	0	1	1	8	3	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	369	2	0	0	1	2	2	12	21	34	106	189	0
OTHER DISEASES OF RESPIRATORY SYSTEM	463	3	2	2	5	0	13	21	52	84	144	137	0
PEPTIC ULCER	40	0	0	0	0	0	0	5	2	12	11	10	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
DISEASES OF APPENDIX	6	0	0	0	0	0	1	1	0	0	3	1	0
HERNIA	30	2	0	0	0	1	0	3	1	4	6	13	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	443	0	0	0	0	4	32	126	128	78	63	11	1
ALCOHOLIC LIVER DISEASE	174	0	0	0	0	2	17	65	60	19	10	0	1
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS	269	0	0	0	0	2	15	61	68	59	53	11	0
CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER	48	0	0	1	0	0	1	3	7	6	13	17	0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS ...	728	1	0	0	1	3	13	40	96	117	224	233	0
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME	5	0	0	0	0	0	0	1	1	3	0	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED	46	0	0	0	0	0	2	2	3	3	17	19	0
RENAL FAILURES	676	1	0	0	1	3	11	37	92	110	207	214	0
OTHER DISORDERS OF KIDNEY	1	0	0	0	0	0	0	0	0	1	0	0	0
INFECTIONS OF KIDNEY	11	0	0	0	0	0	1	1	3	2	2	2	0
HYPERPLASIA OF PROSTATE	5	0	0	0	0	0	0	0	0	0	1	4	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS	1	0	0	0	0	0	0	0	1	0	0	0	0
PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	19	0	0	0	3	8	8	0	0	0	0	0	0
PREGNANCY WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	19	0	0	0	3	8	8	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	401	397	4	0	0	0	0	0	0	0	0	0	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMALABNORMALITIES	168	89	16	9	6	11	12	9	7	4	4	1	0
SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS,NOT ELSEWHERE CLASSIFIED	234	70	7	2	17	10	18	25	18	7	27	33	0
ALL OTHER DISEASES (RESIDUAL)	4,860	18	11	19	29	57	142	333	421	588	1,299	1,942	1
ACCIDENTS	1,470	12	21	39	206	141	185	200	146	119	176	225	0
TRANSPORT ACCIDENTS	722	2	7	25	181	110	126	114	66	46	32	13	0
MOTOR VEHICLE ACCIDENTS	677	2	7	25	173	108	119	98	60	41	31	13	0
OTHER LAND TRANSPORT ACCIDENTS	16	0	0	0	7	1	2	4	1	1	0	0	0
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	29	0	0	0	1	1	5	12	5	4	1	0	0
NONTRANSPORT ACCIDENTS	748	10	14	14	25	31	59	86	80	73	144	212	0
FALLS	413	0	2	0	5	5	9	26	46	39	114	167	0
DISCHARGE OF FIREARMS	4	0	0	0	0	2	0	0	2	0	0	0	0
DROWNING AND SUBMERSION	45	0	4	4	8	2	7	10	7	2	0	1	0
EXPOSURE TO SMOKE, FIRE AND FLAMES	86	3	7	9	6	7	11	12	5	10	8	8	0
POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	44	0	0	0	3	9	13	8	4	2	1	4	0
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE	156	7	1	1	3	6	19	30	16	20	21	32	0
INTENTIONAL SELF-HARM (SUICIDE)	508	0	0	2	66	88	112	101	70	31	31	7	0
BY DISCHARGE OF FIREARMS	231	0	0	0	25	34	43	41	41	17	24	6	0
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	277	0	0	2	41	54	69	60	29	14	7	1	0
ASSAULT (HOMICIDE)	576	4	11	7	209	178	97	38	16	7	7	2	0
BY DISCHARGE OF FIREARMS	421	0	0	4	181	145	65	20	3	1	2	0	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	155	4	11	3	28	33	32	18	13	6	5	2	0
LEGAL INTERVENTION	14	0	0	0	6	5	1	2	0	0	0	0	0
EVENTS OF UNDETERMINED INTENT	780	0	2	1	68	123	233	263	70	10	8	2	0
DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE	780	0	2	1	68	123	233	263	70	10	8	2	0
OPERATIONS OF WAR AND THEIR SEQUELAE	1	0	0	0	0	0	0	0	0	0	1	0	0
TERRORIST ATTACK	0	0	0	0	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF MEDICAL/SURGICAL CARE	67	0	0	0	2	0	6	5	10	11	16	17	0
INJURY BY FIREARMS	670	0	0	4	212	186	109	63	46	18	26	6	0
DRUG-INDUCED DEATHS	795	0	1	1	67	129	234	272	68	13	6	4	0
ALCOHOL-INDUCED DEATHS	328	0	0	0	7	11	44	116	99	36	14	0	1
INJURY AT WORK	74	0	0	0	10	14	15	12	10	6	5	2	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ALL CAUSES	43,597	14,988	6,073	379	314	16,000	5748	325	224
SALMONELLA INFECTIONS	2	0	0	1	0	0	1	0	0
SHIGELLOSIS AND AMEBIASIS	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS	188	57	11	2	0	98	19	1	0
TUBERCULOSIS, ALL FORMS	8	4	1	2	0	1	0	0	0
RESPIRATORY TUBERCULOSIS	5	2	0	2	0	1	0	0	0
OTHER TUBERCULOSIS	3	2	1	0	0	0	0	0	0
WHOOPING COUGH	0	0	0	0	0	0	0	0	0
SCARLET FEVER AND ERYSIPELAS	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION	2	0	0	0	0	0	2	0	0
SEPTICEMIA	921	268	141	7	6	322	173	5	5
SYPHILIS	2	0	0	0	0	1	1	0	0
ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0
VIRAL HEPATITIS	131	50	38	2	0	32	9	0	0
HUMAN IMMUNODEFICIENCY VIRUS	431	24	242	1	1	12	151	1	0
MALARIA	0	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES	123	48	16	0	1	40	15	2	1
MALIGNANT NEOPLASMS	10,142	3,697	1,316	100	56	3,595	1333	81	56
LIP, ORAL CAVITY AND PHARYNX	150	71	30	0	2	35	13	1	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ESOPHAGUS	273	161	48	1	3	43	18	1	0
STOMACH	206	68	36	11	2	55	30	6	1
COLON, RECTUM, AND ANUS	989	351	159	12	6	312	142	11	8
LIVER AND INTRAHEPATIC BILE DUCTS	307	114	79	11	2	69	26	7	0
PANCREAS	628	221	72	5	1	219	105	5	2
LARYNX	80	32	31	0	0	11	6	0	0
TRACHEA, BRONCHUS AND LUNG	2,807	1,098	364	28	14	1,016	289	10	7
MELANOMA OF SKIN	136	79	0	0	1	52	4	0	0
BREAST	810	4	1	0	0	531	261	12	10
CERVIX UTERI	75	0	0	0	0	38	35	1	4
CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED	142	0	0	0	0	88	53	1	0
OVARY	245	0	0	0	0	198	44	1	1
PROSTATE	547	366	176	5	4	0	0	0	0
KIDNEY AND RENAL PELVIS	234	117	30	2	1	62	21	2	0
BLADDER	241	138	20	2	1	65	14	1	0
MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	224	95	17	4	2	88	16	3	2
LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE HODGKIN'S DISEASE	942	377	109	11	9	324	110	7	13
NON-HODGKIN'S LYMPHOMA	15	5	2	1	0	5	2	0	1
LEUKEMIA	330	138	32	5	3	127	25	2	3
MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS	370	164	35	2	4	128	37	2	5
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOIDHEMATOPOIETIC AND RELATED TISSUE	227	70	40	3	2	64	46	3	4
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS	0	0	0	0	0	0	0	0	0
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR	1,106	405	144	8	8	389	146	12	8
ANEMIAS	279	107	28	4	1	114	20	5	1
DIABETES MELLITUS	86	18	14	0	1	32	21	1	0
NUTRITIONAL DEFICIENCIES	1,297	389	211	13	9	407	262	14	6
	45	10	1	0	0	29	4	1	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
MALNUTRITION	39	10	1	0	0	24	3	1	0
OTHER NUTRITIONAL DEFICIENCIES	6	0	0	0	0	5	1	0	0
MENINGITIS	11	4	2	0	0	4	0	1	0
PARKINSON'S DISEASE	325	168	10	3	1	122	22	0	0
ALZHEIMER'S DISEASE	880	218	48	1	0	503	105	5	4
MAJOR CARDIOVASCULAR DISEASES	14,482	4,931	1,816	117	68	5,573	1,927	100	71
DISEASES OF HEART	11,346	4,046	1,438	90	48	4,229	1,458	70	44
ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES	52	12	3	1	0	28	7	1	0
HYPERTENSIVE HEART DISEASE	817	255	187	9	2	230	132	4	1
HYPERTENSIVE HEART & RENAL DISEASE	75	20	17	0	0	16	22	0	2
ISCHEMIC HEART DISEASE	7,770	2,912	912	61	30	2,875	955	43	34
ACUTE MYOCARDIAL INFARCTION	2,386	878	273	25	9	880	311	15	10
OTHER ACUTE ISCHEMIC HEART DISEASE	55	22	8	0	0	15	9	1	0
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	5,329	2,012	631	36	21	1,980	635	27	24
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE	2,357	808	348	13	12	852	323	9	10
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	2,972	1,204	283	23	9	1,128	312	18	14
OTHER HEART DISEASES	2,632	847	319	19	16	1,080	342	22	7
ACUTE AND SUBACUTE ENDOCARDITIS	20	2	7	0	0	8	3	0	0
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS	18	7	1	0	0	5	4	1	0
HEART FAILURE	605	191	54	3	2	284	70	2	1
ALL OTHER FORMS OF HEART DISEASE	1,989	647	257	16	14	783	265	19	6
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	418	91	75	2	2	156	85	8	3
CEREBROVASCULAR DISEASES	2,238	627	256	22	16	985	326	20	22
ATHEROSCLEROSIS	77	20	6	1	0	42	7	1	1
OTHER DISEASES OF CIRCULATORY SYSTEM	403	147	41	2	2	161	51	1	1
AORTIC ANEURYSM AND DISSECTION	221	89	22	2	2	84	23	1	0
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	182	58	19	0	0	77	28	0	1

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
OTHER DISORDERS OF CIRCULATORY SYSTEM	78	28	15	0	0	16	18	0	0
INFLUENZA AND PNEUMONIA	1,006	370	93	10	3	417	109	7	7
INFLUENZA	4	2	0	1	0	1	0	0	0
PNEUMONIA	1,002	368	93	9	3	416	109	7	7
OTHER ACUTE LOWER RESPIRATORY INFECTIONS	5	3	1	0	0	1	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	5	3	1	0	0	1	0	0	0
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION	0	0	0	0	0	0	0	0	0
CHRONIC LOWER RESPIRATORY DISEASES	1,898	697	118	10	4	935	134	2	2
BRONCHITIS, CHRONIC AND UNSPECIFIED	10	5	1	0	0	3	1	0	0
EMPHYSEMA	201	90	13	4	0	84	10	0	0
ASTHMA	73	11	19	1	2	24	18	0	0
OTHER CHRONIC LOWER RESPIRATORY DISEASES	1,614	591	85	5	2	824	105	2	2
PNEUMOCONIOSES AND CHEMICAL EFFECTS	13	10	0	0	0	2	1	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	369	171	39	1	1	123	34	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM	463	187	35	6	3	187	46	1	3
PEPTIC ULCER	40	13	10	0	0	15	2	0	0
DISEASES OF APPENDIX	6	3	1	0	0	1	1	0	0
HERNIA	30	11	0	0	1	18	1	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	443	219	66	3	8	102	46	5	1
ALCOHOLIC LIVER DISEASE	174	97	28	0	5	31	16	1	1
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS	269	122	38	3	3	71	30	4	0
CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER	48	18	4	0	0	19	7	0	1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS ...	728	233	123	7	4	241	117	7	2

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME	5	1	2	0	0	1	1	0	1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED	46	10	9	0	0	20	6	1	0
RENAL FAILURES	676	222	112	7	4	219	110	6	1
OTHER DISORDERS OF KIDNEY	1	0	0	0	0	1	0	0	0
INFECTIONS OF KIDNEY	11	2	0	0	0	8	1	0	0
HYPERPLASIA OF PROSTATE	5	3	1	1	0	0	0	0	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS	1	0	0	0	0	0	1	0	0
PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	19	0	0	0	0	9	10	0	2
PREGNANCY WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	19	0	0	0	0	9	10	0	2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	401	74	141	7	18	56	111	8	8
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	168	44	28	2	5	44	38	9	7
SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED	234	59	51	6	5	70	44	3	3
ALL OTHER DISEASES (RESIDUAL)	4,860	1,404	511	30	19	2,179	693	37	24
ACCIDENTS	1,470	654	277	24	47	372	119	18	11
TRANSPORT ACCIDENTS	722	339	172	16	27	124	59	10	5
MOTOR VEHICLE ACCIDENTS	677	309	166	16	25	119	55	10	5
OTHER LAND TRANSPORT ACCIDENTS	16	13	1	0	2	1	1	0	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	29	17	5	0	0	4	3	0	0
NONTRANSPORT ACCIDENTS	748	315	105	8	20	248	60	8	6
FALLS	413	169	33	7	12	179	17	5	2
DISCHARGE OF FIREARMS	4	1	2	0	0	1	0	0	1
DROWNING AND SUBMERSION	45	18	14	1	2	5	6	1	0
EXPOSURE TO SMOKE, FIRE AND FLAMES	86	22	26	0	2	20	17	1	2
POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	44	29	2	0	0	9	4	0	0
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE	156	76	28	0	4	34	16	1	1
INTENTIONAL SELF-HARM (SUICIDE)	508	320	65	9	15	85	17	8	3
BY DISCHARGE OF FIREARMS	231	171	29	0	2	26	5	0	2
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	277	149	36	9	13	59	12	8	1
ASSAULT (HOMICIDE)	576	77	404	5	21	34	51	0	5
BY DISCHARGE OF FIREARMS	421	33	344	5	10	13	23	0	1
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	155	44	60	0	11	21	28	0	4
LEGAL INTERVENTION	14	3	10	0	0	0	0	0	0
EVENTS OF UNDETERMINED INTENT	780	369	176	4	16	157	71	2	0
DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE	780	369	176	4	16	157	71	2	0
OPERATIONS OF WAR AND THEIR SEQUELAE	1	1	0	0	0	0	0	0	0
TERRORIST ATTACK	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF MEDICAL/SURGICAL CARE	67	22	9	1	0	24	11	0	0
INJURY BY FIREARMS	670	208	385	5	12	40	28	0	4

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2007. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
DRUG-INDUCED DEATHS	795	366	160	4	4	182	81	2	0
ALCOHOL-INDUCED DEATHS	328	177	73	2	16	49	24	1	2
INJURY AT WORK	74	42	21	4	5	4	2	1	0

¹ ICD-10 codes appear after the Table of Contents .

² Includes races categorized as 'other' .

TABLE 19. ACCIDENTAL DEATHS BY TYPE OF ACCIDENT, SEX, AND AGE, 2007.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	1,470	958	512	12	60	206	326	346	520	0
TRANSPORT ACCIDENTS	722	529	193	2	32	181	236	180	91	0
MOTOR VEHICLE ACCIDENTS	677	493	184	2	32	173	227	158	85	0
OTHER LAND TRANSPORT ACCIDENTS	16	14	2	0	0	7	3	5	1	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	29	22	7	0	0	1	6	17	5	0
NONTRANSPORT ACCIDENTS	748	429	319	10	28	25	90	166	429	0
FALLS	413	210	203	0	2	5	14	72	320	0
ACCIDENT DISCHARGE OF FIREARMS	4	3	1	0	0	0	2	2	0	0
ACCIDENTAL DROWNING AND SUBMERSION	45	33	12	0	8	8	9	17	3	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	86	48	38	3	16	6	18	17	26	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	44	31	13	0	0	3	22	12	7	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	156	104	52	7	2	3	25	46	73	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19A. ACCIDENTAL DEATHS AMONG WHITES BY TYPE OF ACCIDENT, SEX, AND AGE, 2007.

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	1,026	654	372	4	24	134	198	226	440	0
TRANSPORT ACCIDENTS	463	339	124	1	16	117	133	121	75	0
MOTOR VEHICLE ACCIDENTS	428	309	119	1	16	110	126	105	70	0
OTHER LAND TRANSPORT ACCIDENTS	14	13	1	0	0	6	3	4	1	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	21	17	4	0	0	1	4	12	4	0
NONTRANSPORT ACCIDENTS	563	315	248	3	8	17	65	105	365	0
FALLS	348	169	179	0	1	4	12	42	289	0
ACCIDENT DISCHARGE OF FIREARMS	2	1	1	0	0	0	0	2	0	0
ACCIDENTAL DROWNING AND SUBMERSION	23	18	5	0	3	2	5	11	2	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	42	22	20	0	4	5	8	10	15	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	38	29	9	0	0	3	20	10	5	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	110	76	34	3	0	3	20	30	54	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19B. ACCIDENTAL DEATHS AMONG BLACKS BY TYPE OF ACCIDENT, SEX, AND AGE, 2007.

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	396	277	119	7	33	64	116	109	67	0
TRANSPORT ACCIDENTS	231	172	59	0	15	56	93	53	14	0
MOTOR VEHICLE ACCIDENTS	221	166	55	0	15	55	91	47	13	0
OTHER LAND TRANSPORT ACCIDENTS	2	1	1	0	0	1	0	1	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	8	5	3	0	0	0	2	5	1	0
NONTRANSPORT ACCIDENTS	165	105	60	7	18	8	23	56	53	0
FALLS	50	33	17	0	0	1	1	25	23	0
ACCIDENT DISCHARGE OF FIREARMS	2	2	0	0	0	0	2	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	20	14	6	0	5	6	3	6	0	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	43	26	17	3	12	1	10	7	10	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	6	2	4	0	0	0	2	2	2	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	44	28	16	4	1	0	5	16	18	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19C. ACCIDENTAL DEATHS AMONG ASIANS OR PACIFIC ISLANDERS BY TYPE OF ACCIDENT, SEX, AND AGE, 2007.

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	42	24	18	1	2	7	11	11	10	0
TRANSPORT ACCIDENTS	26	16	10	1	1	7	9	6	2	0
MOTOR VEHICLE ACCIDENTS	26	16	10	1	1	7	9	6	2	0
OTHER LAND TRANSPORT ACCIDENTS	0	0	0	0	0	0	0	0	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0
NONTRANSPORT ACCIDENTS	16	8	8	0	1	0	2	5	8	0
FALLS	12	7	5	0	1	0	1	5	5	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	2	1	1	0	0	0	1	0	1	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	1	0	1	0	0	0	0	0	1	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	0	0	0	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	1	0	1	0	0	0	0	0	1	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19D. ACCIDENTAL DEATHS AMONG HISPANICS BY TYPE OF ACCIDENT, SEX, AND AGE, MARYLAND, 2007.

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	58	47	11	0	5	13	23	8	9	0
TRANSPORT ACCIDENTS	32	27	5	0	2	12	15	2	1	0
MOTOR VEHICLE ACCIDENTS	30	25	5	0	2	12	14	1	1	0
OTHER LAND TRANSPORT ACCIDENTS	2	2	0	0	0	0	1	1	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0
NONTRANSPORT ACCIDENTS	26	20	6	0	3	1	8	6	8	0
FALLS	14	12	2	0	1	1	2	3	7	0
ACCIDENT DISCHARGE OF FIREARMS	1	0	1	0	0	0	0	1	0	0
ACCIDENTAL DROWNING AND SUBMERSION	2	2	0	0	0	0	1	1	0	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	4	2	2	0	1	0	1	1	1	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	0	0	0	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	5	4	1	0	1	0	4	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 20. INFANT, NEONATAL AND POSTNEONATAL DEATHS AND MORTALITY RATES BY MATERNAL RACE AND HISPANIC ORIGIN, MARYLAND, 2007.

	NUMBER OF DEATHS	MORTALITY RATES
INFANT DEATHS*		
ALL RACES.....	622	8.0
WHITE.....	213	4.6
BLACK.....	369	14.0
ASIAN/PACIFIC ISLANDER.....	31	6.3
HISPANIC**.....	40	3.8
NEONATAL DEATHS*		
ALL RACES.....	451	5.8
WHITE.....	157	3.4
BLACK.....	263	10.0
ASIAN/PACIFIC ISLANDER.....	25	5.1
HISPANIC**.....	32	3.0
POSTNEONATAL DEATHS*		
ALL RACES.....	171	2.2
WHITE.....	56	1.2
BLACK.....	106	4.0
ASIAN/PACIFIC ISLANDER.....	6	
HISPANIC**.....	8	0.8

*Mortality rates are per 1,000 live births.

**Race and Hispanic origin are reported separately on the death certificate. Data for persons of Hispanic origin are included in the data for each race group according to the reported race of the decedent.

***Rates based on fewer than five events in the numerator are not presented since rates based on small numbers are likely to be unstable.

TABLE 21. DEATHS BY AREA OF OCCURRENCE BY RACE AND HISPANIC ORIGIN, 2007.

MARYLAND

RACE	TOTAL DEATHS	PLACE OF OCCURRENCE			PERCENT OF DEATHS OCCURRING IN MARYLAND	PERCENT OF DEATHS OCCURRING IN THE DISTRICT OF COLUMBIA	PERCENT OF DEATHS OCCURRING IN OTHER STATES
		MARYLAND	DISTRICT OF COLUMBIA	OTHER STATES			
TOTAL ¹	43,597	40,996	1,471	1,130	94.0	3.4	2.6
WHITE	30,988	29,462	650	876	95.1	2.1	2.8
BLACK	11,821	10,822	772	227	91.5	6.5	1.9
ASIAN OR PACIFIC ISLANDER	704	644	33	27	91.5	4.7	3.8
HISPANIC ²	538	477	47	14	88.7	8.7	2.6

¹ Includes races categorized as 'other'.

² Race and Hispanic origin are reported separately on the death certificate. Data for persons of Hispanic origin are included in the data for each race group according to the reported race of the decedent.

TABLE 22. AGE-ADJUSTED* DEATH** RATES*** FOR LEADING CAUSES BY POLITICAL SUBDIVISION, MARYLAND, 2005-2007.

REGION AND POLITICAL SUBDIVISION	ALL CAUSES OF DEATH	DISEASES OF THE HEART	MALIGNANT NEOPLASMS	CEREBRO-VASCULAR DISEASE	CHRONIC LOWER RESPIRATORY DISEASES	DIABETES MELLITUS	ACCIDENTS	INFLUENZA AND PNEUMONIA	SEPTICEMIA	ALZHEIMER'S DISEASE	NEPHRITIS, NEPHROSIS AND NEPROTIC SYNDROME	ASSAULT (HOMICIDE)	HIV	INTENTIONAL SELF-HARM (SUICIDE)
MARYLAND.....	779.9	203.0	180.0	40.5	35.0	23.3	26.1	18.2	16.7	16.0	13.1	10.4	7.3	8.9
NORTHWEST AREA	795.9	214.2	183.4	48.8	46.6	26.3	27.8	22.2	13.9	18.3	13.6	****	****	10.7
GARRETT.....	790.2	250.0	168.4	****	****	****	****	****	****	****	****	****	****	****
ALLEGANY.....	876.4	250.2	192.7	58.1	59.0	19.4	30.4	19.4	23.1	****	18.7	****	****	****
WASHINGTON.....	822.8	202.1	187.4	47.1	49.6	37.6	29.5	21.1	****	17.6	16.5	****	****	****
FREDERICK.....	751.1	202.3	182.2	49.2	37.5	18.3	24.4	26.4	12.3	21.1	****	****	****	8.9
BALTIMORE METRO AREA	858.5	219.5	196.5	47.9	37.8	24.3	24.7	21.7	21.3	16.5	14.6	13.6	12.2	9.1
BALTIMORE CITY.....	1,088.7	278.2	225.1	50.2	36.3	36.0	27.6	24.4	35.0	10.2	21.2	38.5	41.0	8.6
BALTIMORE COUNTY.....	811.4	204.7	191.7	47.3	37.9	20.9	24.2	21.4	19.9	15.6	13.3	7.3	6.3	9.1
ANNE ARUNDEL.....	821.0	209.4	200.5	49.1	42.8	24.8	22.9	22.0	15.0	21.3	13.1	4.8	****	10.0
CARROLL.....	788.0	205.9	182.4	58.2	44.6	14.6	26.8	17.9	14.7	23.7	****	****	****	****
HOWARD.....	679.7	170.9	158.8	41.8	29.7	18.0	18.4	20.5	15.7	24.6	10.7	****	****	****
HARFORD.....	817.7	222.0	190.9	47.2	37.5	20.6	28.5	21.5	12.2	21.0	13.2	****	****	9.3
NATIONAL CAPITAL AREA	671.9	178.6	156.8	35.1	24.0	21.3	22.3	19.8	16.0	15.0	11.5	10.4	5.7	6.2
MONTGOMERY.....	564.7	143.5	136.9	30.5	22.3	14.7	16.9	20.1	13.6	13.0	8.6	3.3	2.6	6.0
PRINCE GEORGE'S.....	820.6	233.8	183.8	41.5	25.9	31.4	28.4	18.7	19.7	19.0	15.8	17.5	9.2	6.2
SOUTHERN AREA	851.3	234.1	209.2	45.4	45.6	28.2	33.3	15.5	16.7	18.6	10.8	****	****	10.4
CALVERT.....	848.9	238.6	210.4	42.1	53.6	****	36.3	****	****	****	****	****	****	****
CHARLES.....	858.0	216.9	211.1	43.7	46.8	34.2	34.4	****	21.9	****	****	****	****	****
SAINT MARY'S.....	846.2	251.2	206.4	50.8	37.4	29.4	28.8	****	****	****	****	****	****	****
EASTERN SHORE AREA	826.8	221.0	209.9	38.2	38.4	25.4	33.4	16.5	13.8	23.6	16.2	****	****	10.6
CECIL.....	871.8	215.9	221.7	31.4	50.0	32.9	43.5	****	****	****	****	****	****	****
KENT.....	778.7	193.5	193.9	****	****	****	****	****	****	****	****	****	****	****
QUEEN ANNE'S.....	782.3	191.6	219.2	****	****	****	****	****	****	****	****	****	****	****
CAROLINE.....	893.2	214.9	222.3	****	64.6	****	****	****	****	****	****	****	****	****
TALBOT.....	728.6	178.4	177.8	49.1	33.7	****	****	****	****	****	****	****	****	****
DORCHESTER.....	888.5	238.7	207.0	****	****	****	****	****	****	****	****	****	****	****
WICOMICO.....	904.1	258.3	229.0	34.5	38.3	35.7	30.8	****	****	28.2	22.3	****	****	****
SOMERSET.....	885.7	330.3	216.8	****	****	****	****	****	****	****	****	****	****	****
WORCESTER.....	741.2	202.2	195.1	34.5	23.6	25.3	****	****	****	****	****	****	****	****

*Adjusted to the standard U.S. 2000 population by the direct method. These rates should only be compared with other rates age-adjusted to the same population.

**ICD-10 codes appear on page iv.

***Per 100,000 population.

****Age-adjusted death rates not calculated for jurisdictions or regions with fewer than 20 deaths.