



MARYLAND
VITAL STATISTICS PROFILE
2008

Martin O'Malley, Governor
Anthony G. Brown, Lt. Governor

John M. Colmers, Secretary
Dept. of Health and Mental Hygiene

TABLE OF CONTENTS

List of 113 Selected Causes of Death, Injury by Firearms, Drug-induced Deaths, and Alcohol-induced Deaths iv

MAPS

Comparison of County Birth Rates with the Maryland State Average, 2008 1

Comparison of Percentages of Births to Adolescents (under 18) with the Maryland State Average, 2008 2

Comparison of Percentages of Births to Unmarried Women with the Maryland State Average, 2008 3

Comparison of Percentages of Births to Women with Prenatal Care in the First Trimester with the Maryland State Average, 2008 4

Comparison of Percentages of Births to Women with Late or No Prenatal Care with the Maryland State Average, 2008 5

Comparison of Percentages of Low Birth Weight Birth with the Maryland State Average, 2008..... 6

Comparison of Percentages of Very Low Birth Weight Birth with the Maryland State Average, 2008..... 7

Comparison of Percentages of Infants Born at Less than 37 Weeks Gestation with the Maryland State Average, 2008 8

Comparison of Percentages of Births by Cesarean Section with the Maryland State Average, 2008 9

Comparison of Percentages of Births to Infants with Five-Minute Apgar Scores under 7 with the Maryland State Average, 2008..... 10

Comparison of County Infant Mortality Rates with the Maryland State Average, 2008..... 11

Comparison of County Neonatal Mortality Rates with the Maryland State Average, 2008..... 12

Comparison of County Postneonatal Mortality Rates with the Maryland State Average, 2008..... 13

Comparison of County Age-adjusted Death Rates for All Causes with the Maryland State Average, 2006-2008 14

Comparison of County Age-adjusted Death Rates for Heart Disease with the Maryland State Average, 2006-2008 15

Comparison of County Age-adjusted Death Rates for Malignant Neoplasms with the Maryland State Average, 2006-2008 16

Comparison of County Age-adjusted Death Rates for Cerebrovascular Diseases with the Maryland State Average, 2006-2008..... 17

Comparison of County Age-adjusted Death Rates for Chronic Lower Respiratory Diseases with the Maryland State Average, 2006-2008 18

Comparison of County Age-adjusted Death Rates for Diabetes Mellitus with the Maryland State Average, 2006-2008.....	19
Comparison of County Age-adjusted Death Rates for Accidents with the Maryland State Average, 2006-2008.....	20
Comparison of County Age-adjusted Death Rates for Influenza and Pneumonia with the Maryland State Average, 2006-2008.....	21
Comparison of County Age-adjusted Death Rates for Septicemia with the Maryland State Average, 2006-2008.....	22
Comparison of County Age-adjusted Death Rates for Alzheimer’s Disease with the Maryland State Average, 2006-2008	23
Comparison of County Age-adjusted Death Rates for Nephritis, Nephrosis and Nephrotic Syndrome with the Maryland State Average, 2006-2008	24
Comparison of County Age-adjusted Death Rates for Human Immunodeficiency Virus (HIV) with the Maryland State Average, 2006-2008.....	25
Comparison of County Age-adjusted Death Rates for Assault (Homicide) with the Maryland State Average, 2006-2008.....	26
Comparison of County Age-adjusted Death Rates for Intentional Self-Harm (Suicide) with the Maryland State Average, 2006-2008	27

TABLES

Table 1. Live Births by Maternal Race, Hispanic Origin, Infant Sex and Month of Birth, 2008.....	28
Table 2. Live Births by Birth Order, Maternal Race, Hispanic Origin and Maternal Age, 2008.....	29
Table 3. Live Births by Maternal Age, Race, Hispanic Origin and Marital Status, 2008.....	31
Table 4. Live Births by Plurality, Maternal Age, Race, and Hispanic Origin, 2008.....	33
Table 5. Live Births by Maternal Age, Race, Hispanic Origin and Years of Education, 2008	35
Table 6. Live Births by Maternal Age, Race, Hispanic Origin and Trimester of First Prenatal Visit, 2008.....	37
Table 7. Live Births by Maternal Age, Race, Hispanic Origin and Length of Gestation, 2008.....	39
Table 8. Live Births by Maternal Age, Race, Hispanic Origin and Infant Birth Weight, 2008.....	41
Table 9. Live Births by Maternal Marital Status, Race, Hispanic Origin and Infant Birth Weight, 2008.....	43
Table 10. Live Births by Maternal Education, Race, Hispanic Origin and Infant Birth Weight, 2008	44
Table 11. Live Births by Trimester of First Prenatal Visit, Maternal Race, Hispanic Origin and Infant Birth Weight, 2008.....	46

Table 12. Live Births by Maternal Race, Hispanic Origin and Place of Occurrence, 2008	48
Table 12a. Selected Natality Characteristics by Political Subdivision, Maryland , 2008	49
Table 13. Deaths by Race, Sex and Month of Death, 2008.....	50
Table 14. Deaths by Race, Sex and Age, 2008.....	51
Table 15. Leading Causes of Death by Race and Sex, 2008	52
Table 16. Leading Causes of Death by Age Group, 2008	53
Table 16A. Leading Causes of Death Among Whites by Sex and Age Group, 2008	54
Table 16B. Leading Causes of Death Among Blacks by Sex and Age Group, 2008.....	56
Table 16C. Leading Causes of Death Among Asians or Pacific Islanders by Sex and Age Group, 2008.....	58
Table 16D. Leading Causes of Death Among Hispanics by Sex and Age Group, 2008	60
Table 17. Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Age Group, 2008	62
Table 18. Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Race, Hispanic Origin and Sex, 2008	69
Table 19. Accidental Deaths by Type of Accident, Sex, Age, Race and Hispanic Origin, 2008	76
Table 19A. Accidental Deaths among Whites by Type of Accident, Sex, Age, Race and Hispanic Origin, 2008	77
Table 19B. Accidental Deaths among Blacks by Type of Accident, Sex, Age, Race and Hispanic Origin, 2008.....	78
Table 19C. Accidental Deaths among Asian or Pacific Islanders by Type of Accident, Sex, Age, Race and Hispanic Origin, 2008	79
Table 19D. Accidental Deaths among Hispanics by Type of Accident, Sex, Age, Race and Hispanic Origin, 2008.....	80
Table 20. Infant, Neonatal and Postneonatal Deaths and Mortality Rates by Maternal Race and Hispanic Origin, 2008.....	81
Table 21. Deaths by Area of Occurrence by Race and Hispanic Origin, 2008.....	82
Table 22. Age-adjusted Death Rates for Leading Causes by Political Subdivision, Maryland, 2006-2008	83

LIST OF 113 SELECTED CAUSES OF DEATH, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, AND ALCOHOL-INDUCED DEATHS

Cause of Death (Based on the Tenth Revision, International Classification of Diseases, 1992)

Category Codes according to the Tenth Revision (ICD-10)

Certain Infectious and Parasitic Diseases (A00-B99)

Salmonella infections.....	A01-A02
Shigellosis and amebiasis.....	A03,A06
Certain other intestinal infections.....	A04,A07-A09
Tuberculosis.....	A16-A19
Respiratory tuberculosis.....	A16
Other tuberculosis.....	A17-A19
Whooping cough.....	A37
Scarlet fever and erysipelas.....	A38,A46
Meningococcal infection.....	A39
Septicemia.....	A40-A41
Syphilis.....	A50-A53
Acute poliomyelitis.....	A80
Arthropod-borne viral encephalitis.....	A83-A84,A85.2
Measles.....	B05
Viral hepatitis.....	B15-B19
Human immunodeficiency virus (HIV) disease.....	B20-B24
Malaria.....	B50-B54
Other and unspecified infectious and parasitic diseases and their sequelae.....	A00,A05 A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99

Neoplasms (C00-D48)

Malignant neoplasms.....	C00-C97
Malignant neoplasms of lip, oral cavity and pharynx.....	C00-C14
Malignant neoplasm of esophagus.....	C15
Malignant neoplasm of stomach.....	C16
Malignant neoplasms of colon, rectum and anus.....	C18-C21
Malignant neoplasms of liver and intrahepatic bile ducts.....	C22
Malignant neoplasm of pancreas.....	C25
Malignant neoplasm of larynx.....	C32

Malignant neoplasms of trachea, bronchus and lung.....	C33-C34
Malignant melanoma of skin.....	C43
Malignant neoplasm of breast.....	C50
Malignant neoplasm of cervix uteri.....	C53
Malignant neoplasms of corpus uteri and uterus, part unspecified.....	C54-C55
Malignant neoplasm of ovary.....	C56
Malignant neoplasm of prostate.....	C61
Malignant neoplasms of kidney and renal pelvis.....	C64-C65
Malignant neoplasm of bladder.....	C67
Malignant neoplasms of meninges, brain and other parts of central nervous system.....	C70-C72
Malignant neoplasms of lymphoid, hematopoietic and related tissue.....	C81-C96
Hodgkin's disease.....	C81
Non-Hodgkin's lymphoma.....	C82-C85
Leukemia.....	C91-C95
Multiple myeloma and immunoproliferative neoplasms.....	C88,C90
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue.....	C96
All other and unspecified malignant neoplasms.....	C17,C23-C24, C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.....	D00-D48

Diseases of Blood and Blood-Forming Organs and Certain Disorders involving the Immune Mechanisms (D50-D89)

Anemias.....	D50-D64
--------------	---------

Endocrine, nutritional and metabolic diseases (E00-E90)

Diabetes mellitus.....	E10-E14
Nutritional deficiencies.....	E40-E64
Malnutrition.....	E40-E46
Other nutritional deficiencies.....	E50-E64

Diseases of the Nervous System (G00-G99)

Meningitis.....	G00,G03
Parkinson's disease.....	G20-G21
Alzheimer's disease.....	G30

Diseases of the Circulatory System (I00-I99)

Major cardiovascular diseases.....	I00-I78
Diseases of heart.....	I00-I09,I11,I13,I20-I51

Acute rheumatic fever and chronic rheumatic heart diseases.....	I00-I09
Hypertensive heart disease.....	I11
Hypertensive heart and renal disease.....	I13
Ischemic heart diseases.....	I20-I25
Acute myocardial infarction.....	I21-I22
Other acute ischemic heart diseases.....	I24
Other forms of chronic ischemic heart disease.....	I20, I25
Atherosclerotic cardiovascular disease, so described.....	I25.0
All other forms of chronic ischemic heart disease.....	I20, I25.1-I25.9
Other heart diseases.....	I26-I51
Acute and subacute endocarditis	I33
Diseases of pericardium and acute myocarditis.....	I30-I31, I40
Heart failure.....	I50
All other forms of heart disease.....	I26-I28, I34-I38, I42-I49, I51
Essential (primary) hypertension and hypertensive renal disease.....	I10, I12
Cerebrovascular diseases.....	I60-I69
Atherosclerosis.....	I70
Other diseases of circulatory system.....	I71-I78
Aortic aneurysm and dissection.....	I71
Other diseases of arteries, arterioles and capillaries.....	I72-I78
Other disorders of circulatory system.....	I80-I99

Diseases of the Respiratory System (J00-J99)

Influenza and pneumonia.....	J10-J18
Influenza.....	J10-J11
Pneumonia.....	J12-J18
Other acute lower respiratory infections.....	J20-J22
Acute bronchitis and bronchiolitis.....	J20-J21
Unspecified acute lower respiratory infection.....	J22
Chronic lower respiratory diseases.....	J40-J47
Bronchitis, chronic and unspecified.....	J40-J42
Emphysema.....	J43
Asthma.....	J45-J46
Other chronic lower respiratory diseases.....	J44, J47
Pneumoconioses and chemical effects.....	J60-J66, J68
Pneumonitis due to solids and liquids.....	J69
Other diseases of respiratory system.....	J00-J06, J30-J39, J67, J70-J98

Diseases of the Digestive System (K00-K93)

Peptic ulcer.....	K25-K28
-------------------	---------

Diseases of appendix.....	K35-K38
Hernia.....	K40-K46
Chronic liver disease and cirrhosis.....	K70,K73-K74
Alcoholic liver disease.....	K70
Other chronic liver disease and cirrhosis.....	K73-K74
Cholelithiasis and other disorders of gallbladder.....	K80-K82

Diseases of the Genitourinary System (N00-N99)

Nephritis, nephrotic syndrome and nephrosis.....	N00-N07,N17-N19,N25-N27
Acute and rapidly progressive nephritic and nephrotic syndrome.....	N00-N01,N04
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified.....	N02-N03,N05-N07,N26
Renal failure.....	N17-N19
Other disorders of kidney.....	N25,N27
Infections of kidney.....	N10-N12,N13.6,N15.1
Hyperplasia of prostate.....	N40
Inflammatory diseases of female pelvic organs.....	N70-N76

Pregnancy, Childbirth and the Puerperium (O00-O08)

Pregnancy, childbirth and the puerperium.....	O00-O99
Pregnancy with abortive outcome.....	O00-O07
Other complications of pregnancy, childbirth and the puerperium.....	O10-O99

Certain Conditions Originating in the Perinatal Period (P00-P96)

Certain conditions originating in the perinatal period.....	P00-P96
---	---------

Congenital Malformations, deformations and Chromosomal Abnormalities (Q00-Q99)

Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99
---	---------

Symptoms, Signs and Abnormal Clinical and Laboratory Findings, not Elsewhere Classified (R00-R99)

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.....	R00-R99
All other diseases (Residual).....	D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22, K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9, N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98

External Causes of Morbidity and Mortality (V01-V99)

Accidents (unintentional injuries).....V01-X59, Y85-Y86
Transport accidents.....V01-V99, Y85
Motor vehicle accidents.... V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
Other land transport accidents.....V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9
Water, air and space, and other and unspecified transport accidents and their sequelae.....V90-V99, Y85

Other External Causes of Accidental Injury (W00-X59)

Nontransport accidents.....W00-X59, Y86
Falls.....W00-W19
Accidental discharge of firearms.....W32-W34
Accidental drowning and submersion.....W65-W74
Accidental exposure to smoke, fire and flames.....X00-X09
Accidental poisoning and exposure to noxious substances.....X40-X49
Other and unspecified nontransport accidents and their sequelae
.....W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86

Intentional Self-Harm (X60-X84, U03)

Intentional self-harm (suicide).....*U03, X60-X84, Y87.0
Intentional self-harm (suicide) by discharge of firearms.....X72-X74
Intentional self-harm (suicide) by other and unspecified means and their sequelae
.....*U03, X60-X71, X75-X84, Y87.0

Assault (X85-Y09, U01-U02)

Assault (homicide).....*U01-*U02, X85-Y09, Y87.1
Assault (homicide) by discharge of firearms.....*U01.4, X93-X95
Assault (homicide) by other and unspecified means and their sequelae
.....*U01.0-*U01.3, *U01.5-*U01.9, *U02, X85-X92, X96-Y09, Y87.1

Legal Intervention and Operatios of War (Y35-Y36)

Legal intervention.....Y35, Y89.0
Operations of war and their sequelae.....Y36, Y89.1

Event of Undertermined Intent (Y10-Y34)

Events of undetermined intent.....Y10-Y34, Y87.2, Y89.9

Discharge of firearms, undetermined intent.....Y22-Y24
Other and unspecified events of undetermined intent and their sequelae
.....Y10-Y21, Y25-Y34, Y87.2, Y89.9

Complications of Medical and Surgical Care (Y40-Y84)


Complications of medical and surgical care.....Y40-Y84, Y88

Injury by Firearms.....W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0

Drug-Induced Deaths.....F11.0-F11.5, F11.7-F11.9, F12.0-F12.5,
F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5,
F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-
F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-
F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5,
F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14


Alcohol-Induced Deaths.....F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45,
X65, Y15

Comparison of County Birth Rates* with the Maryland State Average, 2008.




*Rates are shown on Table 12a.

Comparison of Percentages of Births to Adolescents (under 18)* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Unmarried Women* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Women with Prenatal Care in the First Trimester* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Women with Late or No Prenatal Care* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Low Birth Weight Birth* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Very Low Birth Weight Birth* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Infants Born at Less than 37 Weeks Gestation* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births by Cesarean Section* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births of Infants with Five-Minute Apgar Scores Under 7* with the Maryland State Average, 2008.




*Percentages are shown on Table 12a.

Comparison of County Infant Mortality Rates* with the Maryland State Average, 2008.




*Rates are shown on Table 20.

Comparison of County Neonatal Mortality Rates* with the Maryland State Average, 2008.




*Rates are shown on Table 20.

Comparison of County Postneonatal Mortality Rates* with the Maryland State Average, 2008.




*Rates are shown on Table 20.

Comparison of County Age-adjusted Death Rates* for All Causes with the Maryland State Average, 2005-2007.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Heart Disease with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Malignant Neoplasms with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Cerebrovascular Diseases with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Chronic Lower Respiratory Diseases with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Diabetes Mellitus with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Accidents with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Influenza and Pneumonia with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Septicemia with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Alzheimer's Disease with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Nephritis, Nephrosis and Nephrotic Syndrome with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Human Immunodeficiency Virus (HIV) with the Maryland State Average, 2006-2008.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Assault (Homicide) with the Maryland State Average, 2006-2008.



*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Intentional Self-Harm (Suicide) with the Maryland State Average, 2006-2008.



*Rates are shown on Table 22.

TABLE 1. LIVE BIRTHS BY MATERNAL RACE, HISPANIC ORIGIN, INFANT SEX AND MONTH OF BIRTH, 2008.

MARYLAND

RACE, HISPANIC ORIGIN, AND SEX	ALL BIRTHS	MONTH OF BIRTH											
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
ALL RACES¹													
ALL BIRTHS	77,268	6,505	6,267	6,464	6,296	6,576	6,366	6,761	6,739	6,605	6,397	5,891	6,401
MALE	39,541	3,372	3,191	3,299	3,173	3,290	3,290	3,496	3,513	3,423	3,180	3,028	3,286
FEMALE	37,727	3,133	3,076	3,165	3,123	3,286	3,076	3,265	3,226	3,182	3,217	2,863	3,115
WHITE²													
ALL BIRTHS	45,621	3,691	3,716	3,818	3,748	3,919	3,860	4,059	3,988	3,917	3,694	3,435	3,776
MALE	23,470	1,917	1,905	1,939	1,918	1,963	2,008	2,102	2,088	2,027	1,876	1,770	1,957
FEMALE	22,151	1,774	1,811	1,879	1,830	1,956	1,852	1,957	1,900	1,890	1,818	1,665	1,819
WHITE, NON-HISPANIC²													
ALL BIRTHS	35,398	2,839	2,931	2,997	2,986	3,078	2,998	3,143	3,073	3,002	2,823	2,668	2,860
MALE	18,194	1,469	1,506	1,529	1,522	1,532	1,567	1,649	1,598	1,567	1,422	1,371	1,462
FEMALE	17,204	1,370	1,425	1,468	1,464	1,546	1,431	1,494	1,475	1,435	1,401	1,297	1,398
BLACK²													
ALL BIRTHS	26,102	2,317	2,080	2,189	2,130	2,188	2,074	2,261	2,259	2,216	2,198	2,024	2,166
MALE	13,201	1,200	1,053	1,124	1,048	1,086	1,050	1,155	1,159	1,150	1,061	1,035	1,080
FEMALE	12,901	1,117	1,027	1,065	1,082	1,102	1,024	1,106	1,100	1,066	1,137	989	1,086
ASIAN OR PACIFIC ISLANDER²													
ALL BIRTHS	4,994	444	429	400	386	421	392	391	430	428	459	403	411
MALE	2,593	229	211	206	196	216	211	213	232	225	221	209	224
FEMALE	2,401	215	218	194	190	205	181	178	198	203	238	194	187
HISPANIC³													
ALL BIRTHS	10,533	878	804	855	784	869	883	943	934	941	898	797	947
MALE	5,430	459	411	428	410	446	449	464	504	471	466	413	509
FEMALE	5,103	419	393	427	374	423	434	479	430	470	432	384	438

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE, HISPANIC ORIGIN AND MATERNAL AGE, 2008.

MARYLAND

RACE, HISPANIC ORIGIN, AND BIRTH ORDER	ALL AGES	AGE OF MOTHER										PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	NOT STATED	
ALL RACES¹												
TOTAL	77,268	100	2,055	4,475	16,260	20,745	19,603	11,200	2,611	212	7	2.8
FIRST CHILD	32,383	100	1,840	3,474	8,601	8,554	6,395	2,743	623	53	0	6.0
SECOND	24,306	0	191	828	5,033	6,648	6,966	3,809	763	67	1	0.8
THIRD	12,295	0	17	139	1,872	3,442	3,668	2,539	567	48	3	0.1
FOURTH & FIFTH	6,634	0	3	21	667	1,784	2,075	1,611	446	26	1	*
SIXTH OR ABOVE	1,359	0	0	0	32	248	417	448	197	16	1	*
NOT STATED	291	0	4	13	55	69	82	50	15	2	1	*
WHITE²												
TOTAL	45,621	39	898	2,011	8,968	12,648	12,333	6,976	1,615	129	4	2.1
FIRST CHILD	19,127	39	818	1,593	4,917	5,494	4,090	1,741	396	39	0	4.5
SECOND	14,842	0	70	354	2,835	4,125	4,523	2,411	487	37	0	0.5
THIRD	7,254	0	6	50	938	2,009	2,269	1,616	336	29	1	0.1
FOURTH & FIFTH	3,587	0	2	6	245	909	1,218	937	257	12	1	*
SIXTH OR ABOVE	721	0	0	0	9	94	210	260	136	11	1	*
NOT STATED	90	0	2	8	24	17	23	11	3	1	1	*
WHITE, NON-HISPANIC²												
TOTAL	35,398	17	510	1,408	6,278	9,638	10,082	5,983	1,360	118	4	1.5
FIRST CHILD	15,414	17	476	1,159	3,595	4,549	3,632	1,598	350	38	0	3.2
SECOND	11,701	0	27	211	1,918	3,086	3,834	2,149	442	34	0	0.2
THIRD	5,285	0	4	29	595	1,347	1,672	1,336	273	28	1	*
FOURTH & FIFTH	2,423	0	1	3	147	582	779	706	195	9	1	*
SIXTH OR ABOVE	505	0	0	0	4	61	147	186	97	9	1	*
NOT STATED	70	0	2	6	19	13	18	8	3	0	1	*
BLACK²												
TOTAL	26,102	60	1,114	2,375	6,794	6,654	5,158	3,112	773	59	3	4.5
FIRST CHILD	10,651	60	980	1,807	3,352	2,210	1,395	676	161	10	0	9.8
SECOND	7,481	0	120	461	2,075	2,091	1,592	926	195	20	1	1.6
THIRD	4,392	0	11	87	899	1,320	1,147	726	188	12	2	0.3
FOURTH & FIFTH	2,782	0	1	15	417	835	767	574	162	11	0	*
SIXTH OR ABOVE	608	0	0	0	23	148	205	172	55	5	0	*
NOT STATED	188	0	2	5	28	50	52	38	12	1	0	*

See footnotes at end of table.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE, HISPANIC ORIGIN AND MATERNAL AGE, 2008. — Continued

MARYLAND												
RACE, HISPANIC ORIGIN, AND BIRTH ORDER	ALL AGES	AGE OF MOTHER										PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	NOT STATED	
ASIAN OR PACIFIC ISLANDER²												
TOTAL	4,994	0	19	43	340	1,310	2,008	1,046	206	22	0	0.4
FIRST CHILD	2,355	0	19	39	242	799	878	313	61	4	0	0.8
SECOND	1,823	0	0	3	80	389	821	445	77	8	0	*
THIRD	569	0	0	1	16	89	227	190	39	7	0	*
FOURTH & FIFTH	215	0	0	0	1	28	75	83	25	3	0	*
SIXTH OR ABOVE	24	0	0	0	0	4	2	14	4	0	0	*
NOT STATED	8	0	0	0	1	1	5	1	0	0	0	*
HISPANIC³												
TOTAL	10,533	23	396	631	2,759	3,103	2,304	1,042	264	11	0	4.0
FIRST CHILD	3,825	23	349	459	1,354	971	471	151	46	1	0	9.7
SECOND	3,244	0	44	145	940	1,077	708	278	49	3	0	1.4
THIRD	2,029	0	2	22	354	680	610	295	65	1	0	*
FOURTH & FIFTH	1,193	0	1	3	101	337	446	238	64	3	0	*
SIXTH OR ABOVE	222	0	0	0	5	34	64	77	40	2	0	*
NOT STATED	20	0	0	2	5	4	5	3	0	1	0	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND MARITAL STATUS, 2008.

MARYLAND					
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	MARITAL STATUS				PERCENT OF BIRTHS TO UNMARRIED WOMEN
	ALL BIRTHS	MARRIED	UNMARRIED	NOT STATED	
ALL RACES¹					
ALL AGES	77,268	44,513	32,715	40	42.3
UNDER 18	2,155	70	2,085	0	96.8
18-19	4,475	351	4,123	1	92.1
20-24	16,260	4,681	11,570	9	71.2
25-29	20,745	12,704	8,032	9	38.7
30-34	19,603	15,389	4,207	7	21.5
35-39	11,200	9,072	2,114	14	18.9
40 & OVER	2,823	2,243	580	0	20.5
NOT STATED	7	3	4	0	*
WHITE²					
ALL AGES	45,621	30,349	15,246	26	33.4
UNDER 18	937	59	878	0	93.7
18-19	2,011	265	1,745	1	86.8
20-24	8,968	3,465	5,497	6	61.3
25-29	12,648	8,765	3,877	6	30.7
30-34	12,333	10,358	1,971	4	16.0
35-39	6,976	5,993	974	9	14.0
40 & OVER	1,744	1,442	302	0	17.3
NOT STATED	4	2	2	0	*
WHITE, NON-HISPANIC²					
ALL AGES	35,398	25,984	9,388	26	26.5
UNDER 18	527	28	499	0	94.7
18-19	1,408	179	1,228	1	87.2
20-24	6,278	2,665	3,607	6	57.5
25-29	9,638	7,361	2,271	6	23.6
30-34	10,082	9,086	992	4	9.8
35-39	5,983	5,385	589	9	9.8
40 & OVER	1,478	1,278	200	0	13.5
NOT STATED	4	2	2	0	*
BLACK²					
ALL AGES	26,102	9,359	16,732	11	64.1
UNDER 18	1,174	7	1,167	0	99.4

See footnotes at end of table.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND MARITAL STATUS, 2008. — Continued

MARYLAND					
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	MARITAL STATUS				PERCENT OF BIRTHS TO UNMARRIED WOMEN
	ALL BIRTHS	MARRIED	UNMARRIED	NOT STATED	
BLACK²					
18-19	2,375	70	2,305	0	97.1
20-24	6,794	933	5,858	3	86.2
25-29	6,654	2,680	3,971	3	59.7
30-34	5,158	3,046	2,112	0	40.9
35-39	3,112	2,052	1,055	5	33.9
40 & OVER	832	570	262	0	31.5
NOT STATED	3	1	2	0	*
ASIAN OR PACIFIC ISLANDER²					
ALL AGES	4,994	4,537	454	3	9.1
UNDER 18	19	3	16	0	84.2
18-19	43	13	30	0	69.8
20-24	340	238	102	0	30.0
25-29	1,310	1,184	126	0	9.6
30-34	2,008	1,908	97	3	4.8
35-39	1,046	977	69	0	6.6
40 & OVER	228	214	14	0	6.1
HISPANIC³					
ALL AGES	10,533	4,516	6,017	0	57.1
UNDER 18	419	32	387	0	92.4
18-19	631	89	542	0	85.9
20-24	2,759	825	1,934	0	70.1
25-29	3,103	1,453	1,650	0	53.2
30-34	2,304	1,306	998	0	43.3
35-39	1,042	640	402	0	38.6
40 & OVER	275	171	104	0	37.8

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN, 2008.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	SINGLE BIRTHS	PLURAL BIRTHS	PERCENT OF PLURAL BIRTHS
ALL RACES¹				
ALL AGES	77,268	74,109	3,159	4.1
UNDER 18	2,155	2,117	38	1.8
18-19	4,475	4,376	99	2.2
20-24	16,260	15,831	429	2.6
25-29	20,745	20,068	677	3.3
30-34	19,603	18,632	971	5.0
35-39	11,200	10,508	692	6.2
40 & OVER	2,823	2,573	250	8.9
NOT STATED	7	4	3	*
WHITE²				
ALL AGES	45,621	43,821	1,800	3.9
UNDER 18	937	923	14	1.5
18-19	2,011	1,984	27	1.3
20-24	8,968	8,760	208	2.3
25-29	12,648	12,302	346	2.7
30-34	12,333	11,712	621	5.0
35-39	6,976	6,544	432	6.2
40 & OVER	1,744	1,595	149	8.5
NOT STATED	4	1	3	*
WHITE, NON-HISPANIC²				
ALL AGES	35,398	33,830	1,568	4.4
UNDER 18	527	523	4	*
18-19	1,408	1,392	16	1.1
20-24	6,278	6,120	158	2.5
25-29	9,638	9,354	284	2.9
30-34	10,082	9,517	565	5.6
35-39	5,983	5,588	395	6.6
40 & OVER	1,478	1,335	143	9.7
NOT STATED	4	1	3	*
BLACK²				
ALL AGES	26,102	24,939	1,163	4.5
UNDER 18	1,174	1,150	24	2.0
18-19	2,375	2,303	72	3.0
20-24	6,794	6,581	213	3.1

See footnotes at end of table.

**TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN,
2008. — Continued**

MARYLAND				
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	SINGLE BIRTHS	PLURAL BIRTHS	PERCENT OF PLURAL BIRTHS
BLACK²				
25-29	6,654	6,361	293	4.4
30-34	5,158	4,873	285	5.5
35-39	3,112	2,911	201	6.5
40 & OVER	832	757	75	9.0
NOT STATED	3	3	0	*
ASIAN OR PACIFIC ISLANDER²				
ALL AGES	4,994	4,817	177	3.5
UNDER 18	19	19	0	*
18-19	43	43	0	*
20-24	340	336	4	*
25-29	1,310	1,274	36	2.7
30-34	2,008	1,951	57	2.8
35-39	1,046	990	56	5.4
40 & OVER	228	204	24	10.5
HISPANIC³				
ALL AGES	10,533	10,283	250	2.4
UNDER 18	419	409	10	2.4
18-19	631	620	11	1.7
20-24	2,759	2,709	50	1.8
25-29	3,103	3,033	70	2.3
30-34	2,304	2,242	62	2.7
35-39	1,042	1,003	39	3.7
40 & OVER	275	267	8	2.9

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND YEARS OF EDUCATION, 2008

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	YEARS OF EDUCATION							PERCENT WITH <12 YEARS EDUCATION
	ALL BIRTHS	0-8 YEARS	9-11 YEARS	12 YEARS	13-15 YEARS	16+ YEARS	NOT STATED	
ALL RACES¹								
ALL AGES	77,268	3,746	7,727	21,818	14,793	28,623	561	14.8
UNDER 18	2,155	254	1,477	393	5	0	26	80.3
18-19	4,475	217	1,271	2,361	583	3	40	33.3
20-24	16,260	948	2,353	7,131	3,968	1,734	126	20.3
25-29	20,745	1,073	1,505	5,798	4,746	7,457	166	12.4
30-34	19,603	766	695	3,678	3,227	11,123	114	7.5
35-39	11,200	383	332	1,852	1,844	6,719	70	6.4
40 & OVER	2,823	105	94	603	419	1,585	17	7.0
NOT STATED	7	0	0	2	1	2	2	*
WHITE²								
ALL AGES	45,621	3,302	4,215	11,351	8,093	18,363	297	16.5
UNDER 18	937	157	604	160	2	0	14	81.2
18-19	2,011	181	627	960	225	1	17	40.2
20-24	8,968	855	1,392	3,715	2,048	895	63	25.1
25-29	12,648	988	901	3,280	2,686	4,693	100	14.9
30-34	12,333	715	439	1,984	1,852	7,287	56	9.4
35-39	6,976	315	202	936	1,030	4,454	39	7.4
40 & OVER	1,744	91	50	316	249	1,031	7	8.1
NOT STATED	4	0	0	0	1	2	1	*
WHITE, NON-HISPANIC²								
ALL AGES	35,398	446	2,351	8,248	7,018	17,216	119	7.9
UNDER 18	527	52	371	97	2	0	5	80.3
18-19	1,408	32	430	750	189	1	6	32.8
20-24	6,278	117	816	2,753	1,780	788	24	14.9
25-29	9,638	101	467	2,362	2,319	4,358	31	5.9
30-34	10,082	79	161	1,346	1,603	6,870	23	2.4
35-39	5,983	49	85	689	903	4,230	27	2.2
40 & OVER	1,478	16	21	251	221	967	2	2.5
NOT STATED	4	0	0	0	1	2	1	*
BLACK²								
ALL AGES	26,102	355	3,327	9,481	5,906	6,786	247	14.1
UNDER 18	1,174	96	842	221	3	0	12	79.9

See footnotes at end of table.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND YEARS OF EDUCATION, 2008 — Continued

MARYLAND								
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	YEARS OF EDUCATION							PERCENT WITH <12 YEARS EDUCATION
	ALL BIRTHS	0-8 YEARS	9-11 YEARS	12 YEARS	13-15 YEARS	16+ YEARS	NOT STATED	
BLACK²								
18-19	2,375	33	618	1,353	346	2	23	27.4
20-24	6,794	83	921	3,233	1,773	721	63	14.8
25-29	6,654	62	564	2,246	1,807	1,918	57	9.4
30-34	5,158	29	232	1,450	1,136	2,259	52	5.1
35-39	3,112	41	118	734	690	1,500	29	5.1
40 & OVER	832	11	32	242	151	386	10	5.2
NOT STATED	3	0	0	2	0	0	1	*
ASIAN OR PACIFIC ISLANDER²								
ALL AGES	4,994	71	125	808	653	3,322	15	3.9
UNDER 18	19	0	16	3	0	0	0	84.2
18-19	43	0	11	25	7	0	0	25.6
20-24	340	4	21	119	94	102	0	7.4
25-29	1,310	19	34	235	213	801	8	4.0
30-34	2,008	20	20	221	216	1,526	5	2.0
35-39	1,046	25	11	163	106	739	2	3.4
40 & OVER	228	3	12	42	17	154	0	6.6
HISPANIC³								
ALL AGES	10,533	2,871	1,901	3,216	1,140	1,223	182	45.3
UNDER 18	419	106	238	65	0	0	10	82.1
18-19	631	151	202	226	41	0	11	55.9
20-24	2,759	740	590	992	286	111	40	48.2
25-29	3,103	893	442	948	390	360	70	43.0
30-34	2,304	637	282	655	257	440	33	39.9
35-39	1,042	269	118	263	136	243	13	37.1
40 & OVER	275	75	29	67	30	69	5	37.8

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2008.

MARYLAND

MATERNAL AGE, RACE AND HISPANIC ORIGIN	ALL BIRTHS	TRIMESTER OF FIRST PRENATAL VISIT					PERCENT FIRST TRIMESTER CARE	PERCENT LATE OR NO CARE
		FIRST	SECOND	THIRD	NO CARE	NOT STATED		
ALL RACES¹								
ALL AGES	77,268	62,003	11,034	2,202	1,061	968	80.2	4.2
UNDER 18	2,155	1,227	689	148	54	37	56.9	9.4
18-19	4,475	3,026	1,076	210	103	60	67.6	7.0
20-24	16,260	11,749	3,322	640	321	228	72.3	5.9
25-29	20,745	16,917	2,775	558	259	236	81.5	3.9
30-34	19,603	16,940	1,899	373	172	219	86.4	2.8
35-39	11,200	9,748	970	223	119	140	87.0	3.1
40 & OVER	2,823	2,391	302	50	33	47	84.7	2.9
NOT STATED	7	5	1	0	0	1	71.4	*
WHITE²								
ALL AGES	45,621	37,923	5,676	995	492	535	83.1	3.3
UNDER 18	937	610	244	47	22	14	65.1	7.4
18-19	2,011	1,431	445	78	36	21	71.2	5.7
20-24	8,968	6,710	1,680	310	154	114	74.8	5.2
25-29	12,648	10,578	1,541	247	133	149	83.6	3.0
30-34	12,333	10,857	1,083	180	77	136	88.0	2.1
35-39	6,976	6,217	510	111	55	83	89.1	2.4
40 & OVER	1,744	1,517	173	22	15	17	87.0	2.1
NOT STATED	4	3	0	0	0	1	*	*
WHITE, NON-HISPANIC²								
ALL AGES	35,398	31,250	3,089	547	250	262	88.3	2.3
UNDER 18	527	383	105	27	8	4	72.7	6.6
18-19	1,408	1,078	259	49	13	9	76.6	4.4
20-24	6,278	5,077	931	160	67	43	80.9	3.6
25-29	9,638	8,569	794	130	76	69	88.9	2.1
30-34	10,082	9,312	551	98	46	75	92.4	1.4
35-39	5,983	5,505	329	68	32	49	92.0	1.7
40 & OVER	1,478	1,323	120	15	8	12	89.5	1.6
NOT STATED	4	3	0	0	0	1	*	*
BLACK²								
ALL AGES	26,102	19,284	4,799	1,093	535	391	73.9	6.2
UNDER 18	1,174	587	434	98	32	23	50.0	11.1
18-19	2,375	1,536	607	130	64	38	64.7	8.2

See footnotes at end of table.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2008. — Continued

MARYLAND

MATERNAL AGE, RACE AND HISPANIC ORIGIN	ALL BIRTHS	TRIMESTER OF FIRST PRENATAL VISIT					PERCENT FIRST TRIMESTER CARE	PERCENT LATE OR NO CARE
		FIRST	SECOND	THIRD	NO CARE	NOT STATED		
BLACK²								
20-24	6,794	4,672	1,535	315	164	108	68.8	7.1
25-29	6,654	5,095	1,090	276	117	76	76.6	5.9
30-34	5,158	4,184	652	165	87	70	81.1	4.9
35-39	3,112	2,545	372	90	56	49	81.8	4.7
40 & OVER	832	663	108	19	15	27	79.7	4.1
NOT STATED	3	2	1	0	0	0	*	*
ASIAN OR PACIFIC ISLANDER²								
ALL AGES	4,994	4,361	473	101	25	34	87.3	2.5
UNDER 18	19	12	4	3	0	0	63.2	*
18-19	43	26	14	2	1	0	60.5	*
20-24	340	256	69	9	1	5	75.3	2.9
25-29	1,310	1,130	131	33	7	9	86.3	3.1
30-34	2,008	1,811	154	27	7	9	90.2	1.7
35-39	1,046	929	81	21	7	8	88.8	2.7
40 & OVER	228	197	20	6	2	3	86.4	3.5
HISPANIC³								
ALL AGES	10,533	6,911	2,639	459	248	276	65.6	6.7
UNDER 18	419	232	141	22	14	10	55.4	8.6
18-19	631	373	192	31	23	12	59.1	8.6
20-24	2,759	1,679	768	152	89	71	60.9	8.7
25-29	3,103	2,083	761	120	58	81	67.1	5.7
30-34	2,304	1,589	537	84	31	63	69.0	5.0
35-39	1,042	753	187	43	25	34	72.3	6.5
40 & OVER	275	202	53	7	8	5	73.5	5.5

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND LENGTH OF GESTATION, 2008.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	LENGTH OF GESTATION (WEEKS)									PERCENT OF INFANTS BORN <37 WEEKS GESTATION
	ALL BIRTHS	UNDER 20	20-27	28-31	32-36	37-39	40-41	42 OR MORE	NOT STATED	
ALL RACES¹										
ALL AGES	77,268	59	663	842	6,910	45,693	22,710	262	129	11.0
UNDER 18	2,155	1	29	30	207	1,160	715	7	6	12.4
18-19	4,475	4	45	49	417	2,431	1,505	13	11	11.5
20-24	16,260	12	141	154	1,341	9,348	5,173	60	31	10.1
25-29	20,745	17	163	193	1,691	12,122	6,451	74	34	9.9
30-34	19,603	15	138	221	1,733	11,846	5,557	70	23	10.7
35-39	11,200	8	113	134	1,139	7,057	2,698	31	20	12.4
40 & OVER	2,823	2	34	61	381	1,726	610	6	3	16.9
NOT STATED	7	0	0	0	1	3	1	1	1	*
WHITE²										
ALL AGES	45,621	22	232	374	3,714	26,913	14,124	175	67	9.5
UNDER 18	937	0	12	11	81	480	348	3	2	11.1
18-19	2,011	3	15	21	155	1,099	709	5	4	9.6
20-24	8,968	3	23	72	684	5,066	3,071	36	13	8.7
25-29	12,648	7	68	81	964	7,287	4,165	53	23	8.9
30-34	12,333	6	57	93	1,012	7,427	3,680	48	10	9.5
35-39	6,976	3	41	63	619	4,480	1,731	26	13	10.4
40 & OVER	1,744	0	16	33	198	1,072	420	4	1	14.2
NOT STATED	4	0	0	0	1	2	0	0	1	*
WHITE, NON-HISPANIC²										
ALL AGES	35,398	16	177	290	2,903	20,992	10,832	131	57	9.6
UNDER 18	527	0	7	5	50	265	199	0	1	11.8
18-19	1,408	2	13	16	101	764	507	3	2	9.4
20-24	6,278	2	18	46	489	3,561	2,131	20	11	8.8
25-29	9,638	5	49	64	747	5,538	3,167	46	22	9.0
30-34	10,082	5	42	74	827	6,101	2,989	35	9	9.4
35-39	5,983	2	32	57	524	3,858	1,476	24	10	10.3
40 & OVER	1,478	0	16	28	164	903	363	3	1	14.1
NOT STATED	4	0	0	0	1	2	0	0	1	*
BLACK²										
ALL AGES	26,102	35	414	419	2,757	15,189	7,151	77	60	13.9
UNDER 18	1,174	1	17	17	123	648	360	4	4	13.5
18-19	2,375	1	30	27	255	1,283	764	8	7	13.2
20-24	6,794	9	116	80	622	3,967	1,958	24	18	12.2

See footnotes at end of table.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND LENGTH OF GESTATION, 2008. — Continued

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	LENGTH OF GESTATION (WEEKS)									PERCENT OF INFANTS BORN <37 WEEKS GESTATION
	ALL BIRTHS	UNDER 20	20-27	28-31	32-36	37-39	40-41	42 OR MORE	NOT STATED	
BLACK²										
25-29	6,654	9	91	108	637	3,930	1,853	15	11	12.7
30-34	5,158	8	77	104	575	3,033	1,329	20	12	14.8
35-39	3,112	5	65	59	404	1,840	729	4	6	17.1
40 & OVER	832	2	18	24	141	487	157	1	2	22.2
NOT STATED	3	0	0	0	0	1	1	1	0	*
ASIAN OR PACIFIC ISLANDER²										
ALL AGES	4,994	2	15	44	385	3,254	1,287	5	2	8.9
UNDER 18	19	0	0	1	1	12	5	0	0	*
18-19	43	0	0	1	5	25	12	0	0	14.0
20-24	340	0	2	0	18	217	103	0	0	5.9
25-29	1,310	1	3	4	79	828	393	2	0	6.6
30-34	2,008	1	3	23	137	1,324	518	1	1	8.2
35-39	1,046	0	7	11	108	692	226	1	1	12.0
40 & OVER	228	0	0	4	37	156	30	1	0	18.0
HISPANIC³										
ALL AGES	10,533	6	59	88	836	6,123	3,367	44	10	9.4
UNDER 18	419	0	5	6	31	222	151	3	1	10.0
18-19	631	1	2	5	55	351	213	2	2	10.0
20-24	2,759	1	5	26	197	1,547	965	16	2	8.3
25-29	3,103	2	21	20	225	1,817	1,010	7	1	8.6
30-34	2,304	1	15	20	192	1,358	704	13	1	9.9
35-39	1,042	1	9	6	101	654	266	2	3	11.2
40 & OVER	275	0	2	5	35	174	58	1	0	15.3

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2008.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
ALL AGES	77,268	755	707	1,355	4,346	14,566	29,787	19,860	5,860	32	9.3	1.9
UNDER 18	2,155	30	25	48	159	603	834	392	63	1	12.2	2.6
18-19	4,475	47	43	93	315	1,057	1,852	884	184	0	11.1	2.0
20-24	16,260	168	146	237	963	3,392	6,603	3,812	934	5	9.3	1.9
25-29	20,745	186	164	313	1,040	3,796	8,013	5,611	1,611	11	8.2	1.7
30-34	19,603	157	176	360	991	3,280	7,476	5,412	1,746	5	8.6	1.7
35-39	11,200	123	108	210	666	1,913	4,026	3,050	1,094	10	9.9	2.1
40 & OVER	2,823	44	45	94	212	523	983	696	226	0	14.0	3.2
NOT STATED	7	0	0	0	0	2	0	3	2	0	*	*
WHITE²												
ALL AGES	45,621	265	306	611	2,080	7,307	17,303	13,418	4,309	22	7.2	1.3
UNDER 18	937	10	12	12	45	214	375	228	40	1	8.4	2.3
18-19	2,011	14	22	25	114	393	833	491	119	0	8.7	1.8
20-24	8,968	39	64	98	410	1,585	3,639	2,450	680	3	6.8	1.1
25-29	12,648	76	69	144	522	1,989	4,835	3,814	1,190	9	6.4	1.1
30-34	12,333	62	70	187	539	1,771	4,560	3,832	1,308	4	7.0	1.1
35-39	6,976	46	49	92	345	1,061	2,443	2,129	806	5	7.6	1.4
40 & OVER	1,744	18	20	53	105	293	618	472	165	0	11.2	2.2
NOT STATED	4	0	0	0	0	1	0	2	1	0	*	*
WHITE, NON-HISPANIC²												
ALL AGES	35,398	204	231	493	1,621	5,425	13,105	10,681	3,617	21	7.2	1.2
UNDER 18	527	6	5	6	30	108	202	140	29	1	8.9	2.1
18-19	1,408	12	18	21	71	272	574	348	92	0	8.7	2.1
20-24	6,278	30	44	72	279	1,066	2,477	1,772	535	3	6.8	1.2
25-29	9,638	55	59	108	409	1,452	3,601	2,947	998	9	6.5	1.2
30-34	10,082	49	50	157	438	1,412	3,667	3,201	1,105	3	6.9	1.0
35-39	5,983	36	38	82	303	876	2,070	1,860	713	5	7.7	1.2
40 & OVER	1,478	16	17	47	91	238	514	411	144	0	11.6	2.2
NOT STATED	4	0	0	0	0	1	0	2	1	0	*	*
BLACK²												
ALL AGES	26,102	468	363	647	1,971	6,022	10,129	5,219	1,274	9	13.2	3.2
UNDER 18	1,174	20	13	34	112	379	445	150	21	0	15.2	2.8
18-19	2,375	33	21	66	198	641	980	372	64	0	13.4	2.3
20-24	6,794	126	80	134	516	1,699	2,762	1,245	230	2	12.6	3.0

See footnotes at end of table.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2008. — Continued

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
BLACK²												
25-29	6,654	105	92	148	450	1,467	2,557	1,488	345	2	11.9	3.0
30-34	5,158	89	85	140	358	1,030	1,992	1,125	338	1	13.0	3.4
35-39	3,112	70	50	92	251	632	1,116	675	222	4	14.9	3.9
40 & OVER	832	25	22	33	86	173	277	163	53	0	20.0	5.6
NOT STATED	3	0	0	0	0	1	0	1	1	0	*	*
ASIAN OR PACIFIC ISLANDER²												
ALL AGES	4,994	19	34	92	260	1,124	2,148	1,078	238	1	8.1	1.1
UNDER 18	19	0	0	1	2	2	8	5	1	0	*	*
18-19	43	0	0	2	1	17	16	6	1	0	*	*
20-24	340	2	0	5	21	76	150	74	12	0	8.2	*
25-29	1,310	4	2	20	63	313	570	276	62	0	6.8	0.5
30-34	2,008	5	21	32	91	451	883	431	94	0	7.4	1.3
35-39	1,046	7	8	25	64	211	439	231	60	1	9.9	1.4
40 & OVER	228	1	3	7	18	54	82	55	8	0	12.7	*
HISPANIC³												
ALL AGES	10,533	65	80	122	477	1,953	4,318	2,803	714	1	7.1	1.4
UNDER 18	419	4	7	6	15	107	179	90	11	0	7.6	2.6
18-19	631	2	4	4	43	129	272	148	29	0	8.4	1.0
20-24	2,759	9	20	26	135	534	1,194	692	149	0	6.9	1.1
25-29	3,103	23	13	39	116	564	1,264	889	195	0	6.2	1.2
30-34	2,304	13	22	30	105	370	914	641	208	1	7.4	1.5
35-39	1,042	10	11	11	48	190	391	280	101	0	7.7	2.0
40 & OVER	275	4	3	6	15	59	104	63	21	0	10.2	2.5

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 9. LIVE BIRTHS BY MATERNAL MARITAL STATUS, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2008.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND MARITAL STATUS	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
ALL BIRTHS	77,268	755	707	1,355	4,346	14,566	29,787	19,860	5,860	32	9.3	1.9
MARRIED	44,513	332	342	699	2,090	7,241	16,980	12,735	4,087	7	7.8	1.5
UNMARRIED	32,715	423	365	656	2,255	7,321	12,797	7,122	1,772	4	11.3	2.4
NOT STATED	40	0	0	0	1	4	10	3	1	21	*	*
WHITE²												
ALL BIRTHS	45,621	265	306	611	2,080	7,307	17,303	13,418	4,309	22	7.2	1.3
MARRIED	30,349	159	173	399	1,249	4,329	11,285	9,534	3,216	5	6.5	1.1
UNMARRIED	15,246	106	133	212	830	2,976	6,012	3,882	1,092	3	8.4	1.6
NOT STATED	26	0	0	0	1	2	6	2	1	14	*	*
WHITE, NON-HISPANIC²												
ALL BIRTHS	35,398	204	231	493	1,621	5,425	13,105	10,681	3,617	21	7.2	1.2
MARRIED	25,984	139	145	351	1,055	3,607	9,502	8,295	2,885	5	6.5	1.1
UNMARRIED	9,388	65	86	142	565	1,816	3,597	2,384	731	2	9.1	1.6
NOT STATED	26	0	0	0	1	2	6	2	1	14	*	*
BLACK²												
ALL BIRTHS	26,102	468	363	647	1,971	6,022	10,129	5,219	1,274	9	13.2	3.2
MARRIED	9,359	159	132	222	583	1,843	3,636	2,151	632	1	11.7	3.1
UNMARRIED	16,732	309	231	425	1,388	4,179	6,489	3,068	642	1	14.1	3.2
NOT STATED	11	0	0	0	0	0	4	0	0	7	*	*
ASIAN OR PACIFIC ISLANDER²												
ALL BIRTHS	4,994	19	34	92	260	1,124	2,148	1,078	238	1	8.1	1.1
MARRIED	4,537	14	34	75	242	1,014	1,962	978	217	1	8.0	1.1
UNMARRIED	454	5	0	17	18	108	186	99	21	0	8.8	1.1
NOT STATED	3	0	0	0	0	2	0	1	0	0	*	*
HISPANIC³												
ALL BIRTHS	10,533	65	80	122	477	1,953	4,318	2,803	714	1	7.1	1.4
MARRIED	4,516	24	33	49	205	755	1,838	1,270	342	0	6.9	1.3
UNMARRIED	6,017	41	47	73	272	1,198	2,480	1,533	372	1	7.2	1.5

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2008.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND YEARS OF EDUCATION	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
ALL BIRTHS	77,268	755	707	1,355	4,346	14,566	29,787	19,860	5,860	32	9.3	1.9
0-8 YEARS	3,746	19	30	56	173	683	1,529	975	281	0	7.4	1.3
9-11 YEARS	7,727	82	81	166	566	1,820	3,011	1,630	367	4	11.6	2.1
12 YEARS	21,818	259	232	389	1,383	4,533	8,465	5,121	1,433	3	10.4	2.3
13-15 YEARS	14,793	145	149	281	824	2,726	5,631	3,846	1,189	2	9.5	2.0
16+ YEARS	28,623	222	206	452	1,366	4,687	10,958	8,175	2,556	1	7.8	1.5
NOT STATED	561	28	9	11	34	117	193	113	34	22	14.6	6.6
WHITE²												
ALL BIRTHS	45,621	265	306	611	2,080	7,307	17,303	13,418	4,309	22	7.2	1.3
0-8 YEARS	3,302	18	24	49	139	573	1,347	888	264	0	7.0	1.3
9-11 YEARS	4,215	31	45	63	233	849	1,645	1,073	273	3	8.8	1.8
12 YEARS	11,351	83	86	129	562	2,036	4,405	3,079	969	2	7.6	1.5
13-15 YEARS	8,093	38	60	116	390	1,217	3,030	2,423	817	2	7.5	1.2
16+ YEARS	18,363	81	86	248	742	2,570	6,777	5,892	1,966	1	6.3	0.9
NOT STATED	297	14	5	6	14	62	99	63	20	14	13.1	6.4
WHITE, NON-HISPANIC²												
ALL BIRTHS	35,398	204	231	493	1,621	5,425	13,105	10,681	3,617	21	7.2	1.2
0-8 YEARS	446	7	2	8	31	69	158	122	49	0	10.8	2.0
9-11 YEARS	2,351	18	30	46	142	498	892	569	154	2	10.0	2.0
12 YEARS	8,248	64	66	100	415	1,444	3,103	2,268	786	2	7.8	1.6
13-15 YEARS	7,018	33	47	104	340	1,038	2,595	2,118	741	2	7.5	1.1
16+ YEARS	17,216	77	82	233	689	2,358	6,314	5,584	1,878	1	6.3	0.9
NOT STATED	119	5	4	2	4	18	43	20	9	14	12.6	7.6
BLACK²												
ALL BIRTHS	26,102	468	363	647	1,971	6,022	10,129	5,219	1,274	9	13.2	3.2
0-8 YEARS	355	1	6	6	31	97	138	63	13	0	12.4	2.0
9-11 YEARS	3,327	51	35	99	324	930	1,290	510	88	0	15.3	2.6
12 YEARS	9,481	172	138	241	777	2,278	3,643	1,817	414	1	14.0	3.3
13-15 YEARS	5,906	103	87	155	394	1,329	2,274	1,239	325	0	12.5	3.2
16+ YEARS	6,786	129	93	141	426	1,339	2,695	1,542	421	0	11.6	3.3
NOT STATED	247	12	4	5	19	49	89	48	13	8	16.2	6.5
ASIAN OR PACIFIC ISLANDER²												
ALL BIRTHS	4,994	19	34	92	260	1,124	2,148	1,078	238	1	8.1	1.1
0-8 YEARS	71	0	0	1	3	11	36	17	3	0	*	*
9-11 YEARS	125	0	1	4	7	28	57	25	2	1	9.6	*
12 YEARS	808	3	7	17	29	178	347	185	42	0	6.9	1.2
13-15 YEARS	653	3	1	10	28	154	275	150	32	0	6.4	*
16+ YEARS	3,322	12	25	60	192	747	1,429	699	158	0	8.7	1.1
NOT STATED	15	1	0	0	1	6	4	2	1	0	*	*

See footnotes at end of table.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2008. — Continued

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND YEARS OF EDUCATION	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
HISPANIC ³												
ALL BIRTHS	10,533	65	80	122	477	1,953	4,318	2,803	714	1	7.1	1.4
0-8 YEARS	2,871	11	22	41	109	505	1,199	769	215	0	6.4	1.1
9-11 YEARS	1,901	13	15	17	93	359	770	513	120	1	7.3	1.5
12 YEARS	3,216	19	20	29	155	617	1,347	835	194	0	6.9	1.2
13-15 YEARS	1,140	5	16	12	55	198	456	318	80	0	7.7	1.8
16+ YEARS	1,223	8	6	19	55	230	488	323	94	0	7.2	1.1
NOT STATED	182	9	1	4	10	44	58	45	11	0	13.2	5.5

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2008.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND TRIMESTER OF FIRST PRENATAL VISIT	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
FIRST	62,003	593	553	1,086	3,369	11,136	23,920	16,392	4,946	8	9.0	1.8
SECOND	11,034	70	92	189	650	2,451	4,302	2,609	669	2	9.1	1.5
THIRD	2,202	2	13	20	143	486	909	494	135	0	8.1	0.7
NO CARE	1,061	55	27	31	106	284	338	167	53	0	20.6	7.7
NOT STATED	968	35	22	29	78	209	318	198	57	22	16.9	5.9
WHITE²												
FIRST	37,923	210	252	510	1,696	5,808	14,327	11,389	3,726	5	7.0	1.2
SECOND	5,676	24	33	69	255	1,085	2,197	1,581	430	2	6.7	1.0
THIRD	995	0	7	8	48	176	425	249	82	0	6.3	0.7
NO CARE	492	21	5	12	46	133	162	80	33	0	17.1	5.3
NOT STATED	535	10	9	12	35	105	192	119	38	15	12.3	3.6
WHITE, NON-HISPANIC²												
FIRST	31,250	172	200	435	1,385	4,631	11,584	9,601	3,238	4	7.0	1.2
SECOND	3,089	21	17	37	163	599	1,135	839	276	2	7.7	1.2
THIRD	547	0	4	6	34	96	220	132	55	0	8.0	*
NO CARE	250	9	3	7	26	62	75	43	25	0	18.0	4.8
NOT STATED	262	2	7	8	13	37	91	66	23	15	11.5	3.4
BLACK²												
FIRST	19,284	364	269	494	1,414	4,271	7,541	3,946	983	2	13.2	3.3
SECOND	4,799	46	56	111	363	1,239	1,871	903	210	0	12.0	2.1
THIRD	1,093	2	4	10	92	277	441	220	47	0	9.9	0.5
NO CARE	535	34	22	18	60	139	164	78	20	0	25.0	10.5
NOT STATED	391	22	12	14	42	96	112	72	14	7	23.0	8.7
ASIAN OR PACIFIC ISLANDER²												
FIRST	4,361	17	28	77	231	972	1,879	949	207	1	8.1	1.0
SECOND	473	0	3	9	26	109	205	99	22	0	8.0	*
THIRD	101	0	2	2	2	27	42	20	6	0	5.9	*
NO CARE	25	0	0	1	0	10	9	5	0	0	*	*
NOT STATED	34	2	1	3	1	6	13	5	3	0	20.6	*

See footnotes at end of table.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2008. — Continued

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND TRIMESTER OF FIRST PRENATAL VISIT	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
HISPANIC ³												
FIRST	6,911	42	57	79	324	1,225	2,839	1,838	506	1	7.3	1.4
SECOND	2,639	3	16	32	95	503	1,080	753	157	0	5.5	0.7
THIRD	459	0	3	2	14	84	208	121	27	0	4.1	*
NO CARE	248	12	2	5	22	73	88	37	9	0	16.5	5.6
NOT STATED	276	8	2	4	22	68	103	54	15	0	13.0	3.6

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 12. LIVE BIRTHS BY MATERNAL RACE, HISPANIC ORIGIN AND PLACE OF OCCURRENCE, 2008.

MARYLAND

RACE AND HISPANIC ORIGIN	TOTAL BIRTHS	PLACE OF OCCURRENCE			PERCENT OF BIRTHS OCCURRING IN MARYLAND	PERCENT OF BIRTHS OCCURRING IN THE DISTRICT OF COLUMBIA	PERCENT OF BIRTHS OCCURRING IN OTHER STATES
		MARYLAND	DISTRICT OF COLUMBIA	OTHER STATES			
ALL RACES ¹	77,268	70,939	4,905	1,424	91.8	6.3	1.8
WHITE ²	45,621	42,039	2,652	930	92.1	5.8	2.0
WHITE, NON-HISPANIC ²	35,398	33,118	1,470	810	93.6	4.2	2.3
BLACK ²	26,102	23,617	2,116	369	90.5	8.1	1.4
ASIAN OR PACIFIC ISLANDER ²	4,994	4,768	114	112	95.5	2.3	2.2
HISPANIC ³	10,533	9,217	1,194	122	87.5	11.3	1.2

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

TABLE 12a. SELECTED NATALITY CHARACTERISTICS BY POLITICAL SUBDIVISION, MARYLAND, 2008.

REGION AND POLITICAL SUBDIVISION	BIRTH RATES	PERCENT								
		ADOLESCENT BIRTHS (UNDER 18)	UNMARRIED WOMEN	FIRST TRIMESTER PRENATAL CARE	LATE/NO PRENATAL CARE	LOW BIRTH WEIGHT BIRTHS	VERY LOW BIRTH WEIGHT BIRTHS	PRETERM BIRTHS (UNDER 37 WEEKS)	CESAREAN SECTION DELIVERIES	INFANTS 5-MINUTE APGAR UNDER 7
MARYLAND.....	13.7	2.8	42.3	80.2	4.2	9.3	1.9	11.0	33.6	1.3
NORTHWEST AREA	12.2	2.5	37.4	78.2	3.6	7.8	1.3	9.6	33.5	1.0
GARRETT.....	9.3	1.8	28.5	83.4	1.8	10.8	1.1	12.6	26.4	0.4
ALLEGANY.....	9.9	3.8	46.6	70.8	3.1	10.3	1.4	13.3	31.6	1.5
WASHINGTON.....	12.6	3.2	45.0	80.2	3.5	6.1	1.0	8.2	32.1	0.9
FREDERICK.....	13.2	1.9	31.4	78.2	3.9	8.0	1.5	9.3	35.4	1.0
BALTIMORE METRO AREA	13.5	3.1	43.5	83.3	3.6	9.8	1.9	11.4	32.9	1.4
BALTIMORE CITY.....	15.6	6.0	69.6	73.7	6.1	12.8	2.6	13.4	30.2	2.1
BALTIMORE COUNTY.....	13.0	2.1	39.7	83.3	3.5	8.8	1.7	10.8	33.4	1.3
ANNE ARUNDEL.....	14.0	2.2	33.1	89.2	2.1	9.2	1.9	10.7	36.1	1.2
CARROLL.....	10.3	1.3	26.2	90.7	1.6	6.9	1.0	9.0	36.3	0.8
HOWARD.....	12.4	1.4	22.2	94.6	1.3	8.6	1.5	10.8	32.2	0.7
HARFORD.....	12.4	1.7	29.8	84.2	3.0	7.4	1.5	10.8	31.5	1.1
NATIONAL CAPITAL AREA	14.8	2.3	41.0	76.7	5.3	9.2	2.0	10.6	35.2	1.2
MONTGOMERY.....	14.4	1.6	30.3	84.0	3.1	7.9	1.4	9.3	35.0	0.8
PRINCE GEORGE'S.....	15.3	3.1	52.7	68.7	7.7	10.6	2.6	12.0	35.4	1.6
SOUTHERN AREA	13.1	2.2	37.8	79.1	4.2	8.8	1.9	11.0	33.7	1.3
CALVERT.....	10.8	1.6	36.7	82.8	2.4	7.1	0.8	8.2	35.3	0.7
CHARLES.....	13.6	2.7	42.1	76.2	5.2	10.0	2.4	12.6	35.7	1.6
SAINT MARY'S.....	14.3	2.1	32.9	80.4	4.1	8.3	2.1	10.7	30.1	1.2
EASTERN SHORE AREA	12.5	3.7	49.7	80.7	3.6	8.4	1.8	11.3	30.6	1.6
CECIL.....	12.8	2.7	43.3	76.1	3.1	8.0	1.5	11.3	29.4	1.1
KENT.....	10.9	0.9	49.3	85.8	2.3	7.8	0.5	9.1	26.9	0.9
QUEEN ANNE'S.....	11.3	3.4	34.0	88.3	1.9	7.1	2.1	9.6	34.8	1.5
CAROLINE.....	15.1	3.8	52.1	79.8	3.0	8.2	1.4	11.4	24.8	1.6
TALBOT.....	10.7	2.1	44.2	77.3	7.8	7.0	2.1	11.6	24.3	2.6
DORCHESTER.....	14.1	5.5	59.9	81.8	4.0	12.2	3.8	15.1	29.7	3.1
WICOMICO.....	14.5	4.0	55.2	80.4	3.8	8.8	1.6	11.6	32.7	1.7
SOMERSET.....	10.6	8.3	58.1	84.5	3.6	10.8	3.2	11.6	37.5	1.8
WORCESTER.....	9.7	3.5	56.6	83.1	4.0	6.1	1.5	9.2	32.6	1.0

*Rates and percentages based on fewer than five events in the numerator are not presented since rates based on small numbers are unstable.

TABLE 13. DEATHS BY RACE, SEX, AND MONTH OF DEATH, 2008.

MARYLAND

RACE AND SEX	ALL MONTHS	MONTH OF DEATH											
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ALL RACES ¹													
BOTH SEXES	43,849	3,844	3,976	4,006	3,634	3,593	3,420	3,432	3,348	3,217	3,569	3,755	4,055
MALE	21,747	1,893	1,920	1,946	1,809	1,786	1,754	1,758	1,698	1,599	1,683	1,929	1,972
FEMALE	22,102	1,951	2,056	2,060	1,825	1,807	1,666	1,674	1,650	1,618	1,886	1,826	2,083
WHITE													
BOTH SEXES	31,096	2,745	2,864	2,878	2,579	2,519	2,387	2,429	2,324	2,239	2,587	2,656	2,889
MALE	15,162	1,315	1,356	1,380	1,255	1,234	1,207	1,219	1,173	1,103	1,201	1,342	1,377
FEMALE	15,934	1,430	1,508	1,498	1,324	1,285	1,180	1,210	1,151	1,136	1,386	1,314	1,512
BLACK													
BOTH SEXES	11,910	1,026	1,045	1,051	988	1,017	966	939	959	916	907	1,027	1,069
MALE	6,139	541	529	522	512	528	512	500	491	466	446	549	543
FEMALE	5,771	485	516	529	476	489	454	439	468	450	461	478	526
ASIAN OR PACIFIC ISLANDER													
BOTH SEXES	742	64	57	66	55	52	59	59	58	58	67	63	84
MALE	384	31	30	35	33	22	30	37	30	28	31	33	44
FEMALE	358	33	27	31	22	30	29	22	28	30	36	30	40

¹ Includes races categorized as 'other'.

TABLE 14. DEATHS BY RACE, SEX, AND AGE, 2008.

MARYLAND

RACE AND SEX	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STATED
ALL RACES ¹													
BOTH SEXES	43,849	617	88	108	641	796	1,518	3,686	5,334	7,036	11,330	12,690	5
MALE	21,747	367	58	68	497	571	946	2,258	3,143	3,913	5,541	4,383	2
FEMALE	22,102	250	30	40	144	225	572	1,428	2,191	3,123	5,789	8,307	3
WHITE													
BOTH SEXES	31,096	235	49	53	316	401	792	2,076	3,240	4,702	8,674	10,554	4
MALE	15,162	136	36	33	241	287	519	1,292	1,951	2,632	4,298	3,735	2
FEMALE	15,934	99	13	20	75	114	273	784	1,289	2,070	4,376	6,819	2
BLACK													
BOTH SEXES	11,910	351	31	51	305	363	689	1,559	1,984	2,167	2,453	1,956	1
MALE	6,139	214	19	32	244	262	404	930	1,116	1,184	1,146	588	0
FEMALE	5,771	137	12	19	61	101	285	629	868	983	1,307	1,368	1
ASIAN OR PACIFIC ISLANDER													
BOTH SEXES	742	17	5	3	16	23	30	42	99	151	184	172	0
MALE	384	9	2	3	8	15	16	28	69	91	85	58	0
FEMALE	358	8	3	0	8	8	14	14	30	60	99	114	0

¹ Includes races categorized as 'other'.

TABLE 15. LEADING CAUSES OF DEATH BY RACE AND SEX, 2008.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992)	ALL RACES ¹			WHITE		BLACK		ASIAN OR PACIFIC ISLANDER	
	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
ALL CAUSES	43,849	21,747	22,102	15,162	15,934	6,139	5,771	384	358
DISEASES OF THE HEART	11,217	5,708	5,509	4,111	3,999	1,512	1,432	75	68
MALIGNANT NEOPLASMS	10,345	5,278	5,067	3,809	3,524	1,345	1,426	113	108
CEREBROVASCULAR DISEASES	2,250	879	1,371	622	1,033	230	307	25	30
CHRONIC LOWER RESPIRATORY DISEASE	1,955	838	1,117	718	964	108	144	11	7
ACCIDENTS	1,460	940	520	650	384	262	123	20	12
DIABETES MELLITUS	1,237	597	640	355	390	220	236	19	12
ALZHEIMER'S DISEASE	1,017	303	714	247	572	54	137	*	5
INFLUENZA AND PNEUMONIA	1,017	473	544	361	432	107	94	*	17
SEPTICEMIA	998	458	540	294	333	154	196	8	9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	761	366	395	224	251	133	135	9	7
ASSAULT (HOMICIDE)	528	437	91	90	39	339	52	*	*
INTENTIONAL SELF-HARM (SUICIDE)	493	402	91	324	78	66	7	12	6
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	442	166	276	90	177	70	96	5	*
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	431	281	150	40	13	239	136	*	*
CHRONIC LIVER DISEASE AND CIRRHOSIS	407	269	138	194	105	72	29	*	*
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ..	381	235	146	81	50	144	86	5	5
PARKINSON'S DISEASE	350	195	155	170	130	23	21	*	*
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	310	163	147	117	111	40	34	6	*
AORTIC ANEURYSM AND DISSECTION	175	88	87	72	70	16	16	*	*

¹ Includes races categorized as 'other'.

* Deaths under 5 not reported.

TABLE 16. LEADING CAUSES OF DEATH BY AGE GROUP, 2008.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL CAUSES	43,849	617	88	108	641	796	1,518	3,686	5,334	7,036	11,330	12,690	5
DISEASES OF THE HEART	11,217	6	3	4	28	74	270	766	1,290	1,703	2,918	4,152	3
MALIGNANT NEOPLASMS	10,345	1	5	12	26	53	265	1,021	1,922	2,526	2,930	1,584	0
CEREBROVASCULAR DISEASES	2,250	0	1	3	6	13	34	110	176	297	670	940	0
CHRONIC LOWER RESPIRATORY DISEASE	1,955	0	1	4	3	3	6	55	162	402	734	585	0
ACCIDENTS	1,460	9	22	29	161	149	149	208	151	142	205	235	0
DIABETES MELLITUS	1,237	0	0	1	5	8	39	101	210	251	364	258	0
ALZHEIMER'S DISEASE	1,017	0	0	0	0	0	0	1	6	66	297	647	0
INFLUENZA AND PNEUMONIA	1,017	0	4	1	7	7	21	50	67	95	300	465	0
SEPTICEMIA	998	2	2	1	5	7	23	90	142	185	280	261	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	761	3	0	1	2	6	11	46	87	137	219	249	0
ASSAULT (HOMICIDE)	528	6	11	12	190	138	78	70	15	4	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	493	0	0	3	56	72	89	115	78	27	41	12	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	442	0	0	0	0	3	7	29	37	57	110	199	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	431	0	0	0	13	40	109	180	65	20	3	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	407	0	0	0	0	4	26	114	99	77	61	26	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	381	381	0	0	0	0	0	0	0	0	0	0	0
PARKINSON'S DISEASE	350	0	0	0	0	0	0	0	9	38	157	146	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	310	0	0	0	0	3	5	10	14	39	106	133	0
AORTIC ANEURYSM AND DISSECTION	175	0	0	0	0	2	8	13	16	27	58	51	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16A. LEADING CAUSES OF DEATH AMONG WHITES BY SEX AND AGE GROUP, 2008.

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	15,162	136	36	33	241	287	519	1,292	1,951	2,632	4,298	3,735	2
DISEASES OF THE HEART	4,111	2	2	1	10	19	107	311	530	701	1,151	1,276	1
MALIGNANT NEOPLASMS	3,809	0	3	5	10	12	69	325	672	947	1,200	566	0
CHRONIC LOWER RESPIRATORY DISEASE	718	0	0	0	1	0	2	16	59	133	305	202	0
ACCIDENTS	650	1	11	11	88	71	65	97	66	68	91	81	0
CEREBROVASCULAR DISEASES	622	0	1	1	1	2	8	33	59	98	207	212	0
INFLUENZA AND PNEUMONIA	361	0	3	0	2	2	4	18	20	41	111	160	0
DIABETES MELLITUS	355	0	0	0	0	1	12	32	78	73	99	60	0
INTENTIONAL SELF-HARM (SUICIDE)	324	0	0	1	35	46	52	75	55	18	31	11	0
SEPTICEMIA	294	0	0	0	1	2	3	24	30	63	88	83	0
ALZHEIMER'S DISEASE	247	0	0	0	0	0	0	0	1	21	88	137	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	224	2	0	1	0	1	4	12	24	40	60	80	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	194	0	0	0	0	3	20	48	47	41	24	11	0
PARKINSON'S DISEASE	170	0	0	0	0	0	0	0	4	20	82	64	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	117	0	0	0	0	1	3	2	7	14	39	51	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	90	0	0	0	0	0	3	7	10	13	21	36	0
ASSAULT (HOMICIDE)	90	1	3	3	19	20	15	23	2	2	2	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	81	81	0	0	0	0	0	0	0	0	0	0	0
AORTIC ANEURYSM AND DISSECTION	72	0	0	0	0	1	5	6	8	11	25	16	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	40	0	0	0	1	4	10	18	5	2	0	0	0
FEMALES													
ALL CAUSES	15,934	99	13	20	75	114	273	784	1,289	2,070	4,376	6,819	2
DISEASES OF THE HEART	3,999	1	0	1	2	10	47	121	216	383	1,028	2,189	1
MALIGNANT NEOPLASMS	3,524	0	0	2	3	18	74	295	568	813	1,055	696	0
CEREBROVASCULAR DISEASES	1,033	0	0	1	2	1	7	22	31	79	302	588	0
CHRONIC LOWER RESPIRATORY DISEASE	964	0	0	1	0	1	1	23	71	192	335	340	0
ALZHEIMER'S DISEASE	572	0	0	0	0	0	0	1	2	27	147	395	0
INFLUENZA AND PNEUMONIA	432	0	0	0	0	1	5	13	15	25	122	251	0
DIABETES MELLITUS	390	0	0	0	3	3	9	17	51	59	131	117	0
ACCIDENTS	384	4	3	6	25	19	18	33	28	35	86	127	0
SEPTICEMIA	333	0	0	0	1	1	7	20	39	51	96	118	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	251	0	0	0	1	2	1	7	12	26	82	120	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	177	0	0	0	0	0	0	2	5	16	49	105	0

See footnotes at end of table.

TABLE 16A. LEADING CAUSES OF DEATH AMONG WHITES BY SEX AND AGE GROUP, 2008. — Continued

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
PARKINSON'S DISEASE	130	0	0	0	0	0	0	0	3	10	58	59	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	111	0	0	0	0	0	0	3	1	8	35	64	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	105	0	0	0	0	1	2	25	21	17	27	12	0
INTENTIONAL SELF-HARM (SUICIDE)	78	0	0	1	6	3	17	25	15	5	6	0	0
AORTIC ANEURYSM AND DISSECTION	70	0	0	0	0	1	0	0	4	11	26	28	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	50	50	0	0	0	0	0	0	0	0	0	0	0
ASSAULT (HOMICIDE)	39	1	3	0	8	9	4	9	2	1	2	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	13	0	0	0	1	2	2	6	0	2	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16B. LEADING CAUSES OF DEATH AMONG BLACKS BY SEX AND AGE GROUP, 2008.

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	6,139	214	19	32	244	262	404	930	1116	1,184	1,146	588	0
DISEASES OF THE HEART	1,512	1	0	2	13	28	71	210	320	337	343	187	0
MALIGNANT NEOPLASMS	1,345	1	1	2	6	14	39	181	302	377	299	123	0
ASSAULT (HOMICIDE)	339	2	5	4	144	96	46	32	9	1	0	0	0
ACCIDENTS	262	1	3	5	32	40	48	54	38	16	15	10	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	239	0	0	0	6	19	54	102	45	12	1	0	0
CEREBROVASCULAR DISEASES	230	0	0	1	2	1	7	29	41	54	60	35	0
DIABETES MELLITUS	220	0	0	1	0	2	10	31	44	56	52	24	0
SEPTICEMIA	154	1	1	1	2	0	9	21	28	38	42	11	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	144	144	0	0	0	0	0	0	0	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	133	0	0	0	1	2	5	18	28	40	27	12	0
CHRONIC LOWER RESPIRATORY DISEASE	108	0	0	3	2	0	1	6	15	32	36	13	0
INFLUENZA AND PNEUMONIA	107	0	1	1	3	3	8	8	24	16	26	17	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	72	0	0	0	0	0	2	29	24	14	2	1	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	70	0	0	0	0	3	2	9	12	13	13	18	0
INTENTIONAL SELF-HARM (SUICIDE)	66	0	0	1	11	16	14	11	7	2	3	1	0
ALZHEIMER'S DISEASE	54	0	0	0	0	0	0	0	2	7	23	22	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	40	0	0	0	0	2	1	3	2	11	14	7	0
PARKINSON'S DISEASE	23	0	0	0	0	0	0	0	1	6	6	10	0
AORTIC ANEURYSM AND DISSECTION	16	0	0	0	0	0	3	6	3	1	3	0	0
FEMALES													
ALL CAUSES	5,771	137	12	19	61	101	285	629	868	983	1,307	1368	1
DISEASES OF THE HEART	1,432	2	0	0	2	13	35	120	207	245	353	454	1
MALIGNANT NEOPLASMS	1,426	0	1	3	4	5	72	198	324	323	326	170	0
CEREBROVASCULAR DISEASES	307	0	0	0	1	6	11	26	38	48	81	96	0
DIABETES MELLITUS	236	0	0	0	2	2	8	19	29	58	68	50	0
SEPTICEMIA	196	1	0	0	1	4	4	25	42	31	46	42	0
CHRONIC LOWER RESPIRATORY DISEASE	144	0	0	0	0	2	2	10	17	41	50	22	0
ALZHEIMER'S DISEASE	137	0	0	0	0	0	0	0	1	11	38	87	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	136	0	0	0	5	14	42	53	15	4	2	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	135	1	0	0	0	1	1	9	19	29	45	30	0
ACCIDENTS	123	3	4	5	9	11	14	19	15	17	12	14	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	96	0	0	0	0	0	2	11	10	15	21	37	0

See footnotes at end of table.

TABLE 16B. LEADING CAUSES OF DEATH AMONG BLACKS BY SEX AND AGE GROUP, 2008. — Continued

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
INFLUENZA AND PNEUMONIA	94	0	0	0	2	0	4	9	7	12	31	29	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	86	86	0	0	0	0	0	0	0	0	0	0	0
ASSAULT (HOMICIDE)	52	2	0	4	17	10	13	4	2	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	34	0	0	0	0	0	1	2	4	6	11	10	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	29	0	0	0	0	0	1	11	7	4	5	1	0
PARKINSON'S DISEASE	21	0	0	0	0	0	0	0	1	1	9	10	0
AORTIC ANEURYSM AND DISSECTION	16	0	0	0	0	0	0	0	1	4	4	7	0
INTENTIONAL SELF-HARM (SUICIDE)	7	0	0	0	0	2	2	2	0	1	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16C. LEADING CAUSES OF DEATH AMONG ASIANS OR PACIFIC ISLANDERS BY SEX AND AGE GROUP, 2008.

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	384	9	2	3	8	15	16	28	69	91	85	58	0
MALIGNANT NEOPLASMS	113	0	0	0	1	2	3	10	29	33	24	11	0
DISEASES OF THE HEART	75	0	0	0	1	3	6	3	11	22	16	13	0
CEREBROVASCULAR DISEASES	25	0	0	0	0	2	1	0	5	6	8	3	0
ACCIDENTS	20	0	0	1	2	5	1	3	3	4	1	0	0
DIABETES MELLITUS	19	0	0	0	0	0	0	1	6	3	5	4	0
INTENTIONAL SELF-HARM (SUICIDE)	12	0	0	0	2	2	4	1	1	1	1	0	0
CHRONIC LOWER RESPIRATORY DISEASE	11	0	0	0	0	0	0	0	0	2	5	4	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	9	0	0	0	0	0	0	0	3	1	2	3	0
SEPTICEMIA	8	0	0	0	0	0	0	0	2	1	2	3	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	6	0	0	0	0	0	0	0	0	0	5	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	5	5	0	0	0	0	0	0	0	0	0	0	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	5	0	0	0	0	0	0	0	0	0	4	1	0
INFLUENZA AND PNEUMONIA	4	0	0	0	0	0	0	0	1	1	1	1	0
ASSAULT (HOMICIDE)	3	0	0	1	1	0	0	1	0	0	0	0	0
PARKINSON'S DISEASE	2	0	0	0	0	0	0	0	0	0	1	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	0	0	0	0	0	1	0	1	0	0	0
ALZHEIMER'S DISEASE	2	0	0	0	0	0	0	0	0	0	0	2	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	1	0	0	0	0	0	1	0	0	0	0	0	0
AORTIC ANEURYSM AND DISSECTION	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALES													
ALL CAUSES	358	8	3	0	8	8	14	14	30	60	99	114	0
MALIGNANT NEOPLASMS	108	0	0	0	2	1	8	9	22	26	22	18	0
DISEASES OF THE HEART	68	0	1	0	0	0	2	0	3	10	20	32	0
CEREBROVASCULAR DISEASES	30	0	0	0	0	1	0	0	2	10	12	5	0
INFLUENZA AND PNEUMONIA	17	0	0	0	0	1	0	1	0	0	8	7	0
ACCIDENTS	12	0	1	0	3	0	1	1	1	2	0	3	0
DIABETES MELLITUS	12	0	0	0	0	0	0	0	1	2	6	3	0
SEPTICEMIA	9	0	0	0	0	0	0	0	0	1	4	4	0
CHRONIC LOWER RESPIRATORY DISEASE	7	0	0	0	0	0	0	0	0	2	3	2	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	7	0	0	0	0	0	0	0	0	0	3	4	0
INTENTIONAL SELF-HARM (SUICIDE)	6	0	0	0	2	3	0	1	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	5	5	0	0	0	0	0	0	0	0	0	0	0

See footnotes at end of table.

TABLE 16C. LEADING CAUSES OF DEATH AMONG ASIANS OR PACIFIC ISLANDERS BY SEX AND AGE GROUP, 2008. — Continued

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
ALZHEIMER'S DISEASE	5	0	0	0	0	0	0	0	0	0	1	4	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	0	0	0	0	0	0	0	0	0	3	1	0
PARKINSON'S DISEASE	3	0	0	0	0	0	0	0	0	1	1	1	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	3	0	0	0	0	0	0	0	0	0	1	2	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	2	0	0	0	0	0	0	0	0	0	2	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	1	0	0	0	0	1	0	0	0	0	0	0	0
AORTIC ANEURYSM AND DISSECTION	1	0	0	0	0	0	0	1	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0	0	0	0	0	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16D. LEADING CAUSES OF DEATH AMONG HISPANICS BY SEX AND AGE GROUP, 2008.

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												NOT STAT-ED
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	
MALES													
ALL CAUSES	333	20	8	3	38	41	43	40	45	32	36	27	0
ACCIDENTS	60	0	1	1	14	18	7	10	4	1	3	1	0
MALIGNANT NEOPLASMS	52	0	0	0	1	1	3	6	19	10	6	6	0
DISEASES OF THE HEART	49	0	2	0	0	3	11	3	8	10	6	6	0
ASSAULT (HOMICIDE)	34	0	0	0	14	10	7	3	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	11	11	0	0	0	0	0	0	0	0	0	0	0
CEREBROVASCULAR DISEASES	9	0	0	0	0	0	0	2	5	0	2	0	0
DIABETES MELLITUS	9	0	0	0	0	0	0	4	0	0	2	3	0
INTENTIONAL SELF-HARM (SUICIDE)	8	0	0	0	3	2	1	2	0	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	0	0	0	0	0	3	2	0	3	0	0	0
INFLUENZA AND PNEUMONIA	8	0	2	0	0	0	0	0	0	2	0	4	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	8	0	0	0	1	2	3	2	0	0	0	0	0
SEPTICEMIA	5	0	0	0	0	0	0	1	3	0	0	1	0
PARKINSON'S DISEASE	3	0	0	0	0	0	0	0	0	0	2	1	0
CHRONIC LOWER RESPIRATORY DISEASE	3	0	0	0	0	0	0	0	0	0	3	0	0
ALZHEIMER'S DISEASE	2	0	0	0	0	0	0	0	0	0	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	2	0	0	0	0	0	0	0	1	1	0	0	0
AORTIC ANEURYSM AND DISSECTION	2	0	0	0	0	0	1	0	0	0	0	1	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	1	0	0	0	0	0	1	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	1	0	0	0	0	0	0	0	0	0	1	0	0
FEMALES													
ALL CAUSES	236	14	0	0	10	10	8	19	34	29	55	57	0
MALIGNANT NEOPLASMS	67	0	0	0	0	4	5	8	18	11	16	5	0
DISEASES OF THE HEART	46	0	0	0	0	0	0	2	2	5	18	19	0
ACCIDENTS	22	1	0	0	3	4	2	1	3	4	1	3	0
CEREBROVASCULAR DISEASES	10	0	0	0	2	0	1	1	1	1	2	3	0
SEPTICEMIA	7	0	0	0	0	0	0	0	2	1	1	3	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	7	7	0	0	0	0	0	0	0	0	0	0	0
DIABETES MELLITUS	6	0	0	0	1	0	1	0	1	0	2	1	0
INFLUENZA AND PNEUMONIA	5	0	0	0	0	0	0	1	0	1	2	1	0
ASSAULT (HOMICIDE)	4	1	0	0	1	1	0	1	0	0	0	0	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	4	0	0	0	0	0	0	0	0	1	1	2	0
PARKINSON'S DISEASE	3	0	0	0	0	0	0	0	0	0	1	2	0

See footnotes at end of table.

TABLE 16D. LEADING CAUSES OF DEATH AMONG HISPANICS BY SEX AND AGE GROUP, 2008. — Continued

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
CHRONIC LOWER RESPIRATORY DISEASE	3	0	0	0	0	0	0	0	0	0	2	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	3	0	0	0	0	0	0	0	0	0	2	1	0
ALZHEIMER'S DISEASE	3	0	0	0	0	0	0	0	0	0	0	3	0
INTENTIONAL SELF-HARM (SUICIDE)	2	0	0	0	2	0	0	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	2	0	0	0	0	0	0	0	0	0	0	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	0	0	0	0	0	0	0	1	0	0	0
AORTIC ANEURYSM AND DISSECTION	0	0	0	0	0	0	0	0	0	0	0	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	0	0	0	0	0	0	0	0	0	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL CAUSES	43,849	617	88	108	641	796	1,518	3,686	5,334	7,036	11,330	12,690	5
SALMONELLA INFECTIONS	2	0	0	0	0	0	0	0	1	0	0	1	0
SHIGELLOSIS AND AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS	218	0	0	0	0	0	1	2	12	33	85	85	0
TUBERCULOSIS, ALL FORMS	12	0	0	0	0	1	0	1	1	3	5	1	0
RESPIRATORY TUBERCULOSIS	10	0	0	0	0	0	0	1	1	3	5	0	0
OTHER TUBERCULOSIS	2	0	0	0	0	1	0	0	0	0	0	1	0
WHOOPING COUGH	0	0	0	0	0	0	0	0	0	0	0	0	0
SCARLET FEVER AND ERYSIPELAS	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION	0	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	998	2	2	1	5	7	23	90	142	185	280	261	0
SYPHILIS	2	0	0	0	0	0	0	0	1	0	1	0	0
ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0	0	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0
VIRAL HEPATITIS	127	0	0	0	1	1	6	45	42	14	13	5	0
HUMAN IMMUNODEFICIENCY VIRUS	431	0	0	0	13	40	109	180	65	20	3	1	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES	130	2	4	1	1	2	9	10	25	26	33	17	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALIGNANT NEOPLASMS	10,345	1	5	12	26	53	265	1,021	1,922	2,526	2,930	1,584	0
LIP, ORAL CAVITY AND PHARYNX	142	0	0	0	0	1	1	21	32	35	29	23	0
ESOPHAGUS	233	0	0	0	0	1	4	28	57	71	48	24	0
STOMACH	214	0	0	0	0	6	6	26	38	42	53	43	0
COLON, RECTUM, AND ANUS	964	0	0	0	0	2	27	95	173	210	272	185	0
LIVER AND INTRAHEPATIC BILE DUCTS	341	0	0	1	1	2	9	60	84	75	81	28	0
PANCREAS	661	0	0	0	0	1	10	53	151	155	189	102	0
LARYNX	74	0	0	0	0	0	0	5	19	19	22	9	0
TRACHEA, BRONCHUS AND LUNG	2,862	0	0	0	0	5	30	265	561	848	839	314	0
MELANOMA OF SKIN	153	0	0	0	0	4	9	18	30	35	35	22	0
BREAST	840	0	0	0	0	6	70	127	182	170	171	114	0
CERVIX UTERI	79	0	0	0	0	3	13	15	15	15	11	7	0
CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED	179	0	0	0	0	0	0	18	36	49	42	34	0
OVARY	270	0	0	0	1	0	8	21	56	72	78	34	0
PROSTATE	535	0	0	0	0	0	0	11	48	107	205	164	0
KIDNEY AND RENAL PELVIS	213	0	0	2	0	2	6	35	35	56	55	22	0
BLADDER	257	0	0	0	0	0	1	17	25	61	78	75	0
MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	225	0	0	2	8	2	6	39	52	66	35	15	0
LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	988	0	2	3	7	12	36	75	158	188	338	169	0
HODGKIN'S DISEASE	22	0	0	0	1	3	6	3	1	2	5	1	0
NON-HODGKIN'S LYMPHOMA	357	0	0	0	1	4	8	30	68	53	116	77	0
LEUKEMIA	374	0	2	3	5	5	19	27	55	67	123	68	0
MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS	235	0	0	0	0	0	3	15	34	66	94	23	0
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOIDHEMATOPOIETIC AND RELATED TISSUE	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS	1,115	1	3	4	9	6	29	92	170	252	349	200	0
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR	222	0	0	4	4	4	5	12	20	32	75	66	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ANEMIAS	105	0	1	3	0	5	7	8	10	10	26	35	0
DIABETES MELLITUS	1,237	0	0	1	5	8	39	101	210	251	364	258	0
NUTRITIONAL DEFICIENCIES	52	0	0	0	1	0	0	3	5	8	17	18	0
MALNUTRITION	49	0	0	0	1	0	0	2	5	8	16	17	0
OTHER NUTRITIONAL DEFICIENCIES	3	0	0	0	0	0	0	1	0	0	1	1	0
MENINGITIS	13	0	0	0	2	0	1	2	2	1	4	1	0
PARKINSON'S DISEASE	350	0	0	0	0	0	0	0	9	38	157	146	0
ALZHEIMER'S DISEASE	1,017	0	0	0	0	0	0	1	6	66	297	647	0
MAJOR CARDIOVASCULAR DISEASES	14,350	7	5	7	35	92	324	923	1,540	2,131	3,826	5,457	3
DISEASES OF HEART	11,217	6	3	4	28	74	270	766	1,290	1,703	2,918	4,152	3
ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES	37	0	0	0	0	0	2	2	4	9	10	10	0
HYPERTENSIVE HEART DISEASE	856	0	0	0	0	11	47	156	167	117	154	203	1
HYPERTENSIVE HEART & RENAL DISEASE	63	0	0	0	0	0	5	9	7	9	14	19	0
ISCHEMIC HEART DISEASE	7,560	0	0	1	2	22	103	430	897	1,223	2,042	2,838	2
ACUTE MYOCARDIAL INFARCTION	2,252	0	0	0	0	7	29	139	313	424	639	700	1
OTHER ACUTE ISCHEMIC HEART DISEASE	27	0	0	0	0	0	0	2	3	7	6	9	0
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	5,281	0	0	1	2	15	74	289	581	792	1,397	2,129	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE	2,361	0	0	0	0	12	60	208	335	330	545	870	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	2,920	0	0	1	2	3	14	81	246	462	852	1,259	0
OTHER HEART DISEASES	2,701	6	3	3	26	41	113	169	215	345	698	1,082	0
ACUTE AND SUBACUTE ENDOCARDITIS	25	0	0	0	0	0	2	4	3	4	8	4	0
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS	13	0	0	1	0	1	2	2	2	0	4	1	0
HEART FAILURE	616	1	1	0	0	1	5	12	23	64	187	322	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL OTHER FORMS OF HEART DISEASE	2,047	5	2	2	26	39	104	151	187	277	499	755	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	442	0	0	0	0	3	7	29	37	57	110	199	0
CEREBROVASCULAR DISEASES	2,250	0	1	3	6	13	34	110	176	297	670	940	0
ATHEROSCLEROSIS	103	0	0	0	0	0	0	0	8	14	23	58	0
OTHER DISEASES OF CIRCULATORY SYSTEM	337	1	1	0	1	2	13	18	29	60	104	108	0
AORTIC ANEURYSM AND DISSECTION	175	0	0	0	0	2	8	13	16	27	58	51	0
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	162	1	1	0	1	0	5	5	13	33	46	57	0
OTHER DISORDERS OF CIRCULATORY SYSTEM	70	0	0	0	1	2	6	14	9	13	12	13	0
INFLUENZA AND PNEUMONIA	1,017	0	4	1	7	7	21	50	67	95	300	465	0
INFLUENZA	22	0	0	0	2	0	0	1	3	2	4	10	0
PNEUMONIA	995	0	4	1	5	7	21	49	64	93	296	455	0
OTHER ACUTE LOWER RESPIRATORY INFECTIONS	6	1	1	0	0	0	0	1	1	1	0	1	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	5	1	1	0	0	0	0	0	1	1	0	1	0
UNSPECIFIED ACUTE LOWER REPIRATORY INFECTION	1	0	0	0	0	0	0	1	0	0	0	0	0
CHRONIC LOWER RESPIRATORY DISEASES	1,955	0	1	4	3	3	6	55	162	402	734	585	0
BRONCHITIS, CHRONIC AND UNSPECIFIED	5	0	0	0	0	0	0	2	1	0	0	2	0
EMPHYSEMA	175	0	0	0	0	0	1	7	13	42	72	40	0
ASTHMA	56	0	1	4	3	3	3	11	6	10	6	9	0
OTHER CHRONIC LOWER RESPIRATORY DISEASES	1,719	0	0	0	0	0	2	35	142	350	656	534	0
PNEUMOCONIOSES AND CHEMICAL EFFECTS	22	0	0	0	0	0	0	1	1	5	9	6	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	310	0	0	0	0	3	5	10	14	39	106	133	0
OTHER DISEASES OF RESPIRATORY SYSTEM	503	5	3	4	4	10	10	30	47	89	177	124	0
PEPTIC ULCER	39	0	0	0	0	0	0	3	8	6	11	11	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
DISEASES OF APPENDIX	10	0	0	1	1	0	0	1	1	0	1	5	0
HERNIA	23	0	0	0	1	0	0	2	1	3	3	13	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	407	0	0	0	0	4	26	114	99	77	61	26	0
ALCOHOLIC LIVER DISEASE	133	0	0	0	0	2	16	49	32	22	10	2	0
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS	274	0	0	0	0	2	10	65	67	55	51	24	0
CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER	58	0	0	0	1	1	0	1	8	14	17	16	0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS ...	761	3	0	1	2	6	11	46	87	137	219	249	0
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTICSYNDROME	6	0	0	0	0	2	0	0	0	2	2	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOTSPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED	74	0	0	0	1	1	0	5	7	7	14	39	0
RENAL FAILURES	681	3	0	1	1	3	11	41	80	128	203	210	0
OTHER DISORDERS OF KIDNEY	0	0	0	0	0	0	0	0	0	0	0	0	0
INFECTIONS OF KIDNEY	1	0	0	0	0	0	0	0	0	0	0	1	0
HYPERPLASIA OF PROSTATE	7	0	0	0	0	0	0	0	0	0	4	3	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS	2	0	0	0	0	0	0	0	1	0	1	0	0
PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	0	0	0	1	6	6	0	0	0	1	0	0
PREGNANCY WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THEPUERPERIUM	14	0	0	0	1	6	6	0	0	0	1	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	381	381	0	0	0	0	0	0	0	0	0	0	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMALABNORMALITIES	168	96	9	6	5	1	11	14	10	5	3	8	0
SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS,NOT ELSEWHERE CLASSIFIED	270	80	5	3	15	16	26	24	32	12	16	40	1
ALL OTHER DISEASES (RESIDUAL)	4,992	23	12	14	32	56	103	303	430	600	1,265	2,153	1
ACCIDENTS	1,460	9	22	29	161	149	149	208	151	142	205	235	0
TRANSPORT ACCIDENTS	694	2	8	16	145	119	96	114	65	54	46	29	0
MOTOR VEHICLE ACCIDENTS	643	2	8	15	134	115	89	100	58	49	44	29	0
OTHER LAND TRANSPORT ACCIDENTS	21	0	0	1	6	2	3	5	0	3	1	0	0
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	30	0	0	0	5	2	4	9	7	2	1	0	0
NONTRANSPORT ACCIDENTS	766	7	14	13	16	30	53	94	86	88	159	206	0
FALLS	448	1	1	2	2	4	9	32	39	61	129	168	0
DISCHARGE OF FIREARMS	1	0	0	0	0	1	0	0	0	0	0	0	0
DROWNING AND SUBMERSION	48	0	5	4	2	3	12	11	6	3	0	2	0
EXPOSURE TO SMOKE, FIRE AND FLAMES	44	1	3	5	1	6	2	5	10	5	4	2	0
POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	64	0	0	0	3	8	15	17	9	5	4	3	0
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE	161	5	5	2	8	8	15	29	22	14	22	31	0
INTENTIONAL SELF-HARM (SUICIDE)	493	0	0	3	56	72	89	115	78	27	41	12	0
BY DISCHARGE OF FIREARMS	259	0	0	0	18	34	46	62	45	14	30	10	0
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	234	0	0	3	38	38	43	53	33	13	11	2	0
ASSAULT (HOMICIDE)	528	6	11	12	190	138	78	70	15	4	4	0	0
BY DISCHARGE OF FIREARMS	381	1	0	9	159	110	57	39	5	1	0	0	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	147	5	11	3	31	28	21	31	10	3	4	0	0
LEGAL INTERVENTION	21	0	0	0	6	5	3	5	0	1	1	0	0
EVENTS OF UNDETERMINED INTENT	668	1	3	1	60	104	177	214	91	10	5	2	0
DISCHARGE OF FIREARMS	2	0	0	0	0	0	1	0	1	0	0	0	0
OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE	666	1	3	1	60	104	176	214	90	10	5	2	0
OPERATIONS OF WAR AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0	0	0	0
TERRORIST ATTACK	0	0	0	0	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF MEDICAL/SURGICAL CARE	52	0	0	0	2	0	2	6	8	10	18	6	0
INJURY BY FIREARMS	663	1	0	9	182	150	107	106	51	16	31	10	0
DRUG-INDUCED DEATHS	719	1	3	2	60	111	188	227	103	14	6	4	0
ALCOHOL-INDUCED DEATHS	264	0	0	0	2	8	41	98	56	39	16	4	0
INJURY AT WORK	64	2	0	0	7	8	15	8	11	9	4	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ALL CAUSES	43,849	15,162	6,139	384	333	15,934	5771	358	236
SALMONELLA INFECTIONS	2	1	0	0	0	1	0	0	0
SHIGELLOSIS AND AMEBIASIS	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS	218	72	14	0	4	106	23	3	0
TUBERCULOSIS, ALL FORMS	12	4	4	1	0	2	1	0	0
RESPIRATORY TUBERCULOSIS	10	4	4	0	0	2	0	0	0
OTHER TUBERCULOSIS	2	0	0	1	0	0	1	0	0
WHOOPING COUGH	0	0	0	0	0	0	0	0	0
SCARLET FEVER AND ERYSIPELAS	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION	0	0	0	0	0	0	0	0	0
SEPTICEMIA	998	294	154	8	5	333	196	9	7
SYPHILIS	2	0	1	0	0	0	1	0	0
ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0
VIRAL HEPATITIS	127	39	39	5	1	24	19	1	3
HUMAN IMMUNODEFICIENCY VIRUS	431	40	239	1	8	13	136	1	0
MALARIA	0	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES	130	37	34	1	1	34	20	3	0
MALIGNANT NEOPLASMS	10,345	3,809	1,345	113	52	3,524	1426	108	67
LIP, ORAL CAVITY AND PHARYNX	142	67	24	6	2	28	14	2	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ESOPHAGUS	233	141	41	3	3	30	15	2	2
STOMACH	214	73	50	8	4	38	33	11	5
COLON, RECTUM, AND ANUS	964	344	147	11	8	314	133	13	5
LIVER AND INTRAHEPATIC BILE DUCTS	341	154	69	15	8	62	37	2	6
PANCREAS	661	223	79	5	0	229	113	10	5
LARYNX	74	40	17	0	0	12	5	0	0
TRACHEA, BRONCHUS AND LUNG	2,862	1,144	377	28	7	993	302	15	3
MELANOMA OF SKIN	153	105	3	0	0	40	4	1	0
BREAST	840	14	1	0	0	512	294	18	15
CERVIX UTERI	79	0	0	0	0	44	31	4	2
CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED	179	0	0	0	0	119	59	1	3
OVARY	270	0	0	0	0	210	51	6	3
PROSTATE	535	337	194	4	5	0	0	0	0
KIDNEY AND RENAL PELVIS	213	102	35	2	0	47	25	2	0
BLADDER	257	139	24	1	2	69	23	1	0
MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	225	95	17	4	6	90	16	3	1
LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE HODGKIN'S DISEASE	988	408	119	14	6	310	126	8	12
NON-HODGKIN'S LYMPHOMA	22	7	4	0	0	8	3	0	1
LEUKEMIA	357	151	35	6	2	130	33	1	5
MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS	374	170	37	1	4	118	42	5	4
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOIDHEMATOPOIETIC AND RELATED TISSUE	235	80	43	7	0	54	48	2	2
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS	0	0	0	0	0	0	0	0	0
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR	1,115	423	148	12	1	377	145	9	5
ANEMIAS	222	110	19	0	2	71	22	0	3
DIABETES MELLITUS	105	22	21	0	1	35	24	3	0
NUTRITIONAL DEFICIENCIES	1,237	355	220	19	9	390	236	12	6
	52	19	5	1	0	19	8	0	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
MALNUTRITION	49	18	5	1	0	17	8	0	0
OTHER NUTRITIONAL DEFICIENCIES	3	1	0	0	0	2	0	0	0
MENINGITIS	13	4	3	0	0	4	2	0	0
PARKINSON'S DISEASE	350	170	23	2	3	130	21	3	3
ALZHEIMER'S DISEASE	1,017	247	54	2	2	572	137	5	3
MAJOR CARDIOVASCULAR DISEASES	14,350	4,963	1,859	105	62	5,406	1,890	103	61
DISEASES OF HEART	11,217	4,111	1,512	75	49	3,999	1,432	68	46
ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES	37	8	2	0	1	19	7	1	1
HYPERTENSIVE HEART DISEASE	856	286	181	2	2	238	141	5	3
HYPERTENSIVE HEART & RENAL DISEASE	63	15	13	0	0	20	15	0	0
ISCHEMIC HEART DISEASE	7,560	2,912	976	61	31	2,626	928	45	30
ACUTE MYOCARDIAL INFARCTION	2,252	882	295	16	10	749	295	12	9
OTHER ACUTE ISCHEMIC HEART DISEASE	27	11	3	0	0	11	2	0	3
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	5,281	2,019	678	45	21	1,866	631	33	18
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE	2,361	854	338	23	16	787	342	13	7
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	2,920	1,165	340	22	5	1,079	289	20	11
OTHER HEART DISEASES	2,701	890	340	12	15	1,096	341	17	12
ACUTE AND SUBACUTE ENDOCARDITIS	25	9	5	0	0	6	5	0	0
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS	13	5	2	0	0	5	1	0	0
HEART FAILURE	616	203	53	1	1	284	69	4	3
ALL OTHER FORMS OF HEART DISEASE	2,047	673	280	11	14	801	266	13	9
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	442	90	70	5	1	177	96	3	4
CEREBROVASCULAR DISEASES	2,250	622	230	25	9	1,033	307	30	10
ATHEROSCLEROSIS	103	20	9	0	0	64	10	0	1
OTHER DISEASES OF CIRCULATORY SYSTEM	337	120	38	0	3	132	45	2	0
AORTIC ANEURYSM AND DISSECTION	175	72	16	0	2	70	16	1	0
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	162	48	22	0	1	62	29	1	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
OTHER DISORDERS OF CIRCULATORY SYSTEM	70	21	15	0	0	17	17	0	0
INFLUENZA AND PNEUMONIA	1,017	361	107	4	8	432	94	17	5
INFLUENZA	22	7	0	0	0	12	3	0	1
PNEUMONIA	995	354	107	4	8	420	91	17	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS	6	2	1	0	0	2	1	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	5	2	1	0	0	2	0	0	0
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION	1	0	0	0	0	0	1	0	0
CHRONIC LOWER RESPIRATORY DISEASES	1,955	718	108	11	3	964	144	7	3
BRONCHITIS, CHRONIC AND UNSPECIFIED	5	2	0	0	0	1	2	0	0
EMPHYSEMA	175	68	13	1	0	87	6	0	0
ASTHMA	56	9	12	0	0	18	15	1	0
OTHER CHRONIC LOWER RESPIRATORY DISEASES	1,719	639	83	10	3	858	121	6	3
PNEUMOCONIOSES AND CHEMICAL EFFECTS	22	17	0	0	1	4	1	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	310	117	40	6	1	111	34	2	2
OTHER DISEASES OF RESPIRATORY SYSTEM	503	197	51	10	3	192	45	8	6
PEPTIC ULCER	39	16	6	2	0	14	0	1	0
DISEASES OF APPENDIX	10	1	1	0	0	6	2	0	0
HERNIA	23	9	1	1	0	8	4	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS	407	194	72	2	8	105	29	4	1
ALCOHOLIC LIVER DISEASE	133	76	25	1	4	18	12	0	0
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS	274	118	47	1	4	87	17	4	1
CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER	58	17	6	1	1	28	6	0	1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS ...	761	224	133	9	2	251	135	7	3

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME	6	1	1	0	0	2	2	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED	74	19	10	0	0	36	8	1	0
RENAL FAILURES	681	204	122	9	2	213	125	6	3
OTHER DISORDERS OF KIDNEY	0	0	0	0	0	0	0	0	0
INFECTIONS OF KIDNEY	1	0	0	0	0	1	0	0	0
HYPERPLASIA OF PROSTATE	7	7	0	0	0	0	0	0	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS	2	0	0	0	0	1	1	0	0
PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	0	0	0	0	7	6	1	1
PREGNANCY WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	0	0	0	0	7	6	1	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	381	81	144	5	11	50	86	5	7
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	168	52	34	3	8	50	25	1	4
SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED	270	71	74	4	3	72	45	2	1
ALL OTHER DISEASES (RESIDUAL)	4,992	1,447	503	31	23	2,291	682	32	20
ACCIDENTS	1,460	650	262	20	60	384	123	12	22
TRANSPORT ACCIDENTS	694	335	156	10	42	125	55	6	15
MOTOR VEHICLE ACCIDENTS	643	307	147	10	41	117	49	6	14
OTHER LAND TRANSPORT ACCIDENTS	21	11	3	0	1	5	2	0	1

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	30	17	6	0	0	3	4	0	0
NONTRANSPORT ACCIDENTS	766	315	106	10	18	259	68	6	7
FALLS	448	185	30	5	11	194	30	3	5
DISCHARGE OF FIREARMS	1	0	1	0	0	0	0	0	0
DROWNING AND SUBMERSION	48	23	10	1	3	9	5	0	1
EXPOSURE TO SMOKE, FIRE AND FLAMES	44	12	11	2	1	7	11	1	1
POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	64	31	18	0	1	11	4	0	0
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE	161	64	36	2	2	38	18	2	0
INTENTIONAL SELF-HARM (SUICIDE)	493	324	66	12	8	78	7	6	2
BY DISCHARGE OF FIREARMS	259	185	33	5	3	31	5	0	0
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	234	139	33	7	5	47	2	6	2
ASSAULT (HOMICIDE)	528	90	339	3	34	39	52	0	4
BY DISCHARGE OF FIREARMS	381	45	293	2	20	10	27	0	1
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	147	45	46	1	14	29	25	0	3
LEGAL INTERVENTION	21	6	14	0	0	0	0	0	0
EVENTS OF UNDETERMINED INTENT	668	341	120	2	9	139	64	1	0
DISCHARGE OF FIREARMS	2	1	0	0	0	0	1	0	0
OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE	666	340	120	2	9	139	63	1	0
OPERATIONS OF WAR AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0
TERRORIST ATTACK	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF MEDICAL/SURGICAL CARE	52	13	8	0	0	24	6	1	0
INJURY BY FIREARMS	663	237	340	7	23	41	33	0	1

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2008. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
DRUG-INDUCED DEATHS	719	356	126	0	2	169	67	1	1
ALCOHOL-INDUCED DEATHS	264	149	48	1	16	38	27	0	0
INJURY AT WORK	64	39	13	2	5	3	6	0	0

¹ ICD-10 codes appear after the Table of Contents .

² Includes races categorized as 'other' .

TABLE 19. ACCIDENTAL DEATHS BY TYPE OF ACCIDENT, SEX, AND AGE, 2008.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	1,460	940	520	9	51	161	298	359	582	0
TRANSPORT ACCIDENTS	694	507	187	2	24	145	215	179	129	0
MOTOR VEHICLE ACCIDENTS	643	470	173	2	23	134	204	158	122	0
OTHER LAND TRANSPORT ACCIDENTS	21	14	7	0	1	6	5	5	4	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	30	23	7	0	0	5	6	16	3	0
NONTRANSPORT ACCIDENTS	766	433	333	7	27	16	83	180	453	0
FALLS	448	221	227	1	3	2	13	71	358	0
ACCIDENT DISCHARGE OF FIREARMS	1	1	0	0	0	0	1	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	48	34	14	0	9	2	15	17	5	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	44	25	19	1	8	1	8	15	11	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	64	49	15	0	0	3	23	26	12	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	161	103	58	5	7	8	23	51	67	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19A. ACCIDENTAL DEATHS AMONG WHITES BY TYPE OF ACCIDENT, SEX, AND AGE, 2008.

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	1,034	650	384	5	31	113	173	224	488	0
TRANSPORT ACCIDENTS	460	335	125	1	17	101	129	116	96	0
MOTOR VEHICLE ACCIDENTS	424	307	117	1	16	93	124	99	91	0
OTHER LAND TRANSPORT ACCIDENTS	16	11	5	0	1	5	2	5	3	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	20	17	3	0	0	3	3	12	2	0
NONTRANSPORT ACCIDENTS	574	315	259	4	14	12	44	108	392	0
FALLS	379	185	194	1	1	2	8	49	318	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	32	23	9	0	7	2	4	14	5	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	19	12	7	0	3	0	2	6	8	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	42	31	11	0	0	3	18	14	7	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	102	64	38	3	3	5	12	25	54	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19B. ACCIDENTAL DEATHS AMONG BLACKS BY TYPE OF ACCIDENT, SEX, AND AGE, 2008.

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	385	262	123	4	17	41	113	126	84	0
TRANSPORT ACCIDENTS	211	156	55	1	6	38	79	58	29	0
MOTOR VEHICLE ACCIDENTS	196	147	49	1	6	35	73	54	27	0
OTHER LAND TRANSPORT ACCIDENTS	5	3	2	0	0	1	3	0	1	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	10	6	4	0	0	2	3	4	1	0
NONTRANSPORT ACCIDENTS	174	106	68	3	11	3	34	68	55	0
FALLS	60	30	30	0	1	0	3	19	37	0
ACCIDENT DISCHARGE OF FIREARMS	1	1	0	0	0	0	1	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	15	10	5	0	1	0	11	3	0	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	22	11	11	1	5	0	4	9	3	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	22	18	4	0	0	0	5	12	5	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	54	36	18	2	4	3	10	25	10	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19C. ACCIDENTAL DEATHS AMONG ASIANS OR PACIFIC ISLANDERS BY TYPE OF ACCIDENT, SEX, AND AGE, 2008.

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	32	20	12	0	2	5	7	8	10	0
TRANSPORT ACCIDENTS	16	10	6	0	0	4	3	5	4	0
MOTOR VEHICLE ACCIDENTS	16	10	6	0	0	4	3	5	4	0
OTHER LAND TRANSPORT ACCIDENTS	0	0	0	0	0	0	0	0	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0
NONTRANSPORT ACCIDENTS	16	10	6	0	2	1	4	3	6	0
FALLS	8	5	3	0	1	0	2	2	3	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	1	1	0	0	1	0	0	0	0	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	3	2	1	0	0	1	2	0	0	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	0	0	0	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	4	2	2	0	0	0	0	1	3	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19D. ACCIDENTAL DEATHS AMONG HISPANICS BY TYPE OF ACCIDENT, SEX, AND AGE, MARYLAND, 2008.

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	82	60	22	1	2	17	31	18	13	0
TRANSPORT ACCIDENTS	57	42	15	1	1	16	23	12	4	0
MOTOR VEHICLE ACCIDENTS	55	41	14	1	1	15	22	12	4	0
OTHER LAND TRANSPORT ACCIDENTS	2	1	1	0	0	1	1	0	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0
NONTRANSPORT ACCIDENTS	25	18	7	0	1	1	8	6	9	0
FALLS	16	11	5	0	0	0	4	4	8	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	4	3	1	0	0	1	0	2	1	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	2	1	1	0	1	0	1	0	0	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	1	1	0	0	0	0	1	0	0	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	2	2	0	0	0	0	2	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 20. INFANT, NEONATAL AND POSTNEONATAL DEATHS AND MORTALITY RATES BY MATERNAL RACE AND HISPANIC ORIGIN, MARYLAND, 2008.

	NUMBER OF DEATHS	MORTALITY RATES
INFANT DEATHS*		
ALL RACES.....	617	8.0
WHITE.....	235	5.2
BLACK.....	351	13.4
ASIAN/PACIFIC ISLANDER.....	17	3.4
HISPANIC**.....	34	3.2
NEONATAL DEATHS*		
ALL RACES.....	452	5.8
WHITE.....	166	3.6
BLACK.....	259	9.9
ASIAN/PACIFIC ISLANDER.....	15	3.0
HISPANIC**.....	26	2.5
POSTNEONATAL DEATHS*		
ALL RACES.....	165	2.1
WHITE.....	69	1.5
BLACK.....	92	3.5
ASIAN/PACIFIC ISLANDER.....	2	***
HISPANIC**.....	8	0.8

*Mortality rates are per 1,000 live births.

**Race and Hispanic origin are reported separately on the death certificate. Data for persons of Hispanic origin are included in the data for each race group according to the reported race of the decedent.

***Rates based on fewer than five events in the numerator are not presented since rates based on small numbers are likely to be unstable.

TABLE 21. DEATHS BY AREA OF OCCURRENCE BY RACE AND HISPANIC ORIGIN, 2008.

MARYLAND

RACE	TOTAL DEATHS	PLACE OF OCCURRENCE			PERCENT OF DEATHS OCCURRING IN MARYLAND	PERCENT OF DEATHS OCCURRING IN THE DISTRICT OF COLUMBIA	PERCENT OF DEATHS OCCURRING IN OTHER STATES
		MARYLAND	DISTRICT OF COLUMBIA	OTHER STATES			
TOTAL ¹	43,849	41,128	1,576	1,145	93.8	3.6	2.6
WHITE	31,096	29,509	691	896	94.9	2.2	2.9
BLACK	11,910	10,864	833	213	91.2	7.0	1.8
ASIAN OR PACIFIC ISLANDER	742	663	49	30	89.4	6.6	4.0
HISPANIC ²	569	514	44	11	90.3	7.7	1.9

¹ Includes races categorized as 'other'.

² Race and Hispanic origin are reported separately on the death certificate. Data for persons of Hispanic origin are included in the data for each race group according to the reported race of the decedent.

TABLE 22. AGE-ADJUSTED* DEATH RATES*** FOR LEADING CAUSES BY POLITICAL SUBDIVISION, MARYLAND, 2006-2008.**

REGION AND POLITICAL SUBDIVISION	ALL CAUSES OF DEATH	DISEASES OF THE HEART	MALIGNANT NEOPLASMS	CEREBRO-VASCULAR DISEASE	CHRONIC LOWER RESPIRATORY DISEASES	ACCIDENTS	DIABETES MELLITUS	INFLUENZA AND PNEUMONIA	SEPTICEMIA	ALZHEIMER'S DISEASE	NEPHRITIS, NEPHROSIS AND NEPROTIC SYNDROME	ASSAULT (HOMICIDE)	INTENTIONAL SELF-HARM (SUICIDE)	HIV
MARYLAND.....	780.8	201.3	182.6	41.3	34.9	25.8	22.4	18.7	17.3	17.1	13.5	10.0	8.6	7.5
NORTHWEST AREA	780.4	209.7	180.2	45.0	45.6	27.1	23.9	20.1	11.6	17.2	13.5	****	10.7	****
GARRETT.....	789.1	223.4	173.7	****	****	****	****	****	****	****	****	****	****	****
ALLEGANY.....	861.7	258.9	186.8	52.7	52.4	29.4	****	****	20.3	****	****	****	****	****
WASHINGTON.....	802.9	200.3	183.6	41.7	50.2	27.5	33.4	19.1	****	****	16.8	****	****	****
FREDERICK.....	740.2	193.6	180.5	46.0	39.5	24.7	17.5	25.6	10.7	16.1	****	****	10.2	****
BALTIMORE METRO AREA	843.5	211.2	194.3	46.0	37.5	25.2	22.8	19.7	20.3	16.1	14.4	13.2	9.2	11.6
BALTIMORE CITY.....	1,047.9	263.5	221.7	49.6	34.4	27.0	33.3	21.4	32.7	11.0	21.3	36.3	8.8	38.5
BALTIMORE COUNTY.....	797.5	198.0	187.5	45.4	38.1	24.9	20.0	19.1	19.2	15.0	12.6	6.9	9.2	6.0
ANNE ARUNDEL.....	819.8	206.8	199.2	45.8	43.7	24.1	23.8	21.2	15.0	19.9	12.6	4.6	9.4	****
CARROLL.....	779.2	193.0	182.5	59.2	39.6	28.9	12.1	17.1	14.5	22.4	****	****	****	****
HOWARD.....	676.0	165.6	162.4	38.3	28.3	19.4	17.8	18.5	15.3	24.8	12.5	****	7.9	****
HARFORD.....	823.1	219.3	188.8	42.0	41.6	28.8	20.0	20.9	11.6	18.4	13.4	****	10.3	****
NATIONAL CAPITAL AREA	661.6	174.3	154.6	33.4	23.3	22.6	20.9	18.7	16.0	16.2	11.4	9.9	6.4	5.1
MONTGOMERY.....	555.5	137.0	135.7	30.2	22.0	18.1	13.9	19.5	13.7	13.8	8.6	3.2	6.5	****
PRINCE GEORGE'S.....	808.2	232.2	180.2	37.1	24.4	27.9	31.8	16.6	19.3	20.7	15.7	16.6	6.0	8.7
SOUTHERN AREA	832.4	228.8	197.0	41.2	47.0	33.5	26.9	13.9	13.9	19.9	11.8	****	11.0	****
CALVERT.....	838.9	234.0	197.1	37.9	55.8	34.6	****	****	****	****	****	****	****	****
CHARLES.....	839.4	215.7	199.2	41.5	47.2	33.6	34.1	****	****	****	****	****	****	****
SAINT MARY'S.....	815.6	239.3	195.2	44.2	39.4	31.5	****	****	****	****	****	****	****	****
EASTERN SHORE AREA	821.6	217.6	207.8	36.6	41.2	34.4	22.7	15.5	13.8	22.8	16.4	****	10.5	****
CECIL.....	873.2	218.7	220.0	29.7	54.0	42.6	29.9	****	****	****	****	****	****	****
KENT.....	825.7	197.3	209.4	****	****	****	****	****	****	****	****	****	****	****
QUEEN ANNE'S.....	766.5	186.6	218.2	****	****	****	****	****	****	****	****	****	****	****
CAROLINE.....	892.4	209.7	217.1	****	58.0	****	****	****	****	****	****	****	****	****
TALBOT.....	717.5	178.3	168.5	45.2	36.3	****	****	****	****	****	****	****	****	****
DORCHESTER.....	841.8	211.1	197.0	43.4	****	****	****	****	****	****	****	****	****	****
WICOMICO.....	886.8	250.9	232.8	32.2	42.7	31.1	30.1	****	****	23.8	19.0	****	****	****
SOMERSET.....	870.4	316.5	203.5	****	****	****	****	****	****	****	****	****	****	****
WORCESTER.....	761.0	210.9	192.1	32.7	28.2	****	****	****	****	****	****	****	****	****

*Adjusted to the standard U.S. 2000 population by the direct method. These rates should only be compared with other rates age-adjusted to the same population.

**ICD-10 codes appear on page xv.

***Per 100,000 population.

****Age-adjusted death rates not calculated for jurisdictions or regions with fewer than 20 deaths.